

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 87-077074
Unit Block

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	XX
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 19, 19 60

Block

Well No. 11-5 is located 1420 ft. from line and 930 ft. from line of sec. 7

SW 1/4 Section 7 2-27N 1-9W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)


Wildcat Dakota Santa Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6188 ft. O.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth - 6768', P.B.T.D. - 6767'
Perforated from 6310-6324, 6337-6344, 6376-6384, 6727-6734, with 4 shots per foot
Run logs: top of Pictured Cliffs - 2104' top of Dakota - 6309'
Set 213 lbs., 6736' of 1 1/2" casing, landed at 6768' with 300 sacks cement
D. V. tool - 2300'
Shutted hole dry
Tested two hours with 900# pressure
Pipe Okay.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Astec Oil & Gas Company

Address Box # 786, Farmington, New Mex.

ORIGINAL SIGNED BY JOE C. SALMON

By Joe C. Salmon

Title District Superintendent



1

2

3