

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Vegas

Lease No. 072094

Unit Red, Fairwater

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	RECEIVED MAY 1 1951 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Well No. 1</u>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1 is located 1500 ft. from N line and 1600 ft. from E line of sec. 14


14 (1/4 Sec. and Sec. No.) 27 (Twp.) 11 (Range) 1 (Meridian)
East Lake Canyon (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5127 ft. C.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Test in hole for Well No. 1. To test interval 9200 to 9400. Made up Brown Test Tool and went in hole. Set top packer at 9200 - bottom packer at 9400. Initial shut in 30 minutes. Immediate blow when tool opened - Medium blow for 40 minutes - Gradually declining - dead in 90 minutes. 30 minute Final Shut in. Recovered 1200 feet of fluid consisting of 1000 feet of slightly oil out with highly gas out and, 200 feet heavy oil and gas out and, 30 percent oil. Tool open one hour and 20 minutes. 1200-2400; 1 1/2"-1 7/8" 177-550; 177-703; 178P-1400; 178P-1370; bottom packer failed during 1200-2400.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Critical-American Oil Prod. Company

Address P. O. Drawer 330

Farmington, New Mexico

By Field Representative

Title