


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.



5. Lease Serial No.
NMSF 12033

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
NASSAU 4

9. API Well No.
30-045-20957

10. Field and Pool, or Exploratory
BASIN DAKOTA

11. County or Parish, and State
SAN JUAN COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
CONOCO INC.

Contact: DEBORAH MARBERRY
E-Mail: deborah.moore@usa.conoco.com

3a. Address
P.O. BOX 2197 DU 3066
HOUSTON, TX 77252

3b. Phone No. (include area code)
Ph: 281.293.1005
Fx: 281.293.5466

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T27N R13W NWSE 1850FSL 1850FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input checked="" type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Final Abandonment Notice
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This well was plugged as per the attached daily reports.

2002 FEB 19 AM 9:25
CNO FARMINGTON, NM

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #10377 verified by the BLM Well Information System For CONOCO INC., sent to the Farmington

Name (Printed/Typed) DEBORAH MARBERRY Title SUBMITTING CONTACT

Signature (Electronic Submission) Date 02/15/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FOR RECORD

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

25 000

CONOCO

Signature

Daily Summary

API 300452095700	County SAN JUAN	State/Province New Mexico	Surface Legal Location NMPM-27N-13W-24-J	NS Dist. (ft) 1850.0	NS Flag S	EW Dist. (ft) 1850.0	EW Flag E
Ground Elev (ft) 5898.00	Spud Date 11/24/1971	Rig Release Date 12/6/1971	Latitude (DMS)	Longitude (DMS)			

Start	Ops This Rpt
1/25/2002	HELD SAFETY MEETING. MIRU. OPENED UP WELL. CSG PRESSURE 0 #. NDWH - NUBOP. TESTED BOP TO 250 # & 3000 #. BOTH PIPE AND BLINE RAMS. HELD OK. POOH W/ 33 JTS 1 1/4" (1067'). RIH W/ 3 7/8" BIT ON 2 3/8" TBG. TAGGED FILL @ 1073'. SWION.
1/28/2002	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 0 #. RIH W/ 3 7/8" BIT ON 2 3/8" TBG. TAGGED FILL @ 1033'. CIRCULATED DOWN TO CEMENT PLUG @ 1100'. DRILLED OUT CEMENT PLUG FROM 1100' TO 1150'. RIH TAGGED FILL @ 4140'. RU SWIVEL. CLEANED OUT FROM 4140' TO 4239'. CIRCULATED WELL CLEAN. SWION.
1/29/2002	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 0 #. RIH W/ 3 7/8" BIT ON 2 3/8" TBG. RU SWIVEL. CLEANED OUT FROM 4239' TO 5922'. NO PLUG OVER DAKOTA. PUH TO 5500'. SWION.
1/30/2002	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 600 #. POOH W/ 3 7/8" BIT & TBG. RIH W/ 4 1/2" CEMENT RETAINER 1577'. SWION.
1/31/2002	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 650 #. INSTALLED BLOW DOWN LINE FROM WELL TO PIT. SHOUT DOWN DUE TO WIND. SWION
2/1/2002	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 700 #. KILLED WELL. RIH W/ 4 1/2" CEMENT RETAINER. SET @ 5776'. TESTED TBG TO 1000 #. HELD OK. STUNG OUT OF RETAINER. LOADED HOLE. STUNG BACK INTO RETAINER. PUMPED CEMENT PLUG # 1 W/ 34 SACKS CLASS B CEMENT FROM 5776' TO 5616'. PUMPED 22 SACKS BELOW RETAINER & 12 SACKS ON TOP OF RETAINER. PUH TO 4975'. PUMPED CEMENT PLUG # 2 W/ 16 SACKS CLASS B CEMENT FROM 4875' TO 4850'. PUH TO 4750'. WOC. RIH. TAGGED TOC @ 4798'. PUH TO 2875'. PUMPED CEMENT PLUG # 3 W/ 16 SACKS CLASS B CEMENT FROM 2875' TO 2755'. PUH TO 2650'. SWION.
2/4/2002	HELD SAFETY MEETING. OPENED UP WELL. CSG PRESSURE 0 #. RIH W/ PERFORATING GUN. SHOT 3 HOLES @ 1334'. RIH W/ 4 1/2" CEMENT RETAINER ON 2 3/8" TBG. SET RETAINER @ 1284'. PUMPED CEMENT PLUG # 4 W/ 88 SACKS CLASS B CEMENT FROM 1334' TO 915'. PUMPED 39 SACKS OUTSIDE CSG AND 49 SACKS INSIDE CSG. POOH W/ TBG. WOC. RIH W/ WIRE LINE. TAGGED TOC @ 900'. RIH W/ PERFORATING GUN. SHOT 3 HOLES @ 264'. EST CIRCULATION OUT BRADENHEAD. PUMPED CEMENT PLUG # 5 W/ 112 SACKS CLASS B CEMENT FROM 264 TO SURFACE. CIRCULATED GOOD CEMENT OUT BRADENHEAD. NDBOP. CUT OFF WELLHEAD BELOW GROUND. INSTALLED P & A MARKER W/ 20 SACKS CLASS B CEMENT. RDMO. FINAL REPORT.

Form Status Menu

Sundry Notice

This Sundry Notice was received by the BLM Well Information System and will be processed by the Farmington BLM office.

Current status of Transaction Number **10377**:

Sundry Notice Type: **SUBSEQUENT REPORT-Final Abandonment Notice**

Date Sent: **2/15/2002**

Current status of submission: **RECVD**

Sent to BLM office: **Farmington**

Lease number: **NMSF 12033**

Submitted attachments: **1**

Well name(s) and number(s):

NASSAU #4

To edit, view, or add a note, [click here](#)

To use this Sundry Notice to file another  [click here](#).

To view or print this Sundry Notice, [click here](#).

To add/view or remove attachments previously submitted for this Sundry Notice, [click here](#).

To return to the Previous Submissions screen, [click here](#).

To return to the Operator Main Menu, [click here](#).