

DEVIATION TESTS

MARRON WN FEDERAL COM., WELL #1-A

<u>DEPTH</u>	<u>DEGREES</u>	<u>DEPTH</u>	<u>DEGREES</u>
290'	1/2°	2853'	3/4°
602'	1/2°	3301'	1/4°
1228'	3/4°	3602'	1/4°
1510'	3/4°	4071'	1/4°
1915'	3/4°	4383'	1/4°
2541'	3/4°		

AFFIDAVIT

This is to certify that to the best of my knowledge the above tabulation details the deviation tests taken on Atlantic Richfield Company's Marron WN Federal Com., Well No. 1-A, Blanco Mesaverde Pool, 1630 feet from the North line and 1120 feet from the West line of Section 27-27N-8W, San Juan County, New Mexico.

M. E. Brown
M.E. Brown
Operations Information, Asst.

State of Colorado)
) ss.
County of Denver)

Before me, the undersigned authority, on this day personally appeared M. E. Brown, known to be to be the Operations Information, Assistant for Atlantic Richfield Company, and to be the person whose name is subscribed to the above statement, who, being by me duly sworn on oath, states that he has knowledge of the facts stated herein, and that said statement is true and correct.

Subscribed and sworn to before me, a Notary Public, in and for said County and State this 9th day of November 1977.

Katherine H. Nielson
Notary Public

My commission expires: October 9, 1981