

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

NM-33042

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

None

7. UNIT AGREEMENT NAME

None

8. FARM OR LEASE NAME

Odessa

9. WELL NO.

1

10. FIELD AND POOL OR WILDCAT

Waw Fruit - PC
Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

S25-T27N-R13W, NMPM

12. COUNTY OR PARISH 13. STATE

San Juan N.M.

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER Dry Hole

2. NAME OF OPERATOR
Whigham Associates

3. ADDRESS OF OPERATOR
P.O. Box 255, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1600' from N line, 1800' from E line.

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)

30-045-23108 5915 GR.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

☐
☐
☒

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).*

This well was plugged and abandoned on Sept. 13th, 1978 in the following manner:


1) A 35 sack plug of Class B cement was set from a total depth of 1315 ft. to 1195 ft., covering the Pictured Cliffs Sandstone and 50 ft. of the overlying Fruitland Formation.

2) A 30 sack cement plug was set from 230 ft. to 130 ft. depth across the base of the Ojo Alamo Sandstone at 180 ft. depth.

3) A 10 sack cement plug was set from 50 ft. depth to the surface inside and below the 7" surface casing set at 32 ft. with 6 sacks cement

4) A 4" dry hole marker extending 4 ft. above the surface is set in the cement inside the surface casing.

5) The mud pits were filled, the location leveled and cleaned and the disturbed area seeded as required.



18. I hereby certify that the foregoing is true and correct

SIGNED

Wm R. Speer

TITLE

Agent

DATE

9/14/78

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NMCC