DEPUTY OIL & GAS INSPECTION


DEC 2 9 1997

Meter Number:93384

Location Name: MARTIN GAS COM G #1E

Location:TN-27 RG-10 SC-14 UL-J

2 - Federal NMOCD Zone:OUTSIDE Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 93-384 Location: Martin Gas Com G No. 1E Operator #: 0203 Operator Name: Amoco P/L District: Angel Reak Coordinates: Letter: J Section 14 Township: Z7 Range: 10 Or Latitude Longitude Pit Type: Dehydrator Location Drip: X Line Drip: Other: Site Assessment Date: 9/28/94 Area: 01 Run: 52
SITE ASSESSMENT	NMOCD Zone: Land Type: BLM (1)
RKS	Remarks: Redline book: Outside, Vulnerable Zone Topo: Outside Three pits, location drippit is dry. Will alose one pit
REMARKS	D1124 T17
- X	PUDIT IN

ORIGINAL PIT LOCATION	ORIGINAL PIT LOCATION Original Pit: a) Degrees from North 248° Footage from Wellhead 136' b) Length: 29 Width: 28 Depth: 51
REMARKS	Remarks: Pictures at 1620, Roll Z Dump Truck
	Completed By:
	Signature Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 93384 Location: Marken Gras Com G # 1E Coordinates: Letter: J Section 14 Township: 27 Range: 10 Or Latitude Longitude Date Started: 10.12-94 Run: 01 52							
FIELD OBSERVATIONS	Sample Number(s): \(\begin{align*}							
CLOSURE	Remediation Method: Excavation							
SX	Pit Closure Date: 10.12.94 Pit Closed By: 3FT Remarks: 10 xls							
REMARKS								
	Signature of Specialist: Vale Wilsen (SP3181) 03/16/94							



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE I	DENTIFICA	TION	· · · · · ·		
	Field I	Lab ID				
SAMPLE NUMBER:	1w 408	946390				
MTR CODE SITE NAME:	93384	N/A				
SAMPLE DATE TIME (Hrs):	10-12-9					
SAMPLED BY:		/A				
DATE OF TPH EXT. ANAL.:	16-12-14 N/A		N / A			
DATE OF BTEX EXT. ANAL.:						
TYPE ! DESCRIPTION:	76	J.G		Brown Sand July		
	F	RESULTS				
	RESULT	RESULT UNITS	QUALIFIERS			
PARAMETER	RESOLI		DF	Q	M(g)	V(ml)
TPH (418.1)	3410	MG/KG			12,10	28
HEADSPACE PID	205	PPM				
PERCENT SOLIDS	702	%				
TERCENT SOCIO		TPH is by EPA Meth	od 418.1 ·-			
arrative:						
5 Dilution Forter Head				· · · · · ·		
F = Dilution Factor Used						

Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil Perkin-Elmer Model 1600 FT-IR Analysis Report ****************** P4710713 14:12 Bamble identification 146070 Thibial make of sample. 3 Welcome of sample after extraction. al February avercearbons, spm Net suppose of theretarbes (2000 cost) Fet tisks | modernose exections

1299

2989

100