
Meter Number:93578
Location Name:SCHLOSSER WN FEDERAL #7E

Location:TN-27 RG-11 SC-10 UL-A 2 - Federal NMOCD Zone:OUTSIDE Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORMEL PASO FIELD SERVICES

GENERAL	Meter: 93-576 Location: Schlosser WN Federal No. 7E Operator #: 0286 Operator Name: Conoco P/L District: Angel Peak Coordinates: Letter: A Section 10 Township: 27 Range: 11 Or Latitude Longitude Pit Type: Dehydrator Location Drip: X Line Drip: Other: Site Assessment Date: 9/14/94 Area: 01 Run: 71					
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside (2) Depth to Groundwater Less Than 50 Feet (20 points) Greater Than 100 Ft (0 points) Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; ls it less than 200 ft from a private domestic water source? Horizontal Distance to Surface Water Body Less Than 1000 Ft (10 points) Greater Than 1000 Ft (20 points) (1) YES (20 points) (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (3) Name of Surface Water Body (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE: POINTS					
REMARKS	Remarks: Realine Book - Outside Vulnerable Zone Tape - Outside Three pits, location drip pit is dry. Will close one pit. PUSH IN					

FIEL PIT REMEDIATION/CLOSULE FORM

GENERAL	Meter: 93578 Location: Schlosser wn Federal No. 75 Coordinates: Letter: A Section 10 Township: 27 Range: 11 Or Latitude Longitude Rev. 105.44 Date Started: 10-5-94 Run: 01 77 71
FIELD OBSERVATIONS	Sample Number(s): 292 Sample Depth: 12^1 Feet Final PID Reading 309 PID Reading Depth 12^1 Feet Yes No Groundwater Encountered \square Approximate Depth \square Feet
CLOSURE	Remediation Method: Excavation
	Other Facility Name:
REMARKS	Remarks: No Line markers. Soil Light Brown with A
	Signature of Specialist:



FIELD SERVICES LABORATORY

ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE	IDENTIFICA"	TION		
	Field ID				
SAMPLE NUMBER:	KP 292		9463		
MTR CODE SITE NAME:	93578		N/A		
SAMPLE DATE TIME (Hrs):	10-5-9		1032		
SAMPLED BY:		N/	Α		
DATE OF TPH EXT. ANAL.:	10-6-94 NIA				
DATE OF BTEX EXT. ANAL.:			NIA		
TYPE DESCRIPTION:	VG		Brown Sand & Clay		
REMARKS:		RESULTS			
			-		
PARAMETER	RESULT	UNITS	QUALIFIERS		
PAKAWETEN			DF	Q	M(g) V(ml)
TPH (418.1)	1500	MG/KG			2,04 28
HEADSPACE PID	304	PPM			
PERCENT SOLIDS	88.4	%			
TERCETT GG 2		TPH is by EPA Metho	d 418.1 ··		
arrative:					
Dilli Sara Hand					
F = Dilution Factor Used					

Date: 16-13-94

