

Meter Number:93480

Location Name:MARTIN GAS COM E #1E

Location:TN-27 RG-10

SC-15 UL-C

2 - Federal

NMOCD Zone:OUTSIDE

Hazard Ranking Score:00

RECEIVED
APR 14 2007

OIL & GAS DIV.
DK 3 8

**RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS
LOCATED OUTSIDE OF THE VULNERABLE ZONE
IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	10^{-9} to 10^{-13} cm/sec
Shale	10^{-12} to 10^{-16} cm/sec
Clay	10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



EL PASO FIELD SERVICES

FIELD PIT SITE ASSESSMENT FORM

GENERAL

Meter: 93480 Location: Martin Gas Com "E" No. 1E
 Operator #: 0203 Operator Name: Amoco P/L District: Angel Peak
 Coordinates: Letter: C Section 15 Township: 27 Range: 10
 Or Latitude _____ Longitude _____
 Pit Type: Dehydrator Location Drip: _____ Line Drip: _____ Other: _____
 Site Assessment Date: 9/14/94 Area: 01 Run: 52

NMOCD Zone:
 (From NMOCD
 Maps)

Land Type:

BLM (1)
 State (2)
 Fee (3)
 Indian _____

Inside (1)
 Outside (2)

Depth to Groundwater

Less Than 50 Feet (20 points) (1)
 50 Ft to 99 Ft (10 points) (2)
 Greater Than 100 Ft (0 points) (3)

Wellhead Protection Area :

Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)

Horizontal Distance to Surface Water Body

Less Than 200 Ft (20 points) (1)
 200 Ft to 1000 Ft (10 points) (2)
 Greater Than 1000 Ft (0 points) (3)

Name of Surface Water Body _____

(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)

Distance to Nearest Ephemeral Stream (1) < 100' (Navajo Pits Only)
 (2) > 100'

TOTAL HAZARD RANKING SCORE: 0 POINTS

SITE ASSESSMENT

REMARKS


Remarks : Redline Book - Outside Vulcable Zone Tape - Outside
2 pits. Will close. Pit dry

PUSH-IN

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 187° Footage from Wellhead 199'
b) Length : 26' Width : 23' Depth : 6'

ORIGINAL PIT LOCATION



REMARKS

Remarks :
Pictures @ 1601 hr

Completed By:

Cory Chase
Signature

9/14/94
Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: <u>93480</u> Location: <u>Martin Gas Com "E" No. 1E</u> Coordinates: Letter: <u>C</u> Section <u>15</u> Township: <u>27</u> Range: <u>1D</u> Or Latitude _____ Longitude _____ Date Started : <u>10-12-94</u> Run: <u>01</u> <u>52</u>
FIELD OBSERVATIONS	Sample Number(s): <u>VW 407</u> Sample Depth: <u>6'</u> Feet Final PID Reading <u>197</u> PID Reading Depth <u>6'</u> Feet Yes No Groundwater Encountered <input type="checkbox"/> <input checked="" type="checkbox"/> Approximate Depth _____ Feet
CLOSURE	Remediation Method : Excavation <input type="checkbox"/> Approx. Cubic Yards _____ Onsite Bioremediation <input type="checkbox"/> Backfill Pit Without Excavation <input checked="" type="checkbox"/> Soil Disposition: Envirotech <input type="checkbox"/> Tierrc <input type="checkbox"/> Other Facility <input type="checkbox"/> Name: _____ Pit Closure Date: <u>10-12-94</u> Pit Closed By: <u>BEI</u>
REMARKS	Remarks : <u>sandstone 6' 10 yds fill</u> _____ _____
	Signature of Specialist: <u>Vale [Signature]</u>

 Test Method for
 Oil and Grease and Petroleum Hydrocarbons
 in Water and Soil
 Perkin-Elmer Model 1600 FT-IR
 Analysis Report

7/10/13 14:10

Sample Identification
 104389

Initial mass of sample, g
 1.17

Volume of eluent after extraction, ml
 10.000

Reference Wavenumbers, cm⁻¹
 2950.00

Method used for identification: FTIR scan
 1.17

1. Reference Wavenumbers (cm⁻¹)

