

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other In-
structions on
reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESER. ☐ Other ☐

2. NAME OF OPERATOR

Amoco Production Company

3. ADDRESS OF OPERATOR

501 Airport Drive, Farmington, NM 87401

4. LOCATION OF WELL (Report location clearly and in accordance with the following instructions)

At surface 1000' FNL x 1740' FEL

At top prod. interval reported below Same

At total depth Same

FARMINGTON DISTRICT
FEB 26 1985

DS

DE

SIDE

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

DS

5. LEASE DESIGNATION AND SERIAL NO.

NM-048568

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

McGrady Gas Com "C"

9. WELL NO.

1E

10. FIELD AND POOL, OR WILDCAT

Basin Dakota

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

NW/NE Sec. 14, T27N, R12W

12. COUNTY OR PARISH

San Juan

13. STATE

NM

14. PERMIT NO.

15. DATE SPUDDED

12/5/84

16. DATE T.D. REACHED

12/15/84

17. DATE COMPL. (Ready to prod.)

1/8/85

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

5996' KB

19. ELEV. CASINGHEAD

5983' GR

20. TOTAL DEPTH, MD & TVD

6374'

21. PLUG. BACK T.D., MD & TVD

6318'

22. IF MULTIPLE COMPL., HOW MANY*

single

23. INTERVALS DRILLED BY

O-TD

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

6174'-6260' Dakota

25. WAS DIRECTIONAL SURVEY MADE

Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

DIL-SP-GR-FDC-CNL-GR

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#, K-55	326'	12-1/4"	266 c.f. Class B	
4-1/2"	10.5#, K-55	6374'	7-7/8"	Stage 1: 1378 c.f. Class B 50:50 poz & tailed in w/118 c.f. Class B Neat	
				Stage 2: 1300 c.f. Class B 65:35 poz.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	6273'	

31. PERFORATION RECORD (Interval, size and number)

6196'-6174', 6260'-6216', 2 jsfpf, .46", total of 132 holes.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6174'-6260'	110,000 gal. 70 quality foam & 150,000# 20-40 sand.

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
2/4/85		Flowing				Shut-in	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
2/5/85	3	.75"	→		254		
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To be sold

TEST WITNESSED BY

J. J. Barnett

35. LIST OF ATTACHMENTS

None

ACCEPTED FOR RECORD

36. I hereby certify that the information attached is complete and correct as determined from all available records.

SIGNED B. D. Shaw

TITLE DIST. 3 Admin. Supervisor

DATE 2/6/85

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCC

304

1000

37. SUMMARY OF POROUS ZONES. (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38.

GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE
						VERT. DEPTH
Ojo Alamo	183'	413'				
Fruitland	1148'	1535'				
Pict. Cliffs	1535'	1788'				
Cliffhouse	3113'	3262'				
Menefee	3262'	4005'				
Pt. Lookout	4005'	4308'				
Gallup	5255'	6005'				
Greenhorn	6005'	6164'				
Dakota	6164'	6370'				