

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐
2. NAME OF OPERATOR: Amoco Production Co.
3. ADDRESS OF OPERATOR: 501 Airport Drive, Farmington, N M 87401
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface 795' FNL X 1795' FEL
At top prod. interval reported below Same
At total depth Same

RECEIVED

DEC 20 1985

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

5. LEASE DESIGNATION AND SERIAL NO.: SF-077941-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT AGREEMENT NAME:

8. FARM OR LEASE NAME: C. A. McAdams B
9. WELL NO.: 2E

10. FIELD AND POOL, OR WILDCAT: Angel Peak Gallup
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: NW/NE Sec 28, T27N, R10W

12. COUNTY OR PARISH: San Juan
13. STATE: New Mexico

15. DATE SPUDDED: 6-26-85
16. DATE T.D. REACHED: 7-5-85
17. DATE COMPL. (Ready to prod.): 8-5-85
18. ELEVATIONS (OF, RKB, RT, GR, ETC.): 6320' KB
19. ELEV. CASINGHEAD: 6305' GR

20. TOTAL DEPTH, MD & TVD: 6872'
21. PLUG BACK T.D., MD & TVD: 6730'
22. IF MULTIPLE COMPL., HOW MANY: Two
23. INTERVALS DRILLED BY: 2
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD): 5672'-6115' Gallup
25. WAS DIRECTIONAL SURVEY MADE: Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN: DIFL-GR-SP; CDL-CNL-GR-CAL
27. WAS WELL CORED: No

CASING RECORD (Report all strings set in well)				CEMENTING RECORD		AMOUNT PULLED
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE			
9 5/8"	36#, K-55	373'	12 1/4"	325 cu. ft. Class B Portland		
7"	23#, J-55	6872'	8 3/4"	354 cu. ft. Class B Portland		
				448 cu. ft. Class B Portland		
				826 cu. ft. Class B Portland		

LINER RECORD					TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8"	6128'	6400'

31. PERFORATION RECORD (Interval, size and number): 5672'-5702', 5792'-5812', 5862'-5916', 5960'-5980', 6111'-6115', 2 jspf., .43" dia 256 holes.
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.:
DEPTH INTERVAL (MD): 5672'-6115'
AMOUNT AND KIND OF MATERIAL USED: 110,000 gal 20# gel water and 115,000# 20-40 mesh brady sand.

33.* PRODUCTION
DATE FIRST PRODUCTION: 8-5-85
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump): Pumping 2" x 1.5" X 16' Bottom Hole Down
WELL STATUS (Producing or shut-in): Shut-In
DATE OF TEST: 8-5-85
HOURS TESTED: 24
CHOKE SIZE: 48/64"
PROD'N. FOR TEST PERIOD: 18
OIL—BBL.: 18
GAS—MCF.: 96
WATER—BBL.: 17
GAS-OIL RATIO: 5333
FLOW. TUBING PRESS.: 85 psig
CASING PRESSURE: 85 psig
CALCULATED 24-HOUR RATE: 18
OIL—BBL.: 18
GAS—MCF.: 96
WATER—BBL.: 17
OIL GRAVITY-API (CORR.):

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): To be sold
TEST WITNESSED BY: ACCEPTED FOR RECORD

35. LIST OF ATTACHMENTS: None

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.
SIGNED: [Signature] TITLE: Adm. Supervisor DATE: 12-5-85

*(See Instructions and Spaces for Additional Data on Reverse Side)

1713

1

1

1713

1

1

1713

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Dakota	6568'	6696'				
Gallup	5602'	5990'				
Pt. Lookout	4605'	4930'				
Menefee	3730'	4605'				
Cliffhouse	3610'	3730'				
Chacra	2960'	3070'				
Pict. Cliffs	2050'	2245'				
Fruitland	1895'	2000'				
Ojo Alamo	1047'	1190'				

38. GEOLOGIC MARKERS

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34