

Form 1000-5
(Revised 1083)
Circularly 9-331)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1001 (01)
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

SE-077382

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Angel Peak 9 H

9. WELL NO.

#18

10. FIELD AND POOL, OR WILDCAT

Basin Fruitland Coal

11. SEC., T., R., M., OR BLK. AND
SUBVY OR AREA

Sec9-T27N-R10W

12. COUNTY OR PARISH

San Juan

13. STATE

NM

14. NAME OF OPERATOR
McKenzie Methane Corporation

15. ADDRESS OF OPERATOR

1911 Main #255, Durango, CO 81301

16. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

120' 2020' FNL, 790' FEL

17. ELEVATIONS (Show whether DF, RT, GR, etc.)

6260' GR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

WATER SHUT-OFF

FRACURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Drilling Report

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

18. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

SEE ATTACHED

RECEIVED

DEC 07 1990

BLM CON. DIV. I

FBI

I hereby certify that the foregoing is true and correct

SIGNED

K. J. Sagle

TITLE Operations Manager

DATE 10-24-90

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED FOR RECORD

DATE

NOV 19 1990

FARMINGTON RESOURCE AREA

BY

217

*See Instructions on Reverse Side

Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the
United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

MCKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

9/22/90 Angel Peak 9H #18
 Sec. 9-T27N-R10W, San Juan Co., N.M.
 AART: Waiting on drilling rig. DEPTH: 260'
 DAILY: MIRU spud unit. Spud 12-1/4" hole @ 8:00 A.M.
 9/22/90. Drill to 260' with foam & TOOH. Run 6 jts.
 (245') 8-5/8", 24#, J55, STC csg set @ 242' GL. Rig
 up Halliburton & cement w/ 200 sx (228 cu ft) Class B,
 2% CaCl, 1/4#/sx cellophane flakes. PD @ 7:30 P.M.
 9/22/90. Circulate 10 bbl cmt. MUD: foam. Surveys:
 N/A.

10-17-90 Angel Peak 9H #18
 Sec9-T27N-R10W, San Juan Co., NM
 AART: DRLG DEPTH: 495'
 DAILY: MIRU Jack Cook #3. NUBOP. PT BOP & surface
 csg. Drill out cement & open hole to 495'.
 MUD: water Surveys: 260' - 1/2.

10-18-90 Angel Peak 9H #18
 Sec9-T27N-R10W, San Juan Co., NM
 AART: DRLG DEPTH: 1495'
 DAILY: Drill to 1495'. MUD: Benex & water.
 Surveys: 768' - 1/2, 1267' - 1.

10-19-90 Angel Peak 9H #18
 Sec9-T27N-R10W, San Juan Co., NM
 AART: Logging DEPTH: 2215'
 DAILY: TD well @ 10:00 P.M. 10-18-90. Circ & short
 trip. Circ & TOOH for logs. Log openhole w/
 Halliburton. MW: 9.0 Vis: 60
 Surveys: 1766' - 1, 2215' - 1/

-cont.-

McKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

10-20-90

Angel Peak 9H #18
Sec9-T27N-R10W, San Juan Co., NM
DEPTH: 2215'
AART: Moving
DAILY: TIH & circ for csg. TOOH & LDDP.
Run 51 jts (2199'), 4-1/2", 11.6#, K55 LTC csg set @
2214'. Float collar @ 2171'. Cmt w/ 20 bbl pre-flush
380 sx (699 cu ft) 65/35 POZ, 6% gel, 1/4#/sx cello-
phane flakes, followed by 125 sx (151 cu ft) 50/50
POZ, 2% gel, 1/4#/sx cellophane flakes. PD @ 5:45
P.M. 10/19/90. Circ 12 bbl cmt. NDBOP. Set slips &
cut off csg. Rig released @ 7:45 P.M
MUD: N/A
Surveys: N/A