

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
BLM

91 JUN 17 PHL2:26

SUNDRY NOTICES AND REPORTS ON WELLS

019 FARMINGTON, N.M.

RECEIVED

JUL 09 1991

OIL CON. DIV.

DIST. 3

1. TYPE OF WELL
GAS

2. OPERATOR
SOUTHLAND ROYALTY CO.

3. ADDRESS & PHONE NO. OF OPERATOR
P O BOX 4289
FARMINGTON, NM 87499

4. LOCATION OF WELL
1370' FNL 1605' FEL

14. PERMIT NO.
30-045-28491

15. ELEVATIONS
6362' GL

5. LEASE NUMBER
SF-077874

6. IF INDIAN, ALL. OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
HANKS

9. WELL NO.
500

10. FIELD, POOL, OR WILDCAT
BASIN FRUITLAND COAL

11. SEC. T. R. M OR BLK.
SEC. 12 T27N R10W NMPM

12. COUNTY
SAN JUAN

13. STATE
NM

16. SUBSEQUENT REPORT OF: SPUD

17. Describe proposed or completed operations

SPUD DATE: 053191 SPUD TIME: 2100

TD 231', ran 5 jts of 8 5/8" 24.0# K-55 csg, 216' set @ 229'. Cemented with 210 sks of Class B cmt with 1/4# Flocele/sk, 3% CaCl2, (240 cu ft). Circ. 15 bbls to surface. WOC 12 hours. PT to 600 psi for 30 min.

DATE: 060391

TD 2290', ran 52 jts of 5 1/2" 15.5# K-55 casing, 2278' set @ 2291'. Stage tool @ 1469', Float collar @ 2245', and cement nose guide shoe @ 2291'. Stage 1. Lead with 60 sks of Class B cement 65/35 Poz, 2% CaCl2, 6% gel, 5# gilsonite/sk, and 1/4# Flocele/sk, (106 cu ft.). Tail with 120 sacks of Class B cement with 2% CaCl2, (142 cu ft.). Circ. 15 bbls to surface. Stage 2. Lead with 250 sks of Class B cement 65/35 Poz, 6% gel, 2% CaCl2, 5# gilsonite/sk, and 1/4# Flocele/sk, (443 cu ft.). Tail with 60 sks of Class B cement with 2% CaCl2, (71 cu ft.). Circ. 25 bbls to surface. WOC 12 hours.

18. AUTHORIZED BY: *[Signature]*
REGULATORY AFFAIRS

6-17-91
DATE

NOTE: THIS FORMAT IS ISSUED IN LIEU OF US BLM FORM 3160-5 ACCEPTED FOR RECORD

(This space for Federal or State office use)

JUN 28 1991

APPROVED BY
CONDITION OF APPROVAL, IF ANY:

TITLE

FARMINGTON RESOURCE AREA

DATE
BY *[Signature]*