



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R359.4.
Approval expires 12-31-60.

Indian Agency **Navajo Agency**

Window Rock, Arizona

Allottee **Ada Candelario**

Lease No. **14-20-603-781**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico May 23, 1957

Ada Candelario

Well No. **1** is located **790** ft. from **S** line and **1890** ft. from **E** line of sec. **36**

SW/4 of Section 36

(1/4 Sec. and Sec. No.)

T-28-N

(Twp.)

R-9-W

(Range)

N.M.P.M.

(Meridian)

South Blanco-Pictured Cliffs

(Field)

San Juan

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is **5861** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated with 4 shots per foot 20 3/4'-52' and 2 shots per foot 20 3/2'-76'. Sand-water fracked w/25,000 gallons water and 35,000 pounds sand. Formation broke at 1060 pounds. Average injection rate 43.2 BPM.

Preliminary test 4090 MCVD.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations are commenced.

Company **PAN AMERICAN PETROLEUM CORPORATION**

Address **Box 487, Farmington, New Mexico**

By **L. O. Jewry**

Title **Field Superintendent**