Denny S. Frust DEDUTY OIL & GAS INSPECTOR

DEC 2 9 1997

Meter Number:70444 ocation Name:SCHERDTFEGER A LS

Location:TN-28 RG-09 SC-36 UL-M

1 - State

NMOCD Zone: OUTSIDE Hazard Ranking Score: 00

PECEIVED APR 1 4 1997

9110 (001). DIW. 1210 2

RATIONATE FÖR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10⁻⁹ to 10⁻¹³ cm/sec Shale 10⁻¹² to 10⁻¹⁶ cm/sec Clay 10⁻¹² to 10⁻¹⁵ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	(<chwb+fa #:="" 11="" 28="" 36="" 6-9-94="" 6203="" 70444="" 92<="" 9w="" a="" amogo="" area:="" assessment="" ballard="" coordinates:="" date:="" dehydrator="" district:="" drip:="" l="" latitude="" letter:="" line="" location="" location:="" longitude="" ls1="" m="" meter:="" mv)="" name:="" operator="" or="" other:="" p="" pit="" range:="" run:="" schwerdtfeger="" section="" site="" th="" township:="" type:="" =""></chwb+fa>
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside (2) Maps) Depth to Groundwater Less Than 50 Feet (20 points) (3) Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (3) Horizontal Distance to Surface Water Body Less Than 200 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE: POINTS
REMARKS	Remarks: Two pits Dehy is still on location-out of service. Dry. Outside of V.Z. on Redline and Gopo Push in

Date

Signature

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 70444 Location: Schweidtleger ALS 1 Coordinates: Letter: M. Section 36 Township: 28 Range: 9 Or Latitude Longitude Date Started: 9.12.94 Run: 4 92
FIELD OBSERVATIONS	Sample Number(s): $\frac{VW274}{9^{1/2}W}$ Sample Depth: $\frac{274}{4}$ Feet Final PID Reading $\frac{395}{4}$ PID Reading Depth $\frac{4}{4}$ Feet Yes No Groundwater Encountered $$ Approximate Depth $$ Feet
CLOSURE	Remediation Method: Excavation
	Envirotech Other Facility Name: Pit Closure Date: 9-12-94 Pit Closed By: 3ET
REMARKS	Remarks: 10 yds BKFL
	Signature of Specialist: Vale Wilsen



FIEED SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID		L	שו מפ	
SAMPLE NUMBER:	yw 274		946107		
MTR CODE SITE NAME:	70444			N/A	
SAMPLE DATE TIME (Hrs):	9-12-94		16	30	
SAMPLED BY:	N/A				
DATE OF TPH EXT. ANAL.:	9-13-9	J	9-13	- 92/	
DATE OF BTEX EXT. ANAL.:	N/A		N/A		
TYPE DESCRIPTION:	٧Ġ		Bown	Sand/C	A
REMARKS:		No. 10 10 10 10 10 10 10 10 10 10 10 10 10			
	R	ESULTS			
Control of the Contro			1.6%		
DARAMETER	RESULT	UNITS		QUALIFIERS	

	RESULT	UNITS		QUALIF	IERS	
PARAMETER	Transport of the second supplies the second su		DF	<u>a</u>	M(g)	V(ml)
TPH (418.1) 1880	1884.6 D	20 9/16/94 MG/KG			2.20	28
HEADSPACE PID	395	PPM				
PERCENT SOLIDS	89.9	%				

-- TPH is by EPA Method 418.1 --

Narrative:	
DF = Dilution Factor Used	

Approved By: ______ Date: ______

74/09/13 15:39

Sample identification 946107

Initial mass of sample, g 2.200

Volume of sample after extraction, ml $\ensuremath{\mathbb{C}8.000}$

Petroleum hydrocarbons, ppm 1884.562 Net absorbance of hydrocarbons (2930 cm-1) 2.263

