
30-045-06962 Budget Bureau No. 42-R388.4. Approval expires 12-31-60.

Forni 9-881 a (Feb. 1951)



## (SUBMIT IN TRIPLICATE)

## UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Pe
Lease No.	MII
Unit	Storey

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO CHARGE PARTIES HUT-OFF	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO KE-DATE ON NEEDEN OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MAR	K NATURE OF REPORT, NOTICE, OR OTHER DATA)
	Jenuary 29 , 19 5
Well No. 10-C(IM) is located 1090 ft. from  Si Section 35 (W Sec. and Sec. No.) (Twp.)	T Maneri act
Sc. Elenco Ert. & Blanco	San Julian y or Subdivision) (State or Territory)
(Field) (County	y or Subdivision)
The elevation of the derrick floor above sea l	evel is 6146 ft.
1110 010100101	
DETA	AILS OF WORK
DETA  (State names of and expected depths to objective sands; shows)	AILS OF WORK  Sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement  other important proposed work)
OETA  (State names of and expected depths to objective sands; show a ing points, and all is intended to drill a dual completion. Mid circulation on a set intermediate casing. Gas a production liner will be set.	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement it of a well in the Pictured Cliffs formation & to will be used that the Pictured Cliffs for circulation will be used that the Mesa Verde solble productive intervals will be perforat
(State names of and expected depths to objective sands; show a ing points, and all is intended to drill a dual completes verde formation. Mid circulation as wet intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth 4	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verde scible productive intervals will be performingle.
(State names of and expected depths to objective sands; show a ing points, and all is intended to drill a deal completes a Verde formation. Med circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ill other important proposed work)  the a well in the Pictured Cliffs formation & a will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verde agible productive intervals will be perform  978.  Cliff coment circulated to the surface.
(State names of and expected depths to objective sands; show a ing points, and all is intended to drill a dual completes a Verde formation. Mid circulation on a set intermediate casing. Cas a production liner will be set. For fractured. Estimated Total Depth is aing Program:  10 3/4" et 170" with 125 sand of 200" with 250 and 250 with 250 with 250 and 250 with 250 with 250 and 250 with 250 wi	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ill other important proposed work)  te a well in the Pictured Cliffs formation & a will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verde solible productive intervals will be perform  978.  Cliff cement circulated to the surface.
(State names of and expected depths to objective sands; show a ing points, and all is intended to drill a deal completes Verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is ing Program:  10 3,4" at 170' with 125 sand 1576' at 2470' with 250 sand 1576' with 25	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment il other important proposed work)  te a well in the Pictured Cliffs formation & is will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verde solible productive intervals will be perform  978'.  Circulated to the surface.  Circulated coment.
(State names of and expected depths to objective sands; show a fing points, and all is intended to drill a dual completies. Verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3/4" at 170' with 125 sand 15/6" at 2470' with 250 sand 15/2 liner at 45/8" with	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds solble productive intervals will be performingle.  Communication circulated to the surface.  Since cement.  300 sacks cement.  the Mesa Verds.
(State names of and expected depths to objective sands; show a fing points, and all is intended to drill a dual completies. Verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3/4" at 170' with 125 sand 15/6" at 2470' with 250 sand 15/2 liner at 45/8" with	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds solble productive intervals will be performingle.  Communication circulated to the surface.  Since cement.  300 sacks cement.  the Mesa Verds.
(State names of and expected depths to objective sands; shows ing points, and all is intended to drill a dual completes a verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth because Program:  10 3/4" at 170' with 125 sand 170' with 250 sand 170' with 250' wit	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds solble productive intervals will be performingle.  Communication circulated to the surface.  Since cement.  300 sacks cement.  the Mesa Verds.
(State names of and expected depths to objective sands; show a fing points, and all is intended to drill a dual completies. Verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3/4" at 170' with 125 sand 15/6" at 2470' with 250 sand 15/2 liner at 45/8" with	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verdossible productive intervals will be performanced to the surface.  Sizes cement.  300 sacks cement.  the Mesa Verdo.  to the Pictured Cliffs.
(State names of and expected depths to objective sands; show ing points, and all is intended to drill a dual completes verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3/4" at 170' with 125 sand 1/5/0 at 2470' with 250 sand 5 1/2 liner at 4978' with the 5/2 of Section 35 is dedicated to 5/2 of Section 35 is dedicated to 5/2 SF 077111.	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verde exible productive intervals will be performed to the surface.  ACLES CEMENT CIRCUlated to the surface.  The Mesa Verde.  The Mesa Verde.
(State names of and expected depths to objective sands; show a fing points, and all is intended to drill a dual completive set of the formation. Mid circulation as set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is saing Program:  10 3,4" at 170' with 125 sa 7 5/6 at 2470' with 250 sa 5 1/2 liner at 4978' with see 8/2 of Section 35 is dedicated to 58/4 of Section 35 is dedicated to 2 SP 677111.	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation is will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds solble productive intervals will be performanced commuted to the surface.  The Research circulated to the surface.  The Mesa Verds.  The Pictured Cliffs.
(State names of and expected depths to objective sands; show a fing points, and all is intended to drill a dual completive set of the formation. Mid circulation as set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is saing Program:  10 3,4" at 170' with 125 sa 7 5/6 at 2470' with 250 sa 5 1/2 liner at 4978' with see 8/2 of Section 35 is dedicated to 58/4 of Section 35 is dedicated to 2 SP 677111.	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation is will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds solble productive intervals will be performanced commuted to the surface.  The Research circulated to the surface.  The Mesa Verds.  The Pictured Cliffs.
(State names of and expected depths to objective sands; show ing points, and all is intended to drill a dual completes verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3/4" at 170' with 125 sand 1/5/0 at 2470' with 250 sand 5 1/2 liner at 4978' with the 5/2 of Section 35 is dedicated to 5/2 of Section 35 is dedicated to 5/2 SF 077111.	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation is will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds solble productive intervals will be performanced commuted to the surface.  The Research circulated to the surface.  The Mesa Verds.  The Pictured Cliffs.
(State names of and expected depths to objective sands; shows ing points, and all is intended to drill a dual example; sa Verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3,4" at 170' with 125 sa 7 5/0 at 2470' with 250 sa 5 1/2 liner at 4578' with see 8/2 of Section 35 is dedicated to 5 5 1/2 liner at 4578' with 250 sa	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds spible productive intervals will be performed.  So coment.  300 sacks cement.  the Mesa Verds.  to the Pictured Cliffs.
(State names of and expected depths to objective sands; shows ing points, and all is intended to drill a dual completes a verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3/4" at 170" with 125 sands at 2470" with 250 sands at 2470" wi	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ill other important proposed work)  the a well in the Pictured Cliffs formation & a will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verda solble productive intervals will be perform  of the productive intervals will be perform  of the Mesa Verda.  The Mesa Verda.  The Pictured Cliffs.
(State names of and expected depths to objective sands; shows ing points, and all is intended to drill a dual example; sa Verde formation. Mid circulation on a set intermediate casing. Gas a production liner will be set. For fractured. Estimated Total Depth is sing Program:  10 3,4" at 170' with 125 sa 7 5/6 at 2470' with 250 sa 5 1/2 liner at 4578' with see 8/2 of Section 35 is dedicated to 5 5 1/2 liner at 4578' with 250 sa	AILS OF WORK  sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement in other important proposed work)  the a well in the Pictured Cliffs formation & will be used thru the Pictured Cliffs form circulation will be used thru the Mesa Verds spible productive intervals will be performed.  So coment.  300 sacks cement.  the Mesa Verds.  to the Pictured Cliffs.



## O CAMBERLA GO THE AND THE

VEG. 1 CATE OF AND IN GAR IN WAR OF THE

JANUARY 22, 1957 EL PASO NATURAL GAS COMPANY STOREY "C" SF 077111 9-₩ 10 (PM) SOUTH 1650 WEST 1090 6136.20 SAN JUAN SO. BLANCO EXT. P.C. 163.65 ACRES 343.65 ACRES M.V. & P.C. BLANCO M.V. (1919 PLAT) SF 077111

The control of the formula of the control of the co

MARCH 18, 1952

C 2 Valker

and the second s

**X** 

2. If the earlies of a feet of a discount of the control of the

W. F. Coul

Petroleum Engineer

Bl Paso Hatural Gus Co.
Box 997, Farmington, H.M.