

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

82-079908

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR JAY J. HARRIS	8. FARM OR LEASE NAME COLE
3. ADDRESS OF OPERATOR BOX 1097, FARMINGTON, N. M.	9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface NW 1/4 SEC. 35, T28N, R10W	10. FIELD AND POOL, OR WILDCAT Fulcher-Kutz Pict. Cliffs
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 35, T28N, R10W
15. ELEVATION (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH San Juan
	13. STATE N. Mexico

RECEIVED
DEC 27 1982

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

RECEIVED

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO 1.		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐	WATER SHUT-OFF ☐	REPAIRING WELL ☒
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐	FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐	SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
REPAIR WELL ☐	CHANGE PLANS ☐	(Other) ☐	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9-21 thru 9-19-81 Move in rig, rig up, haul materials, water and equipment, dug pit, pulled tubing, ran bit to T.D. and circulated hole to clean up.

9-21-81 Ran Baker retrievable bridge plug and set at 1800'. Ran Baker packer and pressured casing. Found holes in casing between surface and 750'. Pulled packer and cemented thru casing head with 200 sacks cement and 2% calcium chloride at a pressure of 1000 psi. Squeezed 2 bbls. water to displace cement at 1000 to 1200 psi. Shut well in.

9-22-81 Drilled cement to 535'.

9-23-81 Drilled to base of cement at 720'. Tested casing to 1000 psi. Retrieved bridge plug. Ran bit to T.D. and circulated hole.

9-24-81 Pulled and laid down drill pipe. Ran and landed 89 joints of 1" tubing at 1869'.

9-25-81 Pressured tubing with Haliburton nitrogen and unloaded all water out of casing. Shut well in for pressure build up. Moved off rig, cleaned up location.

9-26 thru 9-28 Well not building up gas pressure will not unload water.

12-9-81 No pressure build up. Treated well with 15 gal. concentrated house acids and 30 gal. water. Pressured casing with 12,500 scf Haliburton nitrogen. Flowed back foam and some water. Will not unload all of water.

Well will not build up gas pressure, formation is logged off with water. Waiting to do further remedial work.

18. I hereby certify that the foregoing is true and correct

SIGNED _____ TITLE **E. A. Clement, Agent** DATE **12-24-82**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL IF ANY

DEC 2 1982

*See Instructions on Reverse Side

NM000

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
well well

2. NAME OF OPERATOR

Jay S. Smith

3. ADDRESS OF OPERATOR

Box 1097, Farmington, N.M.

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: Sec. 35, T. 26N., R. 10W.

AT TOP PROD. INTERVAL: 100'

AT TOTAL DEPTH: 100'

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☒

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) ☐

SUBSEQUENT REPORT OF:

☐

☐

☐

☐

☐

☐

☐

☐

☐

5. LEASE

62-079508

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

0019

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Wichita Falls Production Office

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 35, T. 26N., R. 10W.


12. COUNTY OR PARISH 13. STATE

Wichita Falls N.M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well is logged with water, probably due to a hole in the casing.

It is proposed to do the following cement work:

Will tubing and casing and cement to 100' to hole.

Set stringer plug below hole and cement retainer above hole.

Squeeze cement below plug, run 400 sacks cement.

Drill out retainer and cement and pressure test casing. If successful,

drill out string plug, re-run tubing, swab well in and set to producing.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Agent

DATE

8-15-81

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

APPROVED

AUG 18 1981

JAMES F. SIMS
DISTRICT ENGINEER

NMOCC

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
well well

2. NAME OF OPERATOR
Jay J. Harris

3. ADDRESS OF OPERATOR
Box 1097, Farmington, N. M.

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1 1/2 mi. Sec. 35, T28N, R10W
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☒
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

5. LEASE

82-079508

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Cole

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Fulcher-Rutz Pictured Cliffs

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 35, T28N, R10W

12. COUNTY OR PARISH

San Juan


13. STATE

N. M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

(NOTE: Report results of multiple completion or zone change on Form 9-330.)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well is logged off with water, probably due to a hole in the casing.

It is proposed to do the following remedial work:

pull tubing and run casing inspection log to locate hole.
set bridging plug below hole and cement retainer above hole.
squeeze cement hole with approx. 400 sacks cement.
Drill out retainer and cement and pressure test casing. If successful,
drill out bridge plug, re-run tubing, swab well in and put to producing.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED _____

TITLE

Agent

DATE

8-15-81

APPROVED BY _____

CONDITIONS OF APPROVAL, IF ANY: _____

TITLE

DATE

For JAMES F. SIMS
DISTRICT ENGINEER

NMOCC

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.