		1	
	-	-	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land C)ffice	ACC.	F	
Lease l	ا اد	X 6554	68	
Unit	Wart in	044	Unit	
	theast			33
	1,mated			

	FIGH TO DOUT	,	X	SUBSEQUENT	REPORT OF WAT	ER SHUT-	OFF	
	TION TO DRILL						ACIDIZING	
	TION TO CHANGE P						SING	
	TION TO TEST WAT						OR REPAIR	
	TION TO RE-DRILL						т	
	TION TO SHOOT OF							
	TION TO PULL OR			JOITELMEN				
OTICE OF INTENT	TION TO ABANDON	WELL						
	(INDIC)	ATE ABOVE BY CHE	CK MARK NAT	URE OF REPOR	T, NOTICE, OR OT	HER DATA)		
II Na.	≟-1 is loca	ted 1750					E) line of se	
11 1 10.						ι	ur-ga	
/4 of 00	tion 31	(Twp.)		nge)	(Meridian)		
(¼ Sec. and	i Sec. No.)	(=)	San Au	0 ,	,	•	Exciso	
(Fie			(County or Su	ibdivision)		(Stat	e or Territory)	
			DETAILS	OF WO	RK		orted late	
ate names of and	d expected depths	to objective sand ing point	DETAILS s; show sizes, vs, and all othe	of WO	RK engths of propose roposed work)	ed casings;	indicate muddin	g jobs, cement-
ate names of and or of a large section.		to objective sanding points 111 the ab 109th Ca	DETAILS s; show sizes, vs, and all other one wall sing sizes	weights, and lear important p	engths of propose roposed work)	d casings; 2200 f paye	indicate muddin	g jobs, cement-
the for 5-1/2*	d expected depths pose to dry d to tohal will be di	to objective sanding points Ill the ab dopth. Ca rilled wit ling progr	DETAILS s; show sizes, vs, and all other one wall sing sill A gas a ls pr 1755 of	weights, and lear important p	engths of propose roposed work) The top 9 I fraced.	d casings; 2200 f pay. t to c	indicate muddin feet. Act inture irealate.	gjobs, cement- tary tools
the formula to the fo	d expected depths	to objective sanding points Il the able of the sanding proper Inc. 11 the able of the sanding proper Th	DETAILS s; show sizes, vs, and all other over well sing 11 1755 ed 1755 ed 1755 ed 1106	weights, and lear important property in the set of the	engths of propose roposed work) that ely to the top of	d casings; 2200 f pay. t to f	indicate muddin feet. 200 ictures ireslate. Pill 600'	gjobs, cement- tary tools
the formula to the section to the formula to the section to the se	d expected depths	to objective sanding points 111 the able to the same of the same programme of the same of	DETAILS s; show sizes, vs, and all other over well sing 11 1755 ed 1755 ed 1755 ed 1106	weights, and lear important property in the set of the	engths of propose roposed work) that ely to the top of	d casings; 2200 f pay. t to f	indicate muddin feet. 200 ictures ireslate. Pill 600'	g jobs, cement-
ate names of and se pro- ll be use y section The for 5-5/6* 5-1/2* Copies beitted u lunderstand to	d expected depths pose to dry d to total will be de llowing sa llowing sa	to objective sanding points Il the able of the sanding proper Inc. 11 the able of the sanding proper Th	DETAILS s; show sizes, vs, and all other sing sizes and all other	weights, and lear important property in the set of the	engths of propose roposed work) that ely to the top of	d casings; 2200 f pay. t to f	indicate muddin feet. 200 ictures ireslate. Pill 600'	gjobs, cement-

OIL CONSERVATION COMMISSION

Operator		ease 	Well N	
into of Producing	r ormation //	area Curro	r ooten	
o. Acres Dedicate	d to the Well	160/		
dicate land slotus SECTION SEL	and show owne	rship. Feder	RANGE	10
SECTION = 7	1011			
	i		!	
			;	
			* !	į
				AND VIEW
	1 8 8			5. 1
	1		SF-065546-	.p
	The second secon		J - 003376	
	i	l		
	•		1	100
State and the state of the stat				
hereby est iv	that the outpro-	, or givet	the two the state of the	2.5
The the to the	PION AND CAR		FullerSr	

OIL CONSERVATIO	N COMMISS	NOIS
AZTEC DISTR	CT OFFICE	
No. Conies Recei		
\$ 18 MM	richt	
(=	· 《高野之上	
The state of the s		
	,	
Transporter		,
Tile		<u> </u>