Form	9-331 a
(Feb	. 1951)

1	,		
1			
1			
I		- -	
1		,	•
	1		;
	¦		
1	1		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	SenteFe
Lesse No.	077107-C
	Michener

TICE OF INTEN	TION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	_,
	NTION TO CHANGE PLANS		
	NTION TO TEST WATER SHUT-OFF	H	
	NTION TO RE-DRILL OR REPAIR WELL	1 1	
	NTION TO SHOOT OR ACIDIZE		
	NTION TO PULL OR ALTER CASING	•	
	NTION TO ABANDON WELL	Water Prec	X
			<u> </u>
	(INDICATE ABOVE BY CHECK MAR	RK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
		May 29	19 5
		• •	
ell No. 1	-B is located 2113 ft. from	m line and 1884 ft. from W line of M	sec33
CH 1 10	L. M. IO IOCHOOK	(W) (W)	
NW Sec		94 H.M.P.M.	
	d Sec. No.) (Twp.)	(Range) (Meridian)	
	P.C. Ext. Set (County	y or Subdivision) (State or Territory)	
ate names of an	d expected depths to objective sands: show s	evel is 6279 ft. AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi	ng jobs, ceme
5-22-5	d expected depths to objective sands; show s ing points, and all	AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi to other important proposed work) actured Pictured Cliffs perforated:	interval
5-22-5 2 DJ/f	d expected depths to objective sands; show a ing points, and all of the composite of the co	AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi l other important proposed work)	interval 40,000/ treating
5-22-5 2 DJ/f send. p ressu	d expected depths to objective sands; show a ing points, and all of the control o	AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi other important proposed work) actured Pictured Cliffs perforated: 31-36 with 37,920 gallons water and 31-36 with 37,920 gallons water and 4, maximum pressure 1500, average 68.2 bbls/min. Flush 3200 gallon on the state of th	40,000 treating
5-22-5 2 DJ/1 send. pressu	d expected depths to objective sands; show a ing points, and all of the control o	AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi other important proposed work) actured Pictured Cliffs perforated: 31-36 with 37,920 gallons water and 31-36 with 37,920 gallons water and 4, maximum pressure 1500, average 68.2 bbls/min. Flush 3200 gallon on the state of th	40,000 treating
5-22-5 2 DJ/1 send. p ressured to the company	d expected depths to objective sands; show a ing points, and all of the control o	AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi other important proposed work) actured Pictured Cliffs perforated 31-35 with 37,920 gallons water and maximum pressure 1500f, average 68.2 bbls/min. Flush 3200 gallons in writing by the Geological Survey before operations may be of	40,000 treating
5-22-5 2 DJ/1 sand. p ressured to the company	d expected depths to objective sands; show a ing points, and all for a composite sands; show a fing points, and a composite sands; show a composite sands; show a fing points, and a composite sands; show a composite sands;	AILS OF WORK sizes, weights, and lengths of proposed casings; indicate muddi other important proposed work) actured Pictured Cliffs perforated 31-36 with 37,920 gallons water and , maximum pressure 1500f, average 68.2 bbls/min. Flush 3200 gallon in writing by the Geological Survey before operations may be operated Ur.g nai S.gned D.	40,000 treating



•