

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	1
FILE	4
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> <b>Federal</b> <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <b>El Paso Natural Gas Company</b>	8. Farm or Lease Name <b>Martin</b>
3. Address of Operator <b>P. O. Box 990, Farmington, New Mexico</b>	9. Well No. <b>1(OWO)</b>
4. Location of Well UNIT LETTER <b>A</b> <b>990</b> FEET FROM THE <b>North</b> LINE AND <b>990</b> FEET FROM THE <b>East</b> LINE, SECTION <b>31</b> TOWNSHIP <b>28-N</b> RANGE <b>10-W</b> N.M.P.M.	10. Field and Pool, or Wildcat <b>Fulcher-Kutz P. C.</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>5811' GL, 5821' DF</b>	12. County <b>San Juan</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

To increase production, it is intended to repair this well in the following manner:

Clean out to 1850' with mud. Run 2 7/8" casing to 1850', cement w/100 sacks of a ratio of 1:1 Diamix "A" and Class "C" cement with 1/4 cu. ft. Strata-Crete"6"/sk., and 1/8# Cello-Flake/sk. Perforate and fracture Pictured Cliffs.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED E. S. OBERLY

SIGNED \_\_\_\_\_ TITLE **Petroleum Engineer** DATE **May 20, 1965**

APPROVED BY *[Signature]* TITLE **MAY 25 1965** DATE **Supervisor Dist. # 3**

CONDITIONS OF APPROVAL, IF ANY: