

(SUBMIT IN TRIPLICATE) X

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 046563

Unit **RECEIVED**

AUG 11 1952


U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/> SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 6, 1952



Turner-Feasel
Well No. 3 is located 990 ft. from N line and 1070 ft. from W line of sec. 34
NW 1/4 Sec. 34 Twp. 28N R 10W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Fulcher-Kutz San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5955 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill with rotary tools to the top of the Pictured Cliff Formation - expected between 1,800 feet and 2,200 feet below surface; complete drilling with cable tools to bottom of Pictured Cliff formation; and shoot with solidified nitro glycerin.

Casing program: 100 feet of 9 5/8" new H-40 3 rd. thread, 36# J. & L. Casing, when available. If not available, use 8-5/8" - 28# new J. & L. Casing. Circulate cement to surface.

5-1/2" - 17# Lapweld J. & L casing to be set on top of Pictured Cliff formation, cemented with 150 sacks regular cement.

1" tubing to be set to within 50 feet of total depth for production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company J. Glen Turner
Address c/o San Juan Drilling Company
Box 723 - Farmington, N. M.
Home Office: 1711 Mercantile Bank Building
Dallas, Texas

C. Benson Neal
C. BENSON NEAL
By Charles S. Peters
Title Geologist

RECEIVED


AUG 11 1952
U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

Company J. Glenn Turner

Lease Farm Well No. 3

Sec. 34 T. 28 N. R. 10 W., N.M.P.M.

Location 990' from the North line and 1070' from the West line.



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed July 25, 19 52



OIL CONSERVATION COMMISSION AZTEC DISTRICT OFFICE

No. Copies Received 1

DISTRIBUTION

	NO. FURNISHED	
Operator		
Santa Fe		
Protraction Office		
State Land Office		
U. S. G. S.		
Transporter		
File		✓