
(Feb. 1951)					
- 1					

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Dow Mexico
Lease No	U4205
Unit	McCulley

	IENTION TO DRILL		A	SUBSEQUENT REI	PORT OF WA	TER SHUT-	OFF	
NOTICE OF IN	TENTION TO CHANGE PL	ANS		SUBSEQUENT REF	PORT OF SH	OOTING OR	ACIDIZING.	
NOTICE OF IN	TENTION TO TEST WATER	R SHUT-OFF		SUBSEQUENT REF	PORT OF AL	TERING CAS	ing	
NOTICE OF IN	TENTION TO RE-DRILL O	R REPAIR WELL	-	SUBSEQUENT REP	PORT OF RE	DRILLING	OR REPAIR	
NOTICE OF IN	TENTION TO SHOOT OR	ACIDIZE		SUBSEQUENT REF	PORT OF AB	ANDONMEN	г	
NOTICE OF IN	TENTION TO PULL OR AL	LTER CASING		SUPPLEMENTARY	WELL HIST	ORY		
NOTICE OF IN	TENTION TO ABANDON W	VELL					-	
	(INDICATI	E ABOVE BY CHECK MAR	RK NAT	URE OF REPORT, NO	OTICE, OR OT	THER DATA)		
Vell No. 3	(1%) is locate	ed 1951 ft. fro	 m∛	line and	ft.	. .	rca 1 √ line of	-
% 4 Sect	11on 24	264) •	.	MHK	(•	W) IIIIC OI	. Jul&
	and Sec. No.)	(Twp.)	(Ran	ge)	(Meridian)		
	V. & Fildent (Field)			odivision)		(00000	or Territory)	.
,	(= 200E)	(Count)	JULDUL	· · · · · · · · · · · · · · · · · · ·		(Siase)	or retribory)	
he elevatio	on of the derrick	floor above sea l	evel i	is 332 ft.				
			~	AR 11105				
		DETA	ILS	OF WORK				
tate names of	and expected depths to o			··	s of propose	d casings; i	ndicate mud	ding jobs, c
	and expected depths to c	objective sands; show s ing points, and all	izes, w	eights, and lengths important propose				
s intend	ied to drill &	objective sands; show s ing points, and all	izes, we lother	eights, and lengths important propose	e Picti	red Cl	iffs fo	rmatio
s intend Ve rde 1	ied to drill & 'omsativa. Kr	objective sands; show s ing points, and all dual complet derculation	izes, well other	eights, and lengths important propose well in the	e Picti than ti	ured Cl ze Pict	Liffs fo ared Cl	reatio Liffs f
s intend Forde f à set 1	ied to drill & 'ornation. Ma Intermediate c	objective sands; show s ing points, and all dank complet Cerculation asing. Cas	izes, we lother	eights, and lengths important propose wall in th 1 be used tlation will	e Picta than ti 1 be a	ured Cl > Pict Di tin	Liffs for ared Cl	ernatio Liffs f iosa Ve
s intend Verde f à set i producti	ied to drill & 'omsativa. Kr	objective sands; show s ing points, and all dead complet dearculation asing. One c	izes, we lother a will	eights, and lengths important propose well in th il be used thation will a producti	e Picta than ti 1 be a	ured Cl > Pict Di tin	Liffs for ared Cl	ernatio Liffs f iosa Ve
s intend Verde f à set l producti setured. Ag Progr	ied to drill & Tornation. Min ntermediate concentration liner vill Estimated Torna	objective sands; show s ing points, and all deal complet desired attion asing. One c be set. For otal Deptir 47	izes, we lother will trouble to the lother will strong to the lother will strong to the lother will be a lot	eights, and lengths important propose wall in th il be used thation will a producti	e Picta thm ti l be u ve inta	ured Cl me Pict med tim mrvals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intend Vorde f à set i producti setured. Ag Progr	ied to drill & formation. Mr. ntermediate con liner vill. Estimated Trans. 10 3/4 at 16	objective sands; show sing points, and all disal complet described carculation asing. Cas cotal Depth 47	izes, we other e a will iron sibl	eights, and lengths important propose well in the length in the length in the length in the length in the product in the product in the length	e Picta thm ti l be u ve inta	ured Cl me Pict med tim mrvals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intend Vorde i d set i producti setured. Ag Progr	ied to drill & Commetica. Man atermedia to con liner will Estimated To assist 10 3/4° at 100 7 5/6° at 2490	objective sands; show a ing points, and all denal complete action asing. One color le set. Posotal Depth 4/	other a will iron sibl	eights, and lengths important propose well in th 1 be used thatien will a producti	e Picta thm ti l be a ve inte	ured Cl me Pict med tim mrvals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intend Verde i à set i producti setured. Ag Progr	ied to drill & Commetica. Man atermedia to con liner vili. Estimated To ass. 10 3/4° at 100 7 5/6° at 2490 5 1/2° liner of	objective sands; show a ing points, and all deal complete a circulation esing. One contains beyond 125 s of with 125 s of with 250 s at 4750' with	other a will iron siblication of the siblication of	eights, and lengths important propose well in the length in the length in the length in the production will be producted to commute the commute.	e Picta thm ti l be an we inte realate	ured Cl me Pict med tim mrvals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intend Verde i à set i producti setured. Ag Progr	ied to drill & Cornetium. Man atermedia te con liner vili. Estimated To an 10 3/4" at 100 7 5/6" at 2090 5 1/2" liner a section 24 is 0	objective sands; show a ing points, and all deal complet deal complet deal complet deal complet deal deal deal deal deal deal deal deal	other a will irea sibling acts acces acces acces	eights, and lengths important propose well in the length i	e Picta thm ti l be an we inte realate	ured Cl me Pict sed thr ervals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intenda Verde i de set i producti setured. Ag Progr	ied to drill & Commation. Man intermediate con liner vill. Estimated To as: 10 3/4 at 100 7 5/6 at 2490 5 1/2 liner a section 24 is 6 Section 24 is	objective sands; show a ing points, and all dual complete action asing. Cas complete action asing. Cas complete action asing. Cas complete action act	other a will irea sibling acts acces acces acces	eights, and lengths important propose well in the length i	e Picta thm ti l be an we inte realate	ured Cl me Pict sed thr ervals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intenda Verde i de set i producti setured. Ag Progr	ied to drill & Cornetium. Man atermedia te con liner vili. Estimated To an 10 3/4" at 100 7 5/6" at 2090 5 1/2" liner a section 24 is 0	objective sands; show a ing points, and all dual complete action asing. Cas complete action asing. Cas complete action asing. Cas complete action act	other a will irea sibling acts acces acces acces	eights, and lengths important propose well in the length i	e Picta thm ti l be an we inte realate	ured Cl me Pict sed thr ervals	iffs fo ared Cl a the N will be	ernatio Liffs f iesa Ve Perfo
s intend Vorde i d set i producti setured. My Progr	ied to drill & Commation. Man intermediate con liner vill. Estimated To as: 10 3/4 at 100 7 5/6 at 2490 5 1/2 liner a section 24 is 6 Section 24 is	objective sands; show a ing points, and all dual complete action asing. Cas complete action asing. Cas complete action asing. Cas complete action act	other a will irea sibling acts acces acces acces	eights, and lengths important propose well in the length i	e Picta thm ti l be an we inte realate	ured Cl me Pict sed thr ervals	ared Clared Will be	Perfo
s intenda Verde i de set i producti setured. Ag Progr W/2 of a SW/4 of Section	ied to drill & Commation. Man intermediate con liner vill. Estimated To as: 10 3/4 at 100 7 5/6 at 2490 5 1/2 liner a section 24 is 6 Section 24 is	objective sands; show a ing points, and all dual complete action asing. Cas complete asing. Cas complete action asing. Cas complete action act at the complete act	izes, will other a will iron siblicate a s	eights, and lengths important propose well in the length i	e Picta thm ti l be un ve inte realate cat. c	ured Cl me Pict sed that ervals	ared Clared Will be	ernatio Liffs f iesa Ve Perfo
is intendal Verde if a set i producti setured. My Program W/2 of a Section I understand	ied to drill & formation. Man ntermediate can liner will astimated To 3/4 at 160 7 5/6 at 2490 5 1/2 liner a section 24 is 6 Section 24 is 6 24 - 34 04206.	objective sands; show a ing points, and all disal complet desire. Cas completed to be set. For otal Depth 470° with 125° set 4750° with dedicated to dedicated to must receive approval	izes, wild other of a wild ireu siblication of a section	eights, and lengths important propose well in the length i	e Picta thm ti l be un ve inte realate cat. c	ured Cl me Pict sed that ervals	Area Cities in the invital be	Perfo
i Verde i de set i producti setured. Ag Progr	ied to drill & Cornation. Min intermediate con liner vill. Estimated To as: 10 3/4 at 160 7 5/6 at 2490 5 1/2 liner contion 24 is contion 24 is 24 - BM 04200.	objective sands; show a ing points, and all disal complet desire. Cas completed to be set. For otal Depth 470° with 125° set 4750° with dedicated to dedicated to must receive approval	izes, wild other of a wild ireu siblication of a section	eights, and lengths important propose well in the length i	e Picta thm ti l be un ve inte realate cat. c	ured Cl me Pict sed that ervals	Area Cities in the invital be	Perfo
Worde is a set in production of Programme W/2 of Section I understand ompany	ied to drill & formation. Man ntermediate can liner will astimated To 3/4 at 160 7 5/6 at 2490 5 1/2 liner a section 24 is 6 Section 24 is 6 24 - 34 04206.	objective sands; show a ing points, and all disal complet desire. Cas completed to be set. For otal Depth 470° with 125° set 4750° with dedicated to dedicated to must receive approval	izes, wild other of a wild ireu siblication of a section	eights, and lengths important propose well in the length i	e Picta thm ti l be un ve inte realate cat. c	ured Cl me Pict sed that ervals	Area Cities in the invital be	Perfo
Worde intended were in the set in	ied to drill & formation. Mr. atermedia to consider the considerated for an 10 3/4 at 100 7 5/6 at 2490 5 1/2 liner at 24 at 15 contion 24 is continuous at 12	objective sands; show a ing points, and all deal complete action asing. Cas compared to the set of	izes, wild other of a wild ireu siblication of a section	eights, and lengths important propose well in the length i	e Picta thm ti l be un ve inte realate cal Survey b	efore opera	Area Cities in the invital be	EVA ON: COI



MEN MEX 10 OLIGIN CH. ALIGN COMMISSION

WELL TOTALING AND BEDATERSHAFTER FLAT

L PASO NATURAI	GAS COMPANY	Mc CULLEY	NM 04208
3 (PM)	24	28 N	9 W
1951	SOUTH	1020	WEST
JUAN P.C. & M.V.		P.C. WILDCAT BLANCO M.V.	5981 160 AC. P.C. 320 AC. M.V.
			(1919 PLAT)
N	i 04208		MILLIVED
			MAR 4 1957 OIL CON. COM. DIST. 3
1040	SECTION O4208	ON 24	
Whigh	aly fre		NOTE: NOTE: Where server to an off temperature to the acceptance.
HIP	S W		of its active only
PPPPP)	Virin ministrict		

Particle besert to that the provery consequence their the appropriate contractions our expension and according to a and the from and therefore, and are true and amount to the on that my knowledge part of the

After a service spirition, 1 control and the recommendate by partition and to be stated the

 $(y_{\ell_1, \ldots, \ell_m}, X_{\ell_1, \ldots, \ell_m}, x_{\ell_m}, \ldots, x_{\ell_m}) = (y_{\ell_1, \ldots, \ell_m}, x_{\ell_m}, \ldots, x_{\ell_m})$

Petroleum Engineer

El Paso Natural Gas Co.

Box 997, Farmington, N.M.