

submitted in lieu of Form 3160-5

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well  
GAS

2. Name of Operator

**BURLINGTON  
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1600' FNL, 890' FWL, Sec. 21, T-28-N, R-10-W, NMPM

E

5. Lease Number  
SF-077383A

6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

8. Well Name & Number  
White Kutz #2

9. API Well No.  
30-045-07339

10. Field and Pool  
Fulcher Kutz Pict. Cliffs

11. County and State  
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment

Type of Action

☐ Abandonment ☐ Change of Plans  
☐ Recompletion ☐ New Construction  
☐ Plugging Back ☐ Non-Routine Fracturing  
☐ Casing Repair ☐ Water Shut off  
☐ Altering Casing ☐ Conversion to Injection  
☒ Other - Restimulate

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

NU BOP. Pull 1" tubing. Drill new open hole from 1957-2077'. Run open hole logs. Run 3 1/2" casing to new total depth and cement to surface with 128 sx Class "B" 50/50 poz with 2% gel, 0.3% CFR-3, 5 pps Gilsonite 0.4% Halad-344, 3% Kcl. Perforate, acidize and foam fracture treat the Pictured Cliffs zone. Clean out. Rerun tubing and return the well to production.

RECEIVED  
IN DEC 10 1996

OIL COAL DIV.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (KKKPC) Title Regulatory Administrator Date 12/4/96

(This space for Federal or State Office use)

APPROVED BY \_\_\_\_\_ Title \_\_\_\_\_

CONDITION OF APPROVAL, if any:

Date

**APPROVED**

DEC 06 1996

13. Donna W. Spencer  
DISTRICT MANAGER

NMOC

**White Kutz #2**  
**Pertinent Data Sheet**

**Location:** 1600' FNL & 890' FWL, Unit E, Section 21, T28N, R10W, San Juan County, New Mexico

**Latitude:** 36 Deg. 39 Min. 2 Sec.

**Longitude:** 107 Deg. 54 Min. 23 Sec.

**Field:** Fulcher Kutz PC

**Elevation:** 5922' GL  
5923' KB

**TD:** 1983'

**PBTD:** 1983'

**Spud Date:** 9/3/55

**Compl Date:** 9/27/55

**DP #:** 51013A

**Lease:** Fed: NM 237

**GWl:** 100%

**Initial Potential:** Initial Potential = 1,990 MCF/D, SICP = 593 psi

**NRI:** 70.375%

**Prop#:** 072010800

**Casing Record:**

<u>Hole Size</u>	<u>Csg Size</u>	<u>Wt. &amp; Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
e12-1/4"	8-5/8"	32# J-55	96'	75 sx.	Circ Cmt
e7-7/8"	5-1/2"	15.5# J-55	1957'	75 sx.	1574' @ 75% Eff.
e4-3/4"	OH		1957'-1983'		

**Tubing Record:**

<u>Tbg. Size</u>	<u>Wt. &amp; Grade</u>	<u>Depth Set</u>	<u># Joints</u>
1"	1.7#	1961'	~ 93

**Formation Tops:**

Ojo Alamo:	835'
Kirtland Shale:	1015'
Fruitland:	1620'
Pictured Cliffs:	1954'

**Logging Record:**

**Stimulation:** SOF w/ 8,000 gal oil & 10,000# sand

**Workover History:** None

**Production History:** 7/96 PC capacity: 32 MCF/D. 7/96 PC cum: 845 MMCF.

**Pipeline:** EPNG

# White Kutz #2

Section 21E, T-28-N, R-10-W  
San Juan County, NM

## FULCHER KUTZ PICTURED CLIFFS WELLBORE SCHEMATIC

