COPY

Land Office Senta Pe

Lease No. 077383

Unit J. C. Berideen

## COPY FOR STATE OF NEW MEXICO

## OIL CONSERVATION COMMISSION

SUBMIT IN TRIPLICATE TO DISTRICT OFFICE

## **UNITED STATES** DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO GENERAL WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE	SUNDR	Y NOTICES A	ND REP	ORTS ON	WELLS	
NOTICE OF INTENTION TO CHANGE PLANS.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO SH	NOTICE OF INTENTION TO DRILL		SUBSEQUEN	T REPORT OF WATER S	HUT-OFF	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO PUBLIC OR REPAIR WELL NOTICE OF INTENTION TO PUBLIC OR ACIDIZE. NOTICE OF INTENTION TO PUBLIC OR ACIDIZE. NOTICE OF INTENTION TO PUBLIC OR ACIDIZE. NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  JAMESTY 16, 19  Well No. 1-D is located 1650 ft. from like and 1650 ft. from like of sec. 22  Well No. 1-D (Rango)  Well Sec. 22  288  NOW H. N. P. H. (Hase, and sec. No.)  (Priod)  (Country of subdivision)  (Basis of Twritory)  The elevation of the derrick floor above sea level is ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cernenting points, and all other important proposed work)  Spudded with rotary tools December 18, 1949.  Set 65 feet 9 5/8 0, D. 36f Sals. Grade D casing comented to surface.  Top Pictured Cliffs sand 2068 feet.  Drilled to 2072 feet with rotary tools.  Set 5-1/2* 0, D. 15.5 Sals. J-55 casing at 2071 feet comented with 200 sacks.  Rotary drilling completed December 23, 1949.  Drilled plag and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company Exp-FROST, 180.  Address. P. 0. Box 911  Derrango, Colerado  By H. P. Slagel	1	į.	SUBSEQUEN	T REPORT OF SHOOTIN	G OR ACIDIZING	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		}	SUBSEQUEN	T REPORT OF ALTERIN	G CASING	
NOTICE OF INTENTION TO PULL OR ALTER CASING	NOTICE OF INTENTION TO RE-DR	ILL OR REPAIR WELL	SUBSEQUEN	T REPORT OF REDRILL	ING OR REPAIR	
Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 269 ft. from line and 1650 ft. from line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line of sec. 22  Well No. 1-D is located 268 ft. line and 1650 ft. line of sec. 22  Well No. 1-D is located 268 ft. line and 1650 ft. line of sec. 22  Well No. 1-D is located 268 ft. line and 1650 ft. line of sec. 22  Well No. 1-D is located 268 ft. line and 1650 ft. line and 1650 ft. line of sec. 22  Well No. 1-D is located 268 ft. line and 1650 ft. line and 1650 ft. line of sec. 22  Well No. 1-D is located 268 ft. line and 1650 ft. li	NOTICE OF INTENTION TO SHOOT	F OR ACIDIZE	SUBSEQUEN	T REPORT OF ABANDO	(MENT	
Vell No. 1-D is located 2650 ft. from line and 2650 ft. from line of sec. 22.  Well No. 1-D is located 2650 ft. from line and 2650 ft. from line of sec. 22.  Well No. 1-D is located 2650 ft. from line and 2650 ft. from line of sec. 22.  Well No. 1-D is located 2650 ft. from line and 2650 ft. from line of sec. 22.  Well No. 1-D is located 2650 ft. from line and 2650 ft. from line of sec. 22.  Well No. 1-D is located 2650 ft. from line and 2650 ft. from line of sec. 22.  Well No. 1-D is located 2650 ft. from line and 2650 ft. ft. ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)  Spudded with rotary tools December 18, 1949.  Set 65 feet 9 5/0 0. D. 366 Sals. Grade B casing cemented to surface.  Definited to 2072 feet with rotary tools.  Set 5-1/2 0. D. 15.5 Sals. J-55 easing at 2071 feet cemented with 200 sacks.  Rotary drilling completed December 23, 1949.  Drilled plug and Pictured Cliffs sund to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company Exp. FROST, 180.  Address P. O. Box 911  Dermano, Golarede By L. P. Slagel	NOTICE OF INTENTION TO PULL	OR ALTER CASING	SUPPLEMEN	TARY WELL HISTORY		<b>X</b> -
Well No. 1-D is located 1659 ft. from line and 1650 ft. from line of sec. 22    Molecular   16,   19	NOTICE OF INTENTION TO ABANI	DON WELL				
Well No. 1-D is located 169 ft. from him line and 1650 ft. from him line of sec. 22	INDICATE	ABOVE BY CHECK MARK I	NATURE OF REPO	RT, NOTICE, OR OI	HER DATA)	
Maria   Sec. 22   288   108   1. M. P. M.			Jas	mary 16,		., 19\$
Kets Canon  (Field)  (County of Subdivision)  (State or Tentiony)  The elevation of the derrick floor above sea level is	Well No. <b>1-D</b> is	located 165 ft. fr	om Niline a	nd <b>1650</b> ft. fro	m E line of sec	. 22
Kets Canon  (Field)  (County of Subdivision)  (State or Tentiony)  The elevation of the derrick floor above sea level is	₩/u Sec. 22	281	30#		·	
Kuts Canon  (Field)  (County or Subdivision)		(Twp.)	(Range)	(Meridian)		
The elevation of the derrick floor above sea level is		· · · · ·	Juan		Mercion	
DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)  Spudded with rotary tools December 18, 1949.  Set 65 feet 9 5/8 0. D. 36/ Sals. Grade D casing comented to surface.  Top Pictured Cliffs sand 2068 feet.  Drilled to 2072 feet with rotary tools.  Set 5-1/2 0. D. 15.5 Sals. J-55 casing at 2071 feet comented with 200 sacks.  Rotary drilling completed December 23, 1949.  Drilled plug and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company EXED-FROST, INC.  Address P. O. Box 911  December, Colerade By R. P. Slagel	(Field)	(Count)	y or Subdivision)		(State or Territory)	
State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)  Spudded with rotary tools December 18, 1949.  Set 65 feet 9 5/8 0. D. 36 Sals. Grade D casing cemented to surface.  Top Pictured Cliffs sand 2068 feet.  Drilled to 2072 feet with rotary tools.  Set 5-1/2 0. D. 15.5 Sals. J-55 easing at 2071 feet cemented with 200 sacks.  Rotary drilling completed December 23, 1949.  Drilled plug and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BIRD-FROST, INC.  Address P. O. Box 911  Derengo, Colerade By H. P. Slagel	The elevation of the deri					
Spudded with rotary tools December 18, 1949.  Set 65 feet 9 5/8 0. D. 36 3mls. Grade D casing comented to surface.  Top Pictured Cliffs sand 2068 feet.  Drilled to 2072 feet with rotary tools.  Set 5-1/2 0. D. 15.5 3mls. J-55 casing at 2071 feet comented with 200 sacks.  Rotary drilling completed December 23, 1549.  Drilled plug and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BYRD-FROST, INC.  Address P. O. Box 911  Derenge, Colorade By H. P. Slagel						
Set 65 feet 9 5/8" 0. D. 36/ Sals. Grade D casing comented to surface.  Top Pictured Cliffs sand 2068 feet.  Drilled to 2072 feet with rotary tools.  Set 5-1/2" 0. D. 15.5 Sals. J-55 easing at 2071 feet comented with 200 sacks.  Rotary drilling completed December 23, 15k9.  Drilled plug and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BIED-FROST, INC.  Address P. 0. Box 911  Durange, Colorade By H. P. Slagel	indicate mud	dling jobs, cementing po	oints, and all o	es, weights, and le ther important pro	ngths of proposed posed work)	casings;
Top Pictured Cliffs sand 2068 feet.  Drilled to 2072 feet with rotary tools.  Set 5-1/2" O. D. 15.5 Sals. J-55 casing at 2071 feet cemented with 200 sacks.  Rotary drilling completed December 23, 15k9.  Drilled plag and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company ETRO-FROST, INC.  Address P. O. Box 911  Derengo, Colerade By H. P. Slagel	Spudded with rotary	tools December	18, 1949.			
Drilled to 2072 feet with rotary tools.  Set 5-1/2° 0. D. 15.5 Sals. J-55 easing at 2071 feet cemented with 200 sacks.  Rotary drilling completed December 23, 15%.  Drilled plug and Pictured Cliffs sand to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BYRD-FROST, INC.  Address P. 0. Box 911  Deremgo, Colorade By H. P. Slagel	Set 65 feet 9 5/8"	0. D. 36# Smls.	Grade D cas	ring comented	to surface.	
Set 5-1/2" 0. D. 15. # Suls. J-55 easing at 2071 feet cemented with 200 sacks.  Rotary drilling completed December 23, 1949.  Drilled plug and Pictured Cliffs and to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company BIRD-FROST, INC.  Address P. 0. Box 911  Derengo, Colerado By H. P. Slagel	Top Pictured Cliffs	sand 2068 feet.				
Rotary drilling completed Becember 23, 1949.  Drilled plug and Pictured Cliffs and to 2171 with cable tools.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company  BYRD-PROST, INC.  Address P. O. Box 911  Durango, Colerado  By H. P. Slagel	Drilled to 2072 fee	st with rotary to	ols.			
operations may be commenced.  Company BYRD-PROST, INC.  Address P. O. Box 911  Durango, Colerado By H. P. Slagel	Rotary drilling com	pleted December	23, Î <b>949.</b>			sacks.
Address P. O. Box 911  Durango, Colerado By H. P. Slagel			ive approval in	writing by the Ge	ological Survey be	fore
Address P. O. Box 911  Durango, Colerado By H. P. Slagel	Company BIRD-FROS	T, INC.				
Durango, Colerado By H. P. Slagel			•			
		Colerado	·-	Ву	H. P.	Blagel
					et Superinten	dont