Form 9-88 (Feb. 1961)	11.
	_



#### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic	. Senta Pe
Lease No.	107-0796 Ju
Umit	Nec lanchen

#### SUNDRY NOTICES AND REPORTS ON WELLS

		XX   superous			
NOTICE OF INTENTION TO DRILL		SUBSEQUEN	T REPORT OF WATER SH	IUT-OFF	
NOTICE OF INTENTION TO CHANG	GE PLANS	SUBSEQUEN	T REPORT OF SHOOTING	OR ACIDIZING	
NOTICE OF INTENTION TO TEST	WATER SHUT-OFF	SUBSEQUEN	T REPORT OF ALTERING	CASING	
NOTICE OF INTENTION TO RE-DR	ILL OR REPAIR WELL	SUBSEQUEN	T REPORT OF RE-DRILLI	NG OR REPAIR	
NOTICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQUEN	T REPORT OF ABANDON	MENT	
NOTICE OF INTENTION TO PULL	OR ALTER CASING	SUPPLEMEN	TARY WELL HISTORY		
NOTICE OF INTENTION TO ABAND	OON WELL				<u> [. ]                                </u>
			**		
(INE	DICATE ABOVE BY CHECK I	MARK NATURE OF REPOI	RT, NOTICE, OR OTHER DA	ATA)	
			jak	y 6	, 19
'ell No. 17-5 is lo	cated ft. f	$rom_{-}$ $\stackrel{[N]}{\longrightarrow}$ line an	d 🎒 ft. from	$\left\{ \begin{array}{c} \mathbf{E} \\ \mathbf{s} \end{array} \right\}$ line of sec.	<b>2</b> *
	T=263	(-)	N.M.P.M.	(**)	
(1/ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
ACCEL POLICIES	on Dekota	ANT CO		ev Mexico	
(Field) Inde	A. (Con	unty or Subdivision)	(S	tate or Territory)	
ate names of and expected depth	DE' ns to objective sands; sho ing points, and	TAILS OF WOI ow sizes, weights, and le I all other important pe	RK ngths of proposed easing oposed work)		obs, cement
he elevation of the derritate names of and expected depth Propose To: Set in Drill with rotary formation. Set in Set 2-Stage coment and coment with 15	DE to objective sands; sho ing points, and the objective sands; sho ing points, and the objective of the objective obj	TAILS OF WOI ow sizes, weights, and le i all other important pe surface casis total depth	RK  Ingths of proposed easing opposed work)  S said consent  Of 5526 or t	to surface. Arough Dakot weest with 3	L 00 ax.
Propose To: Set j Drill with rotary formation. Set by Set 2-Stage cement end comment with 15 Perforate Dahota i with 100,000 gala.	DE as to objective sands; sho ing points, and cool of 6 5/8.  to approximate production of collar approximation with water and 100.	TAILS OF WOI waizes, weights, and le all other important pr surface cassis total depth casing at tota kinately 100° four shots p 0,000; sand.	RK  Ingths of proposed easing opposed work)  AS MAIG COMMENT  OF 5526 WE to all depth smill depth smil	to surface.  Arough Dakoto  ment with 3  d Cliffs for	oo ax.
Propose To: Set in Drill with rotary formation. Set in Set	DE to objective sands; she ing points, and cool of 8 5/8" to approximate production of collar approximation with the testing and lower a	TAILS OF WOI we sizes, weights, and le is all other important pr starface cassis total depth casing at tota kinately 100° four shots p 0,000; sand.	ngths of proposed easing opposed work)  as and coment of 5)26° or to the depth and coment of 5)26° or to the depth and coment of 5)26° or to the depth and coment of 50° to the depth and	to surface.  Arough Dakou  Messat with 3  d Cliffs for  Messater frac  Ming.  JUL  OIL	Son of
Propose To: Set j Drill with rotary formation. Set by Set 2-Stage cement end comment with 15 Perforate Dahota i with 100,000 gala.	DE to objective sands; she ing points, and cool of 8 5/8" to approximate production of collar approximation with the testing and lower a	TAILS OF WOI we sizes, weights, and le is all other important pr starface cassis total depth casing at tota kinately 100° four shots p 0,000; sand.	ngths of proposed easing opposed work)  as and coment of 5)26° or to the depth and coment of 5)26° or to the depth and coment of 5)26° or to the depth and coment of 50° to the depth and	to surface.  Arough Dakou  Messat with 3  d Cliffs for  Messater frac  Ming.  JUL  OIL	O ax.  This  This
Propose To: Set j Drill with rotary formation. Set i Set 2-Stage coment end coment with 15 Perforate Dakota i with 100,000 gala.  East one-Saif of a	DE to objective sands; she ing points, and cool of 8 5/8" to approximate production of collar approximation with the testing and lower a	TAILS OF WOI  we sizes, weights, and le is all other important pr  starface cassis  total dapth  casing at tota  kismtely 100°  four shots p  0,000% sand.	ngths of proposed easing opposed work)  as and coment of 5)26° or to the depth and coment of 5)26° or to the depth and coment of 5)26° or to the depth and coment of 50° to the depth and	to surface.  Arough Dakou  Messat with 3  d Cliffs for  Messater frac  Ming.  JUL  OIL	O ax.
Propose To: Set of Drill with rotary formation. Set of Set	DE na to objective sands; sho ing points, and consider approximate production of a production of a collar approximate production of a collar approximate and local collar and collar	TAILS OF WOI  or sizes, weights, and le all other important pr  starface cassis  total dapth  casing at tota  kinately 100°  four shots pr  0,000° sand.	ngths of proposed easing opposed work)  of 0526' or to the depth and content of 0526' or to the low Pisture or foot. Sand fun 2 1/8' to content to well.	arough Dakota  arough	12 19 50 N. C. 57. 3
Propose To: Set ; Drill with rotary formation. Set is Set 2-Stage coment end coment with 15 Perforate Dakota i with 100,000 gala.  Last com-dail of i understand that this plan of womany Agree:	DE na to objective sands; sho ing points, and consider approximate production of a production of a collar approximate production of a collar approximate and local collar and collar	TAILS OF WOI  waizes, weights, and le all other important pr  surface casis  total dapth  casing at tota  kismtely 100°  four shots p  0,000; sand.	ngths of proposed easing opposed work)  of 0526' or to the depth and content of 0526' or to the low Pisture or foot. Sand fun 2 1/8' to content to well.	hrough Bakou.  hrough Bakou.  heat vith 3  cliffs for  hing.  JUL  OIL Corrections man be comp	12 19 ON C
Propose To: Set ; Drill with rotary formation. Set is Set 2-Stage coment end coment with 15 Perforate Dakota i with 100,000 gala.  Last com-dail of i understand that this plan of womany Agree:	DE na to objective sands; sho ing points, and cool of 8 5/8" to approximate production of collar approximate collar approximate, collar approximate, water and 10% oction 24, 36 oction	TAILS OF WOI waizes, weights, and le all other important pr surface casis total dapth casing at tota kinately 190°  four shots p 0,000; sand.	ngths of proposed easing opposed work)  as mad coment  of 5526° or t  al depth and of below Platture  or foot. Smod  Rum 2 1/8° ta  costed to well.  costed to well.  deriginal sign  By	arough Dakou hereat with 3 de C. Saland	ON CON CONT. 3

### MEN MEXICO OIL CONSERVATION COMMISSION

## Well Location and Acreage Dedication Plat

					Form C-128
*C*		MEXICO OIL COMS	ERVATION COMMISS		levised 5/1/57
•		•			1
	<u> 1811</u>	Location and Acr	eage Dedication P.	lat	
Section A.	1 (1 ) (1 ) (1 ) (1 ) (1 ) (1 ) (1 ) (1			Date	10, 1960
Operator A	tee Oil ned Gas	Company	Lease McClea		
Well No. 17-2	Unit Letter A	Section 2	Towns		se 194 Repu
County Jan	Feet From C. L. E.	Line,Line,		From Bot	Line Agree
Name of Producing	Formation Dak	rtae.	Pool	See Past Breet	
1. Is the Operates Yes XX	ator the only own	er* in the dedica	ted acreage outli	ned on the plat bel	LOW?
				the owners been	
	nsolidation_	t or otherwise? X	es No	If answer is "y	'05,"
3. If the answer	er to question two	is "no," list al	l the owners and t	heir respective i	nterests below:
	0wner	·	<b>.</b>	and Description	
	O STATE STATE OF THE STATE OF T		<u> </u>	MING DESCRIPTION	
	*		·	<del></del>	
	1 1 2. 2.				
Section. B			•		
<del></del>			<b>T</b>		
			800	information above is tru	ertify that the in Section A and complete f my knowledge
				CRICINAL SIGNED BY	orator) JOE C. SALMON
	Sec.	24	 		sentative)
			RECTIVED  JUL 1 2 1960  OIL CON. COM  DIST. 3	surveys my super same is true	of see process of see process of see actual of see or
	remaining of promit despited shall and the second			Date Surveyed  Ernest V. Ec.  Registered L	Cabshauk

