

District I
P O Box 1980 Hobbs, NM

State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

District II
P O Drawer DD, Artesia, NM 88221

OIL CONSERVATION DIVISION

District III
1000 Rio Brazos Rd, Aztec, NM 87410

2040 South Pacheco Street
Santa Fe, New Mexico 87505

PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Gas Services (SRC) Telephone: 324-3764

Address: 603 W. Elm Street Farmington, NM 87401

Facility or Well Name: McClanahan #19

Location: Unit: G Sec. 14 T. 28 N R. 10 W County San Juan

Pit Type: Separator ☐ Dehydrator ☒ Other ☐

Land Type: BLM ☒ State ☐ Fee ☐ Other ☐

Pit Location: Pit dimensions: length 18 width 18 depth 4

(Attach diagram) Reference: wellhead ☒ other ☐

Footage from reference: 104'

Direction from reference: 5 Degrees ☐ East ☐ North ☐
of ☒ West ☒ South ☒

Depth to Ground Water: Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 points) 0

(Vertical distance from contaminants to
seasonal high water elevation of ground
water)

Wellhead Protection Area: Yes (20 points)
No (0 points) 0

(Less than 200 feet from a private
domestic water source, or, less than 1,000
feet from all other water sources)

Distance to Surface Water: Less than 200 feet (20 points)
200 feet to 1,000 feet (10 points)
Greater than 1,000 feet (0 points) 10

(Horizontal distance to perennial lakes,
ponds, rivers, streams, creeks, irrigation
canals and ditches)

RANKING SCORE (TOTAL POINTS): 10

Date Remediation Started:

9/13/96

Date Completed:

9/17/96

Remediation Method:

Excavation

☒

Approx. Cubic Yard

423

(Check all appropriate sections)

Landfarmed

☒

Amount Landfarmed (cubic yds)

423

Other

Remediation Location:

Onsite

☒

Offsite

(i.e., landfarmed onsite, name and location of offsite facility)

Backfill Material Location:

General Description of Remedial Action:

Excavated contaminated soil to pit size of 32'x21'x17' and landfarmed soil onsite within a bermed area at a depth of 6" to 12". Soil was aerated by plowing/disking until soil met regulatory levels.

Ground Water Encountered:

No

☒

Yes

Depth

Final Pit Closure Sampling:

Sample Location

5 pt composite-4 side walls and center of pit bottom

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth

17'

Sample date

9/13/96

Sample time

1:50:00 PM

Sample Results

Benzene (ppm)

<

0.0002

Total BTEX (ppm)

9.0329

Field headspace (ppm)

TPH

64.1

Method

8015A

Vertical Extent (ft)

Risk Assessment form attached

Yes

No

☒

Ground Water Sample:

Yes

—

No

☒


(If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE

January 22, 1997

SIGNATURE




PRINTED NAME
AND TITLE

Denver Bearden
Administrator III

McClenahan #19

↑
N

1000
900



OFF (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
 Company: *PNM Gas Services*
 Address: *603 W. Elm*
 City, State: *Farmington, NM 87401*

Date: *17-Sep-96*
 COC No.: *4878*
 Sample No. *12159*
 Job No. *2-1000*

Project Name: ***PNM Gas Services - McClanahan RH #22 19***
 Project Location: ***9609131350; Pit Excavation Composite Sample***
 Sampled by: *RH* Date: *13-Sep-96* Time: *13:50*
 Analyzed by: *HR/DC* Date: *17-Sep-96*
 Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i>64.1</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance ReportDRO QC No.: *0489-QC****Calibration Check***

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>103</i>	<i>3.0</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1 - Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>91</i>	<i>81</i>	<i>(70-130)</i>	<i>8</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas ChromatographyApproved by: *[Signature]*Date: *9/17/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

AROMATIC VOLATILE ORGANICS

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *17-Sep-96*
COC No.: *4878*
Sample No.: *12159*
Job No.: *2-1000*

Project Name: *PNM Gas Services - McClanahan RH #22 (9)*
Project Location: *9609131350; Pit Excavation Composite Sample*
Sampled by: *RH* Date: *13-Sep-96* Time: *13:50*
Analyzed by: *HR* Date: *17-Sep-96*
Sample Matrix: *Soil*

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
<i>Benzene</i>	<i><0.2</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>Toluene</i>	<i>56.7</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>Ethylbenzene</i>	<i>382.0</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>m,p-Xylene</i>	<i>7062.5</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>o-Xylene</i>	<i>1531.7</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
	<i>TOTAL</i>	<i>9032.9</i>		<i>ug/kg</i>

Method - *SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography*

Approved by: *Ja G*
Date: *9/17/96*


P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

McClanahan # 19
Meridian Oil
Sec 14, 28N, 10W

10-30-96

Land Farm: On location
Composite Sample # 961030 1315
Soil vapor head space PID readings = 14.9 ppm



2"-12" depth

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *31-Oct-96*
COC No.: *5103*
Sample No. *12718*
Job No. *2-1000*

Project Name: ***PNM Gas Services - McClanahan #19 Landfarm***
Project Location: ***9610301315; 6pt. Composite, 2"-12" depth***
Sampled by: GC Date: 30-Oct-96 Time: 13:15
Analyzed by: DC/HR Date: 31-Oct-96
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.: *0489-QC*


Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<5.0	ppm	100	96	3.7	15%

Matrix Spike

<i>Parameter</i>	<i>1 - Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	110	97	(70-130)	9	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: 

Date: *10/31/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -