

0			

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **SM - 01778A**
Unit **Reid**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U.S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

Reid

April 21, 19**60**

Well No. **15** is located **990** ft. from **[N]** line and **990** ft. from **[E]** line of sec. **18**

NE 1/4 Section 18

(1/4 Sec. and Sec. No.)

T-62W

(Twp.)

R-9W

(Range)

N.M.P.M.

(Meridian)

Astos Pictured Cliffs

(Field)

San Juan

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is **5718** ft. **S.L.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Well was spudded **4/11/60**

Set 3 jts., 95.75' of 6 5/8" surface casing, landed at 105' with 75 sacks cement
Tested casing with 900# pressure for 30 minutes
No leaks.

Drilled cement plug **4/12/60**

Tested casing with 900# pressure for 30 minutes
No drop in pressure.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Astos Oil & Gas Company**

Address **Box # 786,**
Farmington, New Mexico

By **ORIGINAL SIGNED BY JOE C. SALMON**
Joe C. Salmon

Title **District Superintendent**