


(SUBMIT IN TRIPLICATE)

Indian Agency _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Navajo Allotted Gas Unit "A"
Allottee _____
Lease No. 14-30-603-779



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Allotted Gas Unit "A" Farmington, New Mexico May 28, 19 57

Well No. 1 is located 990 ft. from N line and 1700 ft. from W line of sec. 25

NE 1/4 of Section 25 1-28-N 2-9-W NMPN
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco-Mesa Verde San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 9855 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well was perforated with 2 shots per foot 4362-4402, 4411-25, 4441-53, 4471-93, 4516-29, 4546-69. These perforations were sand water fractured with 74,000 gallons water and 65,000 pounds sand using 162 ball sealers in 6 stages. Breakdown pressure 1900 pounds. Injection rate 57.2 BPM.

Preliminary test 3420 NGPPD.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PAN AMERICAN PETROLEUM CORPORATION

Address Box 487

Farmington, New Mexico

By [Signature]
Title Field Superintendent

