

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES** OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1180' FSL 1030' FEL, Sec. 10, T-28-N, R-11-W, NMPM

5. Lease Number
SF-071867

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

Well Name & Number
Browning Stewart #5
API Well No.
30-045-22642
10. Field and Pool
Fulcher Kutz P.C.
11. County and State
San Juan Co, NM

RECEIVED
AUG 13 1998
OIL CON. DIV.
DIST. 3

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other - Restimulation

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

Move in rig up. Clean out the plug back total depth at 1692'. Acidize and foam fracture treat the Pictured Cliffs zone. Clean out and return well to production.

14. I hereby certify that the foregoing is true and correct.

Signed *Duane W. Spencer* (MDWPC) Title Regulatory Administrator Date 7/31/98
TLW

This space for Federal or State Office use)
APPROVED BY *Duane W. Spencer* Title _____

Date AUG 10 1998

CONDITION OF APPROVAL, if any:

Browning Stewart # 5
Pertinent Data Sheet

API #: 300452264200

Location: 1180 ' FSL & 1030 ' FEL, Unit P, Section 10, T28N, R11W, San Juan County, New Mexico

Latitude: 36 ° - 40.36 ' **Longitude:** 107 ° - 59.11 '

Field: Fulcher Kutz PC

Elevation: 5,538 ' GL
5,549 ' KB

TD: 1,739 '

PBTD: 1,692 '

DP #: 6601

Spud Date: 8/7/77

Compl Date: 11/1/77

Lease: 020278T

GWl: 25 %

Initial Potential: 1236 Mcfd

NRI: 19.875 %

Original SIP: 140 psi

Prop#: 0020278A

Casing Record:

<u>Hole Size (In.)</u>	<u>Csg Size (In.)</u>	<u>Wt. (#'s) & Grade</u>	<u>Depth Set (Ft.)</u>	<u>Cement (Sx.)</u>	<u>Cement (Top)</u>
12 1/4	8 5/8	28 K-55	131	90	circ to surf
6 3/4	2 7/8	6.4 J-55	1,702	310	circ to surf

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>	<u>Comments</u>
Tubingless"				

Formation Tops:

Ojo Alamo: 437 '
Kirtland Shale: 581 '
Fruitland: 1,398 '
Pictured Cliffs: 1,616 '

Logging Record: IES,GRD,GRC

Original Stimulation: Perf'd 1622,29,35,44,52,60', SWF w/60,144 gal wtr and 56,305# 20/40 sand

Workover History:

Production History: 5/98 PC capacity: 63.0 MCF/D. 5/98 PC cum: 714.0 MMCF.

Pipeline: BROG

File: Q:\area\pcteam\1998\well\data\slimhole\SLIMPRT

Browning Stewart # 5

Section 10 P, T-28 -N R-11 -W
San Juan, New Mexico

Fulcher Kutz Pictured Cliffs Field Wellbore Schematic

