TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)* 8-12-77 Ran 54 jts of 2-7/8", 6.4#, J-55 casing.	SF-071867 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Aztec 011 & Gas Company Address of operator P. O. Drawer 570, Farmington, New Mexico Location of Well (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1180' FSL & 1030' FEL PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, CR, etc.) 5539' GR Check Appropriate Box To Indicate Nature of Notice, Report, or C NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIZE ABANDON* REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)*	·
AZTEC OIL & Gas Company P. O. Drawer 570, Farmington, New Mexico LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1180' FSL & 1030' FEL PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, CR, etc.) 5539' GR Check Appropriate Box To Indicate Nature of Notice, Report, or C NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)*	7. UNIT AGREEMENT NAME
P. O. Drawer 570, Farmington, New Mexico LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1180' FSL & 1030' FEL 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5539' GR Check Appropriate Box To Indicate Nature of Notice, Report, or C NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)*	8. FARM OR LEASE NAME
LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1180' FSL & 1030' FEL 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5539' GR Check Appropriate Box To Indicate Nature of Notice, Report, or C NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertican ent to this work.)*	Browning Stewart 9. WELL NO.
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertica 1180' FSL & 1030' FEL 15. ELEVATIONS (Show whether DF, RT, CR, etc.) 5539' GR Check Appropriate Box To Indicate Nature of Notice, Report, or C SUBSEQUE WATER SHUT-OFF FRACTURE TREATMENT SHOOT OR ACIDIZING (Other) Change Plans (Other) (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical states.	#5 10. FIELD AND POOL, OR WILDCAT
Check Appropriate Box To Indicate Nature of Notice, Report, or C NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical ment to this work.)* STORY OF CASING (Other) Completed operations (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical ment to this work.) STORY OF CASING (NOTE: Report results Completed operations) (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical ment to this work.)	Fulcher Kutz Pictured 11. SEC., T., R., M., OR BLK. AND Cli
Check Appropriate Box To Indicate Nature of Notice, Report, or C NOTICE OF INTENTION TO: SUBSEQUE TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.) 8-12-77 Ran 54 jts of 2-7/811, 6.4#, J-55 casing.	Section 10-T28N-R11W 12. COUNTY OR PARISH 13. STATE
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF FRACTURE TREAT MULTIPLE COMPLETE SHOOTING OR ACIDIZING REPAIR WELL CHANGE PLANS (Other) Casing (Note: Report results Completion or Recompletion or to this work.)* 8-12-77 Ran 54 jts of 2-7/8", 6.4#, J-55 casing.	San Juan New Mexic
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)* 8-12-77 Ran 54 jts of 2-7/8", 6.4#, J-55 casing.	Other Data
FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.) 8-12-77 Ran 54 jts of 2-7/811, 6.4#, J-55 casing.	DENT REPORT OF:
8-12-77 Ran 54 jts of 2-7/8", 6.4#, J-55 casing.	REPAIRING WELL ALTERING CASING ABANDONMENT* TEDOTT Of multiple completion on Well etion Report and Log form.)
set at 1701.65, baffle set at 1691.69'. Co 260 sacks 65/35 Class B Poz with 12% gel fo 50 sacks Class B neat. Plug down at 1:15	emented with ollowed with
	San San San San
CHARLES TO THE REAL PROPERTY OF THE PARTY OF	AUG 1 6 1977
(1674 Com)	in the Court departs
	Mgr.DATB August 15, 197
(This space for Federal or State office use)	