Subsurface Safety Valve: Manu. and Type

SIGNED E. E. SHEBODA

CONDITIONS OF APPROVAL, IF ANY:

18. I hereby certify that the foregoing is true and correct

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Form 9–331 Dec. 1973	Budget Bureau No. 42-R1424
UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE SF-047039 (B)
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME
1. oil gas 🗴 other	J. F. Day "B"
2. NAME OF OPERATOR Amoco_Production_Company	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR 501 Airport Drive Farmington, NM 87401 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1025' FSL x 1610' FEL, Section 7, AT TOP PROD. INTERVAL: Same T28N, R10W AT TOTAL DEPTH: Same	Fulcher Kutz-Pictured Cliffs 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	SW/4 SW/4 Section 7, T28N, R10W 12. COUNTY OR PARISH 13. STATE
	San Juan - New Mexico 14. API NO. 30-045-23773
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 5830 GL
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING PULL OR ALTER CASING	
	(NOTE: Report results of multiple completion or zone change on Form 9–330.)

16. CHECK APPROPRIATE BOX TO INDICATE NATURE O REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPO TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) Completion Procedure 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Completion operations commenced on 12-5-79. Total depth of well is 2210' and plugback depth is 2165'. Perforated from 1958' to 2005' with 2 SPF, total of 88 holes. Sand water fraced with 57,288 gallons of frac fluid and 100,000# of sand. Swabbed well and released rig on 12-11-79. RECEIVER U. S. GEOLOGICAL SURVEY FARMINGTON, N. M.

TITLE

DATE

*See Instructions on Reverse Side

(This space for Federal or State office use)

TITLE Dist. Adm. Supvr. DATE

FARMINGTON DISTRICT