

District III
P.O. Box 1000 Aztec, NM 88221
DEPUTY OIL & GAS INSPECTOR

State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

OIL CONSERVATION DIVISION

2040 South Pacheco Street
Santa Fe, New Mexico 87505

District III
1000 Rio Brazo, Aztec, NM 88221

JUL 18 1997

PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Gas Services (Amoco) **Telephone:** 324-3764

Address: 603 W. Elm Street Farmington, NM 87401

Facility or Well Name: Omler A #7E

Location: Unit: K Sec. 36 T. 28 N R. 10 W County San Juan

Pit Type: Separator Dehydrator ☒ Other

Land Type: BLM ☒ State Fee Other

Pit Location: Pit dimensions: length 20 width 20 depth 3

(Attach diagram) Reference: wellhead ☒ other

Footage from reference: 95'

Direction from reference: 10 Degrees ☒ East North of West South ☒

Depth to Ground Water:

(Vertical distance from contaminants to seasonal high water elevation of ground water)

Less than 50 feet	(20 points)	
50 feet to 99 feet	(10 points)	
Greater than 100 feet	(0 points)	0

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or less than 1,000 feet from all other water sources)

Yes	(20 points)	
No	(0 points)	0

Distance to Surface Water:

(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)

Less than 200 feet	(20 points)	
200 feet to 1,000 feet	(10 points)	
Greater than 1,000 feet	(0 points)	0

RANKING SCORE (TOTAL POINTS): 0

RECEIVED
APR 24 1997
OIL CON. DIV.
DIST. 3

Date Remediation Started:

11/6/96

Date Completed:

11/6/96

Remediation Method:

Excavation

☒

Approx. Cubic Yard

29

(Check all appropriate sections)

Landfarmed

☒

Amount Landfarmed (cubic yds)

29

Other

Remediation Location:

Onsite

☒

Offsite

(i.e., landfarmed onsite, name and location of offsite facility)

Backfill Material Location:

General Description of Remedial Action:

Excavated contaminated soil to pit size of 11'X14'X5' and landfarmed soil onsite within a bermed area at a depth of 6" to 12". Soil was aerated by plowing until soil met regulatory levels.

Ground Water Encountered:

No

☒

Yes

Depth

Final Pit Closure Sampling:

Sample Location

5 pt composite-4 side walls and center of pit bottom

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth

4' & 5' (bottom)

Sample date

11/6/96

Sample time

2:20:00 PM

Sample Results

Benzene (ppm)

0.0273

Total BTEX (ppm)

1.0292

Field headspace (ppm)

TPH

<

5.00

Method

8015A

Vertical Extent (ft)

Risk Assessment form attached

Yes

No

☒

Ground Water Sample:

Yes

No

☒

(If yes, see attached Groundwater Site Summary Report)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE

April 28, 1997

SIGNATURE

PRINTED NAME
AND TITLEDenver Bearden
Administrator III


Omler A# 7E

11-6-96


Amoco

Sec. 36, 28N, 10W

Start of Excavation:



Excavated Pit: 11' X 14' X 5' = 29 yds.



sandstone bottom at 5'

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
 Company: *PNM Gas Services*
 Address: *603 W. Elm*
 City, State: *Farmington, NM 87401*

Date: *7-Nov-96*
 COC No.: *5096*
 Sample No. *12758*
 Job No. *2-1000*

Project Name: ***PNM Gas Services - Olmer A #7E***
 Project Location: ***9611061420; 5pt. Composite, 4 Walls @ 4' & Bottom @ 5'***
 Sampled by: GC Date: *6-Nov-96* Time: *14:20*
 Analyzed by: DC/HR Date: *7-Nov-96*
 Sample Matrix: *Soil*

Laboratory Analysis


Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
<i>Diesel Range Organics (C10 - C28)</i>	<i><5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance ReportDRO QC No.: *0512-QC***Calibration Check**

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>97</i>	<i>2.7</i>	<i>15%</i>

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	%RSD	Limit
<i>Diesel Range (C10-C28)</i>	<i>90</i>	<i>95</i>	<i>(70-130)</i>	<i>4</i>	<i>20%</i>

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas ChromatographyApproved by: Date: *11/9/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-5667



LAB: (505) 325-1556

AROMATIC VOLATILE ORGANICS

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *8-Nov-96*
COC No.: *5096*
Sample No.: *12758*
Job No.: *2-1000*

Project Name: *PNM Gas Services - Olmer A #7E*
Project Location: *9611061420; 5pt. Composite, 4 Walls @ 4' & Bottom @ 5'*
Sampled by: *GC* Date: *6-Nov-96* Time: *14:20*
Analyzed by: *DC* Date: *7-Nov-96*
Sample Matrix: *Soil*

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
<i>Benzene</i>	<i>27.3</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>Toluene</i>	<i>280.5</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>Ethylbenzene</i>	<i>35.1</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>m,p-Xylene</i>	<i>549.2</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>o-Xylene</i>	<i>137.1</i>	<i>ug/kg</i>	<i>0.2</i>	<i>ug/kg</i>
<i>TOTAL</i>		<i>1029.2</i>		<i>ug/kg</i>

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*
Date: *11/8/96*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

Cmler A#7E

1-6-97

Amoco

Sec 36, 28N, 10W

Landfarm: On location

Composite sample # 9701061545

soil vapor headspace = 41.6 ppm



2"-12" depth

6.1	7.2
6.8	4.9

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn: *Denver Bearden*
Company: *PNM Gas Services*
Address: *603 W. Elm*
City, State: *Farmington, NM 87401*

Date: *8-Jan-97*
COC No.: *5856*
Sample No. *13330*
Job No. *2-1000*

Project Name: *PNM Gas Services - Omler A #7E Landfarm*
Project Location: *9701061545; 4pt. Composite, 2"-12" depth*
Sampled by: *GC* Date: *6-Jan-97* Time: *15:45*
Analyzed by: *HR* Date: *7-Jan-97*
Sample Matrix: *Soil*

Laboratory Analysis

<i>Parameter</i>	<i>Result</i>	<i>Unit of Measure</i>	<i>Detection Limit</i>	<i>Unit of Measure</i>
<i>Diesel Range Organics (C10 - C28)</i>	<i><5.0</i>	<i>mg/kg</i>	<i>5.0</i>	<i>mg/kg</i>

Quality Assurance Report

DRO QC No.: 0512-QC


Calibration Check

<i>Parameter</i>	<i>Method Blank</i>	<i>Unit of Measure</i>	<i>True Value</i>	<i>Analyzed Value</i>	<i>% Diff</i>	<i>Limit</i>
<i>Diesel Range (C10 - C28)</i>	<i><5.0</i>	<i>ppm</i>	<i>100</i>	<i>104</i>	<i>4.2</i>	<i>15%</i>

Matrix Spike

<i>Parameter</i>	<i>1- Percent Recovered</i>	<i>2 - Percent Recovered</i>	<i>Limit</i>	<i>%RSD</i>	<i>Limit</i>
<i>Diesel Range (C10-C28)</i>	<i>98</i>	<i>100</i>	<i>(70-130)</i>	<i>1</i>	<i>20%</i>

Method - *SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography*

Approved by: 
Date: *1/8/97*

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -