

APPLICATION FOR MULTIPLE COMPLETION

Operator <u>Amoco Production Company</u>		San Juan County	4-23-82
Address <u>501 Airport Drive, Farmington, NM</u>		Lease <u>Martin "B"</u>	Well No. <u>1E</u>
Location of Well	Unit <u>P</u>	Section <u>31</u>	Township <u>28N</u> Range <u>10W</u>

All Applicants for multiple completion must complete items 1 and 2 below.

1. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	Fulcher Kutz Pictured Cliffs		Basin Dakota
b. Top and Bottom of Pay Section (Perforations)	1840' - 1856'		6247' - 6405'
c. Type of production (Oil or Gas)	Gas		Gas
d. Method of Production (Flowing or Artificial Lift)	Flow		Flow
e. Daily Production ☐ Actual ☒ Estimated Oil Bbls. Gas MCF Water Bbls.	400 MCFD		650 MCFD 3 BOPD

2. The following must be attached:


- Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and/or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
- Plot showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease.
- Electrical log of the well or other acceptable log with tops and bottoms of producing zone and intervals of perforation indicated thereon. (If such log is not available at the time application is filed it shall be submitted as provided by Rule 112-A.)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed [Signature] Title District Superintendent Date 4/27/82

(This space for State Use)
Approved & Original Signed by FRANK T. CHAVEZ Title Date

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard production unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.



28 1982
CON. COM.
DIST. 3

UNIT P, SECTION 31,
T28N R10W
SAN JUAN COUNTY, NEW MEXICO

PICTURED CLIFFS PERFORATIONS:
1840'-1856' 1840'
1856'

30' OF BLAST JOINTS ACROSS
PICTURED CLIFFS PERFORATIONS

DAKOTA PERFORATIONS:
6247'-6405'

6247'
6254'
6274'
6281'
6330'
6374'
6397'
6405'

8 5/8", 24#, K-55 CSA 323' WITH
315 SX CLASS B NEAT CEMENT

1 1/4", 2.33#, N80, IJ TUBING
SET AT 1877'

BAKER MODEL F PRODUCTION PACKER
SET AT 1950'
DV TOOL SET AT 1977'

DV TOOL SET AT 4672'

2 1/16", 3.25#, N80, IJ TUBING
SET AT 6403'

PBD 5459'

5 1/2", 15.5# K-55 CSA 6504' WITH
1740 SX CLASS B CEMENT WITH
ADDITIVES

TD 6504'

