


District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

Blow - OK - 12/14/01
Deny - OK
Sep - OK
State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

80041
SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT



Operator: Amoco Production Company Telephone: (505) - 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: WARREN A LS 1A
Well Name
Location: Unit or Qtr/Qtr Sec C Sec 25 T 28N R 9W County SAN JUAN
Pit Type: Separator Dehydrator Other BLOW
Land Type: BLM X, State , Fee , Other

Pit Location: Pit dimensions: length 14', width 21', depth 3'
(Attach diagram) Reference: wellhead X, other
Footage from reference: 120
Direction from reference: 60 Degrees East North
X West South X

Depth To Ground Water: Less than 50 feet (20 points)
(Vertical distance from 50 feet to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 Points) 0
high water elevation of
ground water)

Wellhead Protection Area: Yes (20 points)
(Less than 200 feet from a private No (0 points) 0
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)
(Horizontal distance to perennial 200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 8/4/94

Remediation Method: Excavation X Approx. cubic yards 220⁷¹⁵
(Check all appropriate sections) Landfarmed X⁷¹⁵ Insitu Bioremediation _____
Other CLOSE AS IS⁷¹⁵

Remediation Location: Onsite X Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____
Excavation . MOSTLY BEDROCK. NO SOIL WAS APPARENTLY REMOVED
FROM PIT.⁷¹⁵

Dmcd letter correspondence 12-12-96

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit: Sample location see Attached Documents
Closure Sampling: _____
(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample depth 2'

Sample date 8 Sample time 0940

Sample Results

Benzene(ppm) _____

Total BTEX(ppm) _____

Field headspace(ppm) 1.5

TPH 50 ppm

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 8/5/94
SIGNATURE B. Shaw PRINTED NAME AND TITLE Buddy D. Shaw
ENVIRONMENTAL COORDINATOR

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80041</u> C.O.C. NO: <u>1682</u>
----------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: WARREN A LS WELL #: 1A PIT: BLOW
QUAD/UNIT: C SEC: 25 TWP: 28N RNG: 9W PM: Nm CNTY: SJ ST: NM
QTR/FOOTAGE: 790' FWL/ 1710' FWL CONTRACTOR: P. VELASQUEZ

DATE STARTED:	8/4/94
DATE FINISHED:	8/4/94

ENVIRONMENTAL
SPECIALIST: NV

SOIL REMEDIATION: EXCAVATION, APPROX. 14 FT. x 21 FT. x 3 FT. DEEP.

DISPOSAL FACILITY: LANDFARMED ON-SITE CUBIC YARDAGE: 220

LAND USE: RANGE ^{CLOSE #15} LEASE: SF - 077112

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 120 FEET 560W FROM WELLHEAD.

DEPTH TO GROUNDWATER: 7100 NEAREST WATER SOURCE: 71000 NEAREST SURFACE WATER: 71000

NMDCD RANKING SCORE: 0 NMDCD TPH CLOSURE STD: 5000 PPM

FORMATION: mv

SOIL AND EXCAVATION DESCRIPTION:

OK. YELL. ORANGE SAND (FROM BEDROCK), COHESIVE, SLIGHTLY
MOIST, HARD, STRONG HC ODOR IN BOTTOM SAMPLE.
BOTTOM COLOR - LT. MED. GRAY

mostly
BEDROCK

CLOSED DUE TO BEDROCK

FIELD 418.1 CALCULATIONS

FIELD 418.1 CALCULATIONS						
SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm



SCALE

0 FT

PIT PERIMETER IN

OVM RESULTS

PIT PROFILE

[illegible]

TRAVEL NOTES:

CALL OUT: 8/3/94 ONSITE: 8/4/94



TOTAL PETROLEUM HYDROCARBONS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *8/4/94*
Lab ID: *1682*
Sample No. *2351*
Job No. *2-1000*

Project Name: *Warren A LS 1A*
Project Location: *1 @ 2' - Blow Pit*
Sampled by: *NV*
Analyzed by: *DC*
Type of Sample: *Soil*

Date: *8/4/94* Time: *9:40*
Date: *8/4/94*

Laboratory Analysis

Laboratory Identification	Sample Identification	Total Petroleum Hydrocarbons
<i>2351-1682</i>	<i>Warren A LS 1A</i> <i>1 @ 2' - Blow Pit</i>	<i>50 mg/kg</i>

Method - EPA Method 418.1 Total Petroleum Hydrocarbons

Approved by:
Date:

[Signature]
8/4/94

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: WARREN A LS 1A
Well Name
Location: Unit or Qtr/Qtr Sec C Sec 25 T 28N R 9W County SAN JUAN
Pit Type: Separator Dehydrator X Other
Land Type: BLM X State Fee Other

Pit Location: Pit dimensions: length 30', width 28', depth 10'
(Attach diagram) Reference: wellhead X, other
Footage from reference: 60'
Direction from reference: 25 Degrees X East North
of
 West South X

Depth To Ground Water:
(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 Points) 0

Wellhead Protection Area:
(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

Yes (20 points)
No (0 points) 0

Distance To Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet (20 points)
200 feet to 1000 feet (10 points)
Greater than 1000 feet (0 points) 0

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 8/4/94

Remediation Method: Excavation ☒
(Check all appropriate sections)

Approx. cubic yards 155

Landfarmed ☒

Insitu Bioremediation _____

Other _____

Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite,
name and location of
offsite facility)

General Description Of Remedial Action: _____

Excavation. BEDROCK BOTTOM.

NMOC letter correspondence

12-13-96

Ground Water Encountered:

No ☒

Yes _____

Depth _____

Final Pit:

Sample location see Attached Documents

Closure Sampling:

(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample depth 6'

Sample date 8/4/94

Sample time 1015

Sample Results

Benzene(ppm) 0.006

Total BTEX(ppm) 0.389

Field headspace(ppm) 643

TPH 55 ppm

Ground Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 8/9/94

SIGNATURE B. Shaw

PRINTED NAME
AND TITLE

Buddy D. Shaw
ENVIRONMENTAL COORDINATOR

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80041</u> C.O.C. NO: <u>1682</u>
----------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION PAGE No: 1 of 1

LOCATION: NAME: <u>WARTEN A LS WELL #</u> <u>1A</u> PIT: <u>DEHY</u>	DATE STARTED: <u>8/4/94</u>
QUAD/UNIT: <u>C</u> SEC: <u>25</u> TWP: <u>28N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u>	DATE FINISHED: <u>8/4/94</u>
QTR/FDOTAGE: <u>790' FNL</u> <u>1710' FNL</u> CONTRACTOR: <u>P. VELASQUEZ</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

SOIL REMEDIATION: EXCAVATION APPROX. 30 FT. x 28 FT. x 9 FT. DEEP.
 DISPOSAL FACILITY: LANDFARMED ON-SITE CUBIC YARDAGE: 155
 LAND USE: RANGE LEASE: SF-077112

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 60 FEET SZSE FROM WELLHEAD.
 DEPTH TO GROUNDWATER: 2100 NEAREST WATER SOURCE: 21000 NEAREST SURFACE WATER: 21000
 NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM FORMATION: MV

SOIL AND EXCAVATION DESCRIPTION:

OK. YELL. ORANGE TO BROWN SAND & SILTY CLAY MIX, NON-COHESIVE SAND, SLIGHTLY PLASTIC CLAY (MOSTLY NORTH SIDEWALL), SLIGHTLY MOIST, FIRM SAND, STIFF CLAY, STRONG HC OODR IN NORTH SIDEWALL & BOTTOM OVM SAMPLE. BOTTOM COLOR MED. GRAY BEDROCK (SANDSTONE) APPROX. 3' THICK IN EXCAVATION AT BOTTOM (7 TO 10' BELOW GROUND SURFACE).

BEDROCK Bottom CLOSED

SAMPLE I.D.	LAB No.	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm


SCALE



0 FT
PIT PERIMETER N

OVM RESULTS

PIT PROFILE



TRAVEL NOTES: CALLOUT: 8/3/94 ONSITE: 8/4/94

**ON SITE
TECHNOLOGIES, LTD.**
TOTAL PETROLEUM HYDROCARBONS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *8/4/94*
Lab ID: *1682*
Sample No. *2352*
Job No. *2-1000*

Project Name: *Warren A LS 1A*
Project Location: *1 @ 6' - Dehy. Pit*
Sampled by: *NV*
Analyzed by: *DC*
Type of Sample: *Soil*

Date: *8/4/94* Time: *10:15*
Date: *8/4/94*

Laboratory Analysis

Laboratory Identification	Sample Identification	Total Petroleum Hydrocarbons
<i>2352-1682</i>	<i>Warren A LS 1A 1 @ 6' - Dehy. Pit</i>	<i>55 mg/kg</i>

Method - EPA Method 418.1 Total Petroleum Hydrocarbons

Approved by:
Date:

[Signature]
8/4/94



AROMATIC VOLATILE ORGANICS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *8/5/94*
Lab ID: *1682*
Sample ID: *2352*
Job No. *2-1000*

Project Name: *Warren A LS 1A*
Project Location: *1 @ 6' - Dehy Pit*
Sampled by: *NV* Date: *8/4/94*
Analyzed by: *DLA* Date: *8/5/94*
Sample Matrix: *Soil*

Time: *10:15*

Aromatic Volatile Organics

Component	**Measured Concentration ug/kg
<i>Benzene</i>	<i>6.1</i>
<i>Toluene</i>	<i>41.8</i>
<i>Ethylbenzene</i>	<i>21.5</i>
<i>m,p-Xylene</i>	<i>224</i>
<i>o-Xylene</i>	<i>96</i>
TOTAL	389 ug/kg

ND - Not Detectable

*** - Method Detection Limit, 2 ug/kg*

**Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by
Gas Chromatography**

Approved by: *Ja H*

Date: *8/5/94*

Date: 8/4/94

Page 1 of 1

80041

657 W. Maple ■ P. O. Box 2606 ■ Farmington, NM 87499
LAB: (505) 325-5667 ■ FAX: (505) 325-6256

[illegible]

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Company Telephone: (505) - 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: WARREN A US 1A
Well Name
Location: Unit or Qtr/Qtr Sec C Sec 25 T 28N R 9W County SAN JUAN
Pit Type: Separator ☒ Dehydrator ☐ Other ☐
Land Type: BLM ☒ State ☐ Fee ☐ Other ☐

Pit Location: Pit dimensions: length 15', width 18', depth 5'
(Attach diagram) Reference: wellhead ☒, other ☐
Footage from reference: 105'
Direction from reference: 45 Degrees ☐ East North ☐
of
☒ West South ☒

Depth To Ground Water: Less than 50 feet (20 points)
(Vertical distance from 50 feet to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 Points) 0
high water elevation of
ground water)

Wellhead Protection Area: Yes (20 points)
(Less than 200 feet from a private No (0 points) 0
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)
(Horizontal distance to perennial 200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 8/5/94^{nv}

Remediation Method: Excavation ☒ (Check all appropriate sections) Approx. cubic yards 380^{nv}
Landfarmed ☒ Insitu Bioremediation _____
Other CLOSE AS IS

Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____
Excavation MOSTLY BEDROCK. NO SOIL WAS APPARENTLY REMOVED
FROM PIT.^{nv}

DMOD letter correspondence 12-13-94

Ground Water Encountered: No ☒ Yes _____ Depth _____

Final Pit: Sample location see Attached Documents
Closure Sampling: _____
(if multiple samples, attach sample results and diagram of sample locations and depths)
Sample depth 3'
Sample date 8/4/94 Sample time 0845

Sample Results

Benzene(ppm) _____
Total BTEX(ppm) _____
Field headspace(ppm) 79.8
TPH 1,115 ppm

Ground Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 8/5/94

SIGNATURE B. Shaw

PRINTED NAME
AND TITLE

Buddy D. Shaw
Environmental Coordinator

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80041</u> C.O.C. NO: <u>1682</u>
----------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: WARREN A LS WELL #: 1A PIT: SEP
QUAD/UNIT: C SEC: 25 TWP: 28N RNG: 9W PM: NM CNTY: ST ST: NM
QTR/FOOTAGE: 790' FNL / 1710' FNL CONTRACTOR: P. VELASQUEZ

DATE STARTED: 8/4/94
DATE FINISHED: 8/4/94

ENVIRONMENTAL SPECIALIST: WJ

SOIL REMEDIATION: EXCAVATION APPROX. 15 FT. x 18 FT. x 5 FT. DEEP
DISPOSAL FACILITY: ^{RV} LANDFARMED ON-SITE CUBIC YARDAGE: 200 ^{RV}
_{CLOSE AS IS}
LAND USE: RANGE LEASE: 3F-077112

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 105 FEET 345W FROM WELLHEAD.
DEPTH TO GROUNDWATER: 2100 NEAREST WATER SOURCE: 2100 NEAREST SURFACE WATER: 21000
NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM ELEV. 6031' FORMATION: mu

SOIL AND EXCAVATION DESCRIPTION:

EXCAVATION COMPOSED OF MOSTLY BEDROCK (SANDSTONE).
SIDEWALL COLOR - DK. YELL. ORANGE.
BOTTOM COLOR - OLIVE GRAY TO LT. MED. GRAY, STRONG
HC ODOR.

mostly
bedrock

CLOSED DUE TO BEDROCK

FIELD 418.1 CALCULATIONS

SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SCALE


0

FT

PIT PERIMETER $\uparrow$ N

OVM RESULTS

PIT PROFILE

[illegible]

TRAVEL NOTES:

CALLOUT: 8/3/94 ONSITE: 8/4/94

**ON SITE
TECHNOLOGIES, LTD.**

TOTAL PETROLEUM HYDROCARBONS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *8/4/94*
Lab ID: *1682*
Sample No. *2350*
Job No. *2-1000*


Project Name: *Warren A LS 1A*
Project Location: *4 @ 3' - Separator Pit*
Sampled by: *NV*
Analyzed by: *DC*
Type of Sample: *Soil*

Date: *8/4/94* Time: *8:45*
Date: *8/4/94*

Laboratory Analysis

Laboratory Identification	Sample Identification	Total Petroleum Hydrocarbons
<i>2350-1682</i>	<i>Warren A LS 1A 4 @ 3' - Separator Pit</i>	<i>1,115 mg/kg</i>

Method - EPA Method 418.1 Total Petroleum Hydrocarbons

Approved by: 
Date: *8/4/94*

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 80005C.D.C. NO: 8422

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: WARREN A LS WELL #: 1A PITS: Blow, deny, SEP.DATE STARTED: 6/20/01QUAD/UNIT: C SEC: 25 TWP: 28N RNG: 9W PM: NM CNTY: ST ST: NM

DATE FINISHED: _____

QTR/FOOTAGE: _____ NEW CONTRACTOR: P&SENVIRONMENTAL SPECIALIST: NV

SOIL REMEDIATION:

REMEDIATION SYSTEM: LANDFARMAPPROX. CUBIC YARDAGE: 155LAND USE: RANGE - BUN SF-077112LIFT DEPTH (ft): 1

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'
NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM P.C. - 8/4/94


OK. YELL. ORANGE TO OK. YELL. BROWN SAND, NON COHESIVE, DRY TO SLIGHTLY MOIST, LOOSE, STAINING ISOLATED TO A SMALL PATCH @ LANDFARM SURFACE (SEE SKETCH BELOW), SAMPLING DEPTHS RANGED FROM 8"-18", COLLECTED 5 FT. COMPOSITE SAMPLE FOR LAB ANALYSIS.

CLOSED

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ. 52.7 ppm
TIME: 0815 PM 6/20/01

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	2.2	LF-1	TPH (8DIS)	0845	370

SCALE

0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 6/20/01

revised: 03/12/01

bei1006.skd

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	06-25-01
Laboratory Number:	20113	Date Sampled:	06-20-01
Chain of Custody No:	8422	Date Received:	06-21-01
Sample Matrix:	Soil	Date Extracted:	06-24-01
Preservative:	Cool	Date Analyzed:	06-25-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.7	0.2
Diesel Range (C10 - C28)	368	0.1
Total Petroleum Hydrocarbons	370	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Warren A LS #1A Landfarm. 5 Pt. Composite Sample.


Analyst


Review

08422

ENVIROTECH INC.

5796 U.S. Highway 64
Farmington, New Mexico 87401
(505) 632-0615