

30742


District I
P.O. Box 1910, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT



Operator: Amoco Production Company Telephone: (505) 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: GCU #138E
Well Name
Location: Unit or Qtr/Qtr Sec L Sec 7 T 28N R 11W County SAN JUAN
Pit Type: Separator ABANDONED Dehydrator ☒ Other
Land Type: BLM , State , Fee , Other

Pit Location: Pit dimensions: length NA, width NA, depth NA
(attach diagram) Reference: wellhead ☒, other
Footage from reference: 153'
Direction from reference: 80 Degrees ☒ East North
of
West South ☒

Depth To Ground Water:
(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 Points) 20

Wellhead Protection Area:
(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

Yes (20 points) 0
No (0 points)

Distance To Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet (20 points)
200 feet to 1000 feet (10 points) 20
Greater than 1000 feet (0 points)

RANKING SCORE (TOTAL POINTS): 40

Date Remediation Started: _____ Date Completed: 5/10/00Remediation Method: Excavation ☒ Approx. cubic yards NA
(Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____Other CLOSE AS IS.Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____

Excavation, NO REMEDIATION NECESSARY. TRENCH ADVANCED.Ground Water Encountered: No ☒ Yes _____ Depth _____Final Pit: Sample location see Attached DocumentsClosure Sampling:
(if multiple samples, attach sample results and diagram of sample locations and depths)Sample depth 8' (TRENCH BOTTOM)Sample date 5/2/00 Sample time 1315

Sample Results

Benzene(ppm) _____

Total BTEX(ppm) _____

Field headspace(ppm) 19.2TPH 0.7 ppmGround Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 5/10/00

SIGNATURE

B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator

CLIENT: AMOCO

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: 80742
C.J.C. NO: 7470

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: GCH WELL #: 138E PIT: ABAN. DENV
QUAD/UNIT: L SEC. 7 TWP. 28N RNG: 11W PM: NM CNTY: SJ ST: NM
QTR/FOOTAGE: 1650'S/890'W NDSW CONTRACTOR: FLINT

DATE STARTED: 5/2/00
DATE FINISHED: _____
ENVIRONMENTAL SPECIALIST: NV

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS
LAND USE: RANGE LEASE: - FORMATION: OK

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 153 FT. S80E FROM WELLHEAD.
DEPTH TO GROUNDWATER: <50' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: <200'
NMOC D RANKING SCORE: 40 NMOC D TPH CLOSURE STD: 100 PPM
SOIL AND EXCAVATION DESCRIPTION: DR. YELL. BROWN SAND w/ GRAVEL, NON COHESIVE, SLIGHTLY MOIST, FIRM, NO APPARENT DISCOLORATION OBSERVED OR HC ODOR DETECTED. RECOMMEND CLOSING AS IS.

CHECK ONE:
☒ PIT ABANDONED
☐ STEEL TANK INSTALLED
☐ FIBERGLASS TANK INSTALLED

SCALE
0 FT

CLOSED

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1315							

PIT PERIMETER N

15' x 15' x 4'

TO WELL HEAD

TO WASH < 100'

METER RUN

OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 8'	19.2
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 8'	TAH (8015)	1315
PASSED		

PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES: CALLOUT: 5/2/00 - MORN. ONSITE: 5/2/00 - AFTER.

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / B.P. Amoco	Project #:	403410
Sample ID:	1 @ 8'	Date Reported:	05-10-00
Laboratory Number:	H212	Date Sampled:	05-02-00
Chain of Custody No:	7470	Date Received:	05-09-00
Sample Matrix:	Soil	Date Extracted:	05-10-00
Preservative:	Cool	Date Analyzed:	05-10-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.7	0.1
Total Petroleum Hydrocarbons	0.7	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU # 138E Abandoned Dehydrator Pit.


Analyst


Review

CHAIN OF CUSTODY RECORD

[illegible]