

80743

District I

P.O. Box 1980, Hobbs, NM

District II


P.O. Drawer DD, Artesia, NM 88211

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICEPIT REMEDIATION AND CLOSURE REPORTOperator: Amoco Production Company Telephone: (505) 826-9200Address: 200 Amoco Court, Farmington, New Mexico 87401Facility Or: GCN #261
Well NameLocation: Unit or Qtr/Qtr Sec I Sec 18 T 28N R 11W County SAN JUANPit Type: Separator Dehydrator Other ABANDONEDLand Type: BLM ✓, State , Fee , Other Pit Location: Pit dimensions: length NA, width NA, depth NA
(attach diagram)Reference: wellhead X, other Footage from reference: 60'Direction from reference: 87 Degrees East North
of
✓ West South ✓

Depth To Ground Water:

(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)Less than 50 feet (20 points)
50 feet to 99 feet (10 points)
Greater than 100 feet (0 Points) 10

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)Yes (20 points)
No (0 points) 0

Distance To Surface Water:

(horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)Less than 200 feet (20 points)
200 feet to 1000 feet (10 points) 10
Greater than 1000 feet (0 points) RANKING SCORE (TOTAL POINTS): 20

Date Remediation Started: _____ Date Completed: 5/10/00Remediation Method: Excavation ☒ Approx. cubic yards NA
(check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____Other CLOSE AS ISRemediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____

Excavation, TEST HOLE ADVANCED.. NO REMEDIATION NECESSARY.

Ground Water Encountered: No ☒ Yes _____ Depth _____Final Pit:
Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)Sample location see Attached DocumentsSample depth 4' (TEST HOLE BOTTOM)Sample date 5/2/00 Sample time 1350

Sample Results

Benzene(ppm) _____

Total BTEX(ppm) _____

Field headspace(ppm) 0.0TPH NDGround Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 5/10/00

SIGNATURE

B. ShawPRINTED NAME
AND TITLEBuddy D. Shaw
Environmental Coordinator

3004520044

CLIENT: AMOCOBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 60743C.D.C. NO: 7471

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1LOCATION: NAME: GCHWELL #: 261 PIT: ABAN.DATE STARTED: 5/2/00

DATE FINISHED: _____

QUAD/UNIT: I SEC: 18 TWP: 28N RNG: 11W PM: NM CNTY: ST ST: NMQTR/FOOTAGE: 1650'S/1100'E WERE CONTRACTOR: FLINTENVIRONMENTAL
SPECIALIST: NVEXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NADISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS ISLAND USE: RANGE LEASE: 5F 078780 FORMATION: FT SAND

FIELD NOTES & REMARKS:

PIT LOCATED APPROXIMATELY 60 FT. 587W FROM WELL-HEAD.DEPTH TO GROUNDWATER: <100' NEAREST WATER SOURCE: 21000' NEAREST SURFACE WATER: <1000'NMCD RANKING SCORE: 20 NMCD TPH CLOSURE STD: 100 PPM

CHECK ONE:

SOIL AND EXCAVATION

OVM CALIB. READ. 52.3 ppmTIME: 8:15 (am) pm 5/2/00☒ PIT ABANDONED☐ STEEL TANK INSTALLED☐ FIBERGLASS TANK INSTALLED

DESCRIPTION:

MOD. YELL. BROWN SAND NON COHESIVE, SLIGHT MOIST, FIRM NO APPARENT DISCOLORATION
OBSERVED OR HC DOR DETECTED, PIT APPARENTLY USED FOR WATER DISCHARGE DURING
PUG & ABANDONMENT (CEMENT OBSERVED @ PIT DEPRESSION SURFACE).

CLOSED

P.A.D 4/14/00

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1350							


SCALE



0 FT

PIT PERIMETER

PIT PROFILE

OVM
RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 4'	0.0
2 @	
3 @	
4 @	
5 @	

NOT APPLICABLE

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
① 2.4'	TPH (8015)	1350
	PASSED	
	TPH - NO	

TRAVEL NOTES:

CALLOUT: 4/26/00 - AFTER.ONSITE: 5/2/00 - AFTER

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / B.P. Amoco	Project #:	403410
Sample ID:	1 @ 4'	Date Reported:	05-10-00
Laboratory Number:	H213	Date Sampled:	05-02-00
Chain of Custody No:	7471	Date Received:	05-09-00
Sample Matrix:	Soil	Date Extracted:	05-10-00
Preservative:	Cool	Date Analyzed:	05-10-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **GCU # 261 Abandoned Pit.**


Analyst


Review

CHAIN OF CUSTODY RECORD

7411

[illegible]