

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☒ OTHER ☐ **CONFIDENTIAL INFORMATION**

2. NAME OF OPERATOR
Union Oil Company of California

3. ADDRESS OF OPERATOR
P. O. Box 2620 - Casper, WY 82602-2620

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
2250' FNL & 510' FEL (SE SE NE)

14. PERMIT NO.
API No. 30-039-23904

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
7457' GR (Ungraded)

5. LEASE DESIGNATION AND SERIAL NO.
Jicarilla Contract No. 500

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Jicarilla Apache

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Jicarilla (H9)

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 9, T.29N., R.2W.

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETION

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other) (TO SIDETRACK HOLE)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

13-3/8" casing at 452'
10-3/4" casing at 6906'
7-5/8" liner at 6634-8048'

7-5/8" perfs at 8030' (squeezed with
100 sx cmt.). Cement retainer at 7979'.

7-5/8" perfs at 7400')
Retainer at 7350') - Block squeezed
7-5/8" perfs at 6850') w/265 sx cmt.

8054' PTD

Attempts to cement squeeze the 7-5/8" liner through perforations at 6850'
resulted in the 7-5/8" packer and 3-1/2" D.P. being stuck in the 7-5/8"
liner and 10-3/4" casing. Fishing and milling operations were unsuccessful,
and it was deemed more economic to abandon the 7-5/8" liner and sidetrack
the original hole. Top of the fish is at 6545' with the bottom of the fish
at 6702.5'.

Proposed Plan of Procedure

Union Oil Company of California proposes to set a retainer at 6500' and
cement squeeze the 7-5/8" liner top with 100 sacks of cement. (Note: A
100' cement plug will be set on top of the cement retainer if the liner
top cannot be squeezed.) A window will then be cut in the 10-3/4" casing
at ±6450'. A new 9-1/2" hole will be drilled using air and N₂ to 8100',

(Continued on Attached Sheet)

18. I hereby certify that the foregoing is true and correct

SIGNED

David C. Peters

TITLE

Drilling Engineer

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL IF ANY:

TITLE

RECEIVED
SEP 05 1986
OIL CON. DIV.
DIST. 3

APPROVED
AUG 15 1986
AREA MANAGER

*See Instructions on Reverse Side

CONFIDENTIAL

18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the
United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Union Oil Company of California
Jicarilla (H9) Well No. 1
Wildcat
Rio Arriba County, New Mexico
8-7-86
Page 2

and a 7-5/8" liner will be run and cemented. Total horizontal displacement from the abandoned hole will be 20-60'. No changes in the hole sizes, casing sizes or grades, cementing programs, projected total depth, or pressure ratings will be made from the original, approved Drilling Program.

Note: Verbal approval of the above procedure to sidetrack was received from Jim Lovato, Bureau of Land Management, Farmington, New Mexico, on August 6, 1986.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☒ OTHER ☐ **CONFIDENTIAL INFORMATION**

2. NAME OF OPERATOR
Union Oil Company of California

3. ADDRESS OF OPERATOR
P. O. Box 2620 - Casper, WY 82602-2620

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
2250' FNL & 510' FEL (SE SE NE)

RECEIVED
AUG 11 1986
BUREAU OF LAND MANAGEMENT
FARMING AND RESOURCE AREA

5. LEASE DESIGNATION AND SERIAL NO.
Jicarilla Contract No. 500

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Jicarilla Apache

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Jicarilla (H9)

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., E., M., OR BLK. AND SURVEY OR AREA
Sec. 9, T.29N., R.2W.

12. COUNTY OR PARISH
Rio Arriba

13. STATE
New Mexico

14. PERMIT NO.
API No. 30-039-23904

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
7457' GR (Ungraded)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input checked="" type="checkbox"/>

(Other) (TO SIDETRACK HOLE)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

13-3/8" casing at 452'
10-3/4" casing at 6906'
7-5/8" liner at 6634-8048'

8054' PTD

7-5/8" perfs at 8030' (squeezed with
100 sx cmt.). Cement retainer at 7979'.

7-5/8" perfs at 7400')
Retainer at 7350') - Block squeezed
7-5/8" perfs at 6850') w/265 sx cmt.

Attempts to cement squeeze the 7-5/8" liner through perforations at 6850' resulted in the 7-5/8" packer and 3-1/2" D.P. being stuck in the 7-5/8" liner and 10-3/4" casing. Fishing and milling operations were unsuccessful, and it was deemed more economic to abandon the 7-5/8" liner and sidetrack the original hole. Top of the fish is at 6545' with the bottom of the fish at 6702.5'.

Proposed Plan of Procedure

Union Oil Company of California proposes to set a retainer at 6500' and cement squeeze the 7-5/8" liner top with 100 sacks of cement. (Note: A 100' cement plug will be set on top of the cement retainer if the liner top cannot be squeezed.) A window will then be cut in the 10-3/4" casing at ±6450'. A new 9-1/2" hole will be drilled using air and N₂ to 8100',

(Continued on Attached Sheet)

18. I hereby certify that the foregoing is true and correct

SIGNED

David C. Peters
David C. Peters

TITLE

Drilling Engineer

APPROVED

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL ANY:

TITLE

DATE

AUG 15 1986

AREA MANAGER

*See Instructions on Reverse Side

CONFIDENTIAL

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

11/10/00

Union Oil Company of California
Jicarilla (H9) Well No. 1
Wildcat
Rio Arriba County, New Mexico
8-7-86
Page 2

and a 7-5/8" liner will be run and cemented. Total horizontal displacement from the abandoned hole will be 20-60'. No changes in the hole sizes, casing sizes or grades, cementing programs, projected total depth, or pressure ratings will be made from the original, approved Drilling Program.

Note: Verbal approval of the above procedure to sidetrack was received from Jim Lovato, Bureau of Land Management, Farmington, New Mexico, on August 6, 1986.