

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 378019
Unit E. N. Pipkin

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|--|-------------------------------------|--|--|
| NOTICE OF INTENTION TO DRILL | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

E. N. Pipkin

Farmington, New Mexico January 16, 1961

Well No. 9 is located 790 ft. from S line and 1735 ft. from W line of sec. 35

35/4 35/4 Section 35 T-28-N R-11-E N.T.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Basin Dakota New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (to be reported later.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to an approximate total depth of 6,500' with rotary tools to evaluate Dakota prospects. Stimulation and completion will be as indicated upon reaching total depth. The following casing program is proposed:

| SIZE | DEPTH | REMARKS |
|--------|--------|---|
| 8-5/8" | 150' | 275 cu feet - circulate. |
| 6-1/2" | 6,500' | Casing will be cemented by 2-stage method with stage tool set approximately 100' below base of Pictured Cliffs. First stage will consist of sufficient cement to fill 500' above top of Gallup. Second stage will consist of sufficient cement to fill 100' above top of Pictured Cliffs. |

A copy of any survey taken will be submitted upon completion of well. Copies of location plate attached.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation
Address Box 420
Farmington, New Mexico
Attn: E. N. Spear, Jr.
By _____
Title Senior Petroleum Engineer

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date January 13, 1961

Operator PAN AMERICAN PETROLEUM CORPORATION Lessee E.H. PIPKIN
 Well No. 9 Unit Letter N Section 35 Township 28 NORTH Range 11 WEST NMMPM
 Located 790 Feet From the SOUTH Line 1735 Feet From the WEST Line
 County SAN JUAN G. L. Elevation To be reported later Dedicated Acreage 320 Acres
 Name of Producing Formation Dakota Pool Basin Dakota

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?

Yes X No

2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No If answer is "yes", Type of Consolidation.

3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description

Section B.

This is to certify that the information
 in Section A above is true and complete
 to the best of my knowledge and belief.

Pan American Petroleum Corporation

(Operator)


R. M. Bauer, Jr. *RMBauer Jr*

(Representative)

Box 480, Farmington, New Mexico

(Address)

Note: All distances must be from outer boundaries of section.



Scale 4 inches equal 1 mile

Ref: GLO plat dated 19 July 1915

(Seal)

Farmington, New Mexico

Date Surveyed 5 January 1961*James L. Leese*
Registered Professional Engineer and Geodetic Surveyor

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Average Dedication Plat

Section A.

Date January 13, 1961

Operator PAN AMERICAN PETROLEUM CORPORATION E.H. PIPKIN
 Well No. 9 Unit Letter N Section 35 Township 28 NORTH Range 11 WEST NMPM
 Located 790 Feet From the SOUTH Line 1735 Feet From the WEST Line
 County SAN JUAN G. L. Elevation To be reported later Dedicated Acreage 320 Acres
 Name of Producing Formation Dakota Pool Basin Dakota

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?
 Yes X No _____
2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes _____ No _____. If answer is "yes", Type of Consolidation _____
3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description

Section B.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Pan American Petroleum Corporation

(Operator)


R. M. Bauer, Jr. *RMBauer Jr*

(Representative)

Box 480, Farmington, New Mexico

(Address)

Note: All distances must be from outer boundaries of section.



Scale 4 inches equal 1 mile

Ref: GLO plat dated 19 July 1915

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

(Seal)

Date Surveyed 5 January 1961

Farmington, New Mexico

James P. Leese
 Registered Professional Engineer and/or Land Surveyor
 JAMES P. LEESE N. MEX. REG. No. 1463

