

UNITED STATES DEPARTMENT OF THE INTERIOR

P. 0. Box 965
Farmington, New Mexico

November 16, 1955

R & G Drilling Company, Inc. Box 1848 Farmington, New Mexico

Re: Santa Fe 078863

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated November 15, 1955 covering your well No. 22 R & G in SE sec. 32, T. 28 N., R. 11 W., N. M. P. M., San Juan County, New Mexico, Sest Kuts pool.

Four proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 19h2, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.


Very truly years,

Hing. Sga., J. R. Will

Jerry W. Long Acting District Engineer

J.Long:ac






OF REPER REPER TO

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOT CONTENTS

•



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Sanj	ta_	Ze
Lease No.	0 288	363	.
Unit			

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL	SUPPLEMENTARY WELL HISTORY
(INDICATE ABOVE BY CHECK MARK NATU	RE OF REPORT, NOTICE, OR OTHER DATA)
•••	
Well No 22 22 is located 250 ft. from S	line and 1850 ft. from $\frac{E}{E}$ line of sec. 32
	, (44)
(½ Sec. and Sec. No.) (Twp.) (Range	
(Field) (County or Subd	Sey Yexico
The elevation of the derrick floor above sea level is	6 <u>053</u> ft.
DETAILS (OF WORK
State names of and expected depths to objective sands; show sizes, wei lng points, and all other is	nportant proposed work)
Drill to cictured Cliffs with Ro	tary fools.
8 5/8" casing at 100' with 50 se	n'i s
a No managed an ton state to he	
52" casing at 1800' with 200 sac	25.
52° casing at 1800' with 200 sac	Es.
$5e^{\pm}$ casing at 1800' with 200 sac	25.
52° casing at 1800' with 200 sac	
5% casing at 1800' with 200 sac	25.
52° casing at 1800' with 200 sac	
56 casing at 1800 with 200 sac	
I understand that this plan of work must receive approval in writin	g by the Geological Survey before operations may be commenced.
	g by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval in writin	g by the Geological Survey before operations may be commenced.