

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SP 078010-A
Unit H

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Oct 3 1961, 19

Well No. 31-H is located 2310 ft. from N line and 330 ft. from E line of sec. 31

SE 1/4 Sec 31 (Sec. and Sec. No.) 28W (Twp.) 13N (Range) 100N (Meridian)
Wilcox (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the ~~derrick floor~~ ground level above sea level is 5830 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

~~Terminated and test completed 6001~~
~~Drill 10 3/4" hole to 100' approx and set approx 100' of 8 5/8" OD Casing and circulate cement to surface. Drill 7 7/8" hole to approx 5500' to test Gallup. If production indicated set and cement 5 1/2" or 4 1/2" OD casing.~~
Drill 10 3/4" hole to 100' approx and set approx 100' of 8 5/8" OD Casing and circulate cement to surface. Drill 7 7/8" hole to approx 5500' to test Gallup. If production indicated set and cement 5 1/2" or 4 1/2" OD casing.




I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Roy M Kidal dba Royal Development Company

Address Box 1299 Albuquerque N M

By H E Shillander
Title Bus Mgr



INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of the Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.