COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No. 078905

Unit Gallegos Canyon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTER	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZENG. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF	OTICE OF INTENTION TO DRILL		SUBSEQUENT R	REPORT OF WATER SHUT-OFF	
SUBSEQUENT REPORT OF ALTERING CASING. DOTICE OF INTENTION TO TEST WATER SHUT-OFF DOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL DOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDOMMENT SUPPLEMENTARY WELL HISTORY OTHER OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) OCTOBER 25 , 19 51 IND. 8 is located 1055 ft. from S line and 890 ft. from W line of sec. 22. W 1 22	SUBSEQUENT REPORT OF ALTERING CASING. DOTICE OF INTENTION TO TEST WATER SHUT-OFF DOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. DOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDOMMENT. SUPPLEMENTARY WELL HISTORY. OTHER OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) OCTOBER 25., 19-51. IND. 8 is located 1055 ft. from S line and 890 ft. from W line of sec. 22. W 1 22	*	<u> </u>			
SUBSEQUENT REPORT OF ABANDONMENT OTICE OF INTENTION TO PULL OR ALTER CASING OTICE OF INTENTION TO PULL OR ALTER CASING OTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) October 25, 19.51 No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22. (H Sec and Sec No.) (Twp.) (Rauge) (Meridian) Wildest San Juan (County or Subdivision) Results OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500%	SUBSEQUENT REPORT OF ABANDONMENT OTICE OF INTENTION TO PULL OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY OTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) October 25, 19-51		i i	SUBSEQUENT R	REPORT OF ALTERING CASING	
Supplementary well history Orice of intention to pull or alter casing supplementary well history Orice of intention to abandon well October 25 , 19 51 Pell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22 SW 1 22	Supplementary well history Orice of intention to pull or alter casing Orice of intention to abandon well Orice of intention to abandon Orice	OTICE OF INTENTION TO RE-DRI	LL OR REPAIR WELL	SUBSEQUENT R	REPORT OF REDRILLING OR REPAIR	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) October 25 , 19 51 cell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22 SW 1 22	(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) October 25	IOTICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQUENT R	REPORT OF ABANDONMENT	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) October 25 , 19-51 ell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22 SW 1 22 28 N 12 W No. P.M. (Hi Sec. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat San Juan New Maxico (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 5664. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8* casing set at 100* with 200 sacks cement. Water shut off test - 500%	(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) October 25 , 19-51 ell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22 SW 1 22 28 N 12 W No. P.M. (Hi Sec. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat San Juan (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 5661. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8* casing set at 100* with 200 sacks cement. Water shut off test - 500%	IOTICE OF INTENTION TO PULL C	R ALTER CASING	SUPPLEMENTAR	RY WELL HISTORY	
ell No. 8 is located 1065 ft. from line and 890 ft. from line of sec. 22. SW 12 W W.H.P.M. (H 80c. and 80c. No.) (Twp.) (Range) (Meridian)	ell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22 SW 1 22	NOTICE OF INTENTION TO ABAND	ON WELL			
cell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22. SW 22 28 N 12 W II.H.P.M. (H Boc. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat San Juan Mew Mexico	cell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22 SW 1 22 28 N 12 W Moridian Wildcat San Juan Mex Mexico (Field) (County or Subdivision) (State or Territory) the elevation of the derrick floor above sea level is 5664 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8* casing set at 100* with 200 sacks cement. Water shut off test - 500%	(INDICATE	ABOVE BY CHECK MARK	NATURE OF REPORT	, NOTICE, OR OTHER DATA)	
ell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22. 22 28 N 12 W 16-H-P-Me	ell No. 8 is located 1065 ft. from S line and 890 ft. from W line of sec. 22. 22 28 N 12 W 16-H-P-Me				October 25	19_51
Wildest San Juan Sew Maxico (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 5664. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500/	Wildest San Juan Sew Maxico (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 5664. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500/	5w ½ 22		1-)	N.M.P.M.	ec 22
(Field) (County or Subdivision) (State or Territory) ne elevation of the derrick floor above sea level is 5664. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500%	(Field) (County or Subdivision) (State or Tentory) ne elevation of the derrick floor above sea level is 5664. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500/	(14 Sec. and Sec. No.)	(Twp.)	(Range)	•	
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500/	DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) 13-3/8" casing set at 100" with 200 sacks cement. Water shut off test - 500%	Wildcat				
O MIN MA MAD IN PROBLEM .		ate names of and expecte	DETA d depths to objective s	ILS OF WORK	K , weights, and lengths of proposed	d casings;
		tate names of and expecte indicate mudd	DETA d depths to objective s lling jobs, cementing po	ands; show sizes oints, and all othe	, weights, and lengths of proposed r important proposed work)	
		tate names of and expecte indicate mudd	DETA d depths to objective s lling jobs, cementing po	ands; show sizes oints, and all othe	, weights, and lengths of proposed r important proposed work)	
		tate names of and expecte indicate mudd	DETA d depths to objective s lling jobs, cementing po	ands; show sizes oints, and all othe	, weights, and lengths of proposed r important proposed work)	
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.		tate names of and expecte indicate mudding the first section of the firs	DETA d depths to objective s lling jobs, cementing po at 100° with 200 h pressure.	ands; show sizes oints, and all other	weights, and lengths of proposed or important proposed work)	; - 500#
operations may be commenced.	operations may be commenced.	I understand that this poperations may be com	DETA d depths to objective s lling jobs, cementing po at 100° with 200 a pressure.	ands; show sizes oints, and all other of sacks cemen	weights, and lengths of proposed or important proposed work) The water shut off test	; - 500#
operations may be commenced. ompany BENSON & MONTIN ddress 1501 Petroleum Bldg.	operations may be commenced. ompany BEISON & MONTIN ddress 1501 Petroleum Bldg.	tate names of and expecte indicate muddent of the second o	DETA d depths to objective s ling jobs, cementing po at 100° with 200 a pressure.	ands; show sizes oints, and all other of sacks comen	weights, and lengths of proposed or important proposed work) The water shut off test writing by the Geological Survey by	- 500 ₩
operations may be commenced.	operations may be commenced. ompany BENSON & MONTIN ddress 1501 Petroleum Bldg.	I understand that this properations may be company. BENSON & March 1501 Petro.	DETA d depths to objective s lling jobs, cementing po at 100° with 200 a pressure. llan of work must rece menced. HIIN	ands; show sizes oints, and all other of sacks comen	weights, and lengths of proposed or important proposed work) The water shut off test writing by the Geological Survey by	- 500 ₩