

F. Loc. 1758/N; 1013/E Elev 5695 DF Spd. 5-23-53 Comp. 9-12-53 TD 1475 PB
 Casing S. 10-3/4 82 W 100 Sx. Int. @ W Sx. Pr. 7 @ 1425 W 100 Sx. T. 1 @ 1466
 Csg. Perf. Prod. Stim. Shot 100 qts. 1434-1475

I.P. 4593 MCF/D After 3 Hrs. SICP 444 PSI After 7 Days GOR Grav. 1st Del. 11-21-53

TOPS		NITD	X	Well Log	X	TEST DATA						
Kirtland		C-102		Plat	X	Schd.	PC	Q	PW	PD	D	Ref. No.
Fruitland		C-103		Electric Log								
Pictured Cliffs	1420	C-104	✓ X ✓	C-110	XX	7/10/67	223	86	212	178	266	
Cliff House				C-122		1/2/68	223	5	212	178	17	
Menefee		Ditr		Dfa		7/7/69	202	208	141	162	153	
Point Lookout		Datr		Dac		8/3/70	203	174	152	162	148	
Mancos		Remarks 1 Energy Res. Gp. 1 Stano. 1 Pan Am. Pet. Corp. 1 Planters O. Co				4/8/71	210	88	156	168	73	
Gallup						11/8/72	191	127	119	153	81	
Sanostee						7/27/73	186	111	126	149	78	
Greenhorn						5/3/75	174	91	129	139	76	
Dakota						6/27/77	162	86	134	130	95	
Morrison						4/30/79	152	69	111	122	55	
Entrada						5/6/81	150	16	145	120	68	
PCD	4275											

160

P
 o
 y | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
 26

Schd.	PC	Q	PW	PD	D	Ref. No.
54	380	891	260	190	1195	
55	337	755	211	168	902	
8-8-56	315	561	223	158	793	
6-8-57	282	366	225	141	678	
7-23-58	276	296	195	138	417	
5-6-59	269	130	238	135	372	
5-6-60	259	132	235	130	450	
5-5-61	259	113	240	130	466	
5-10-62	246	133	214	123	346	
5-29-63	242	49	234	194	209	
5-29-63	242	49	234	194	98	
5-15-64	237	59	215	190	107	

[illegible]