

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. SF-077966	
2. NAME OF OPERATOR Amoco Production Company - operator Aztec Oil & Gas Company - sub-operator		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR Amoco - Security Life Building, Denver, Colorado 80202 Aztec - 2000 First National Bank Bldg., Dallas, Texas 75202		7. UNIT AGREEMENT NAME Gallegos Canyon Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 810' NL, 800' WL, Section 23-28N-13W Unit Letter D		8. FARM OR LEASE NAME Gallup Part. Area "C"	
14. PERMIT NO.		9. WELL NO. 97	
15. ELEVATIONS (Show whether DF, RT, CR, etc.) 6083' KB		10. FIELD AND POOL, OR WILDCAT Cha Cha Gallup	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 23-T28N-R13W	
		12. COUNTY OR PARISH San Juan	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Status: 8-5/8" surface pipe to 214'. Base Ojo Alamo 468'. Perforations 5726-98.
4-1/2" casing in 7-7/8" hole. Inactive injection well. Propose to plug well as follows:

1. Fill hole with gel-mud. Place 20 sxs. cement (260') plug from 5798 to 5538.
2. Cut 4-1/2" casing at free point (top annular cement calculated 4538') and full same. Fill hole with gel-mud. Place 30 sxs. cement (160') plug bottomed 75' below casing cut.
3. Place 100' cement plug from 2050' to 1950' (30 sxs cement in 7-7/8" hole or 10 sxs. cement in 4-1/2" casing)
4. Place 15 sxs. cement (52') plug from 494 to 442'.
5. Place 30 sxs. cement (100') plug from 264' to 164'
6. Place 10 sxs. cement (37') plug in top of surface pipe.
7. Cut off surface pipe at bottom of cellar, place one sx. cement on top of pipe and install regulation marker
8. Clean up and level location to as near original contour as practicable.

AMOCO PRODUCTION COMPANY

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

RECEIVED

SEP 13 1972

U.S. GEOLOGICAL SURVEY
WASHINGTON, D.C.