## UNITED STATES SUBMIT IN TRIPLICATE\* DEPARTMENT OF THE INTERIOR (Other Instructions on reverse side) GEOLOGICAL SURVEY

form approved.

	Duage. Du	 ··	,-
5.	DESIGNATIO		

	9. LEASE DESIGNATION AND BERIAL NO.
	NM-972230- NM01336
-	6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES	AND	<b>REPORTS</b>	ON	WELLS
----------------	-----	----------------	----	-------

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT" for such proposals.)

OIL GAS X OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR	8. FARM OR LEASE NAME
R & G DRILLING COMPANY	Phillips
3. ADDREAS OF OPERATOR	9. WELL NO.
c/o P.O. Box 254 Farmington, N.M. 87401	2 7
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface	Kutz-Fruitland
1,000 F5L, 1765' FNL 1000 FSL, 2200 FWL	11. SEC., T., R., M., OR BLK. AND SURVEY OF AREA  Sec. 22-28N-R11W  N.MP.M.
14 PERMIT NO 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE

5627'K.B.

(10'KB) | San Juan N.M.

16.

(Other)

## Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: PULL OR ALTER CASING TEST WATER SHUT-OFF MULTIPLE COMPLETE FRACTURE TREAT ABANDON\* SHOOT OR ACIDIZE CHANGE PLANS REPAIR WELL

SUBSCOUENT REPORT OF: REPAIRING WELL WATER SHUT-OFF ALTERING CASING FRACTURE TREATMENT SHOOTING OR ACIDIZING ARANDONMENT\* (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*


Total Depth 1664'

5-1/2", 14 1b., J-55 casing set at 1657'.

Formation Tops: Ojo Alamo ' 340' Kirtland - 540'; Fruitland 1256' Perforations: 1428'-1434'; 1470'-1476'; 1488'-1496'

It is proposed to plug this well in the following manner:

- 5-1/2" casing will not be pulled.
- Squeeze 5 sacks cement through perforations. Set 50 sack plug 1496' to 1200'
- Set 25 sack plug 200' to surface.
- 5. Install dry hole marker.
- -Clean up and reseed location.



FARMINGTON, N. M. DRILLING COMPANY G

18. I hereby certify that the foregoing is true and correct

Walsh Engineering & Prod. Corp.

12/6/79

B. Jonelt TITLE Dewayne Blancett, Production Foreman

(This space for Federal or State office use)

S. GEOLOGICAL SURVEY

APPROVED BY CONDITIONS OF APPROVAL, IF ANY: TITLE

DATE

\*See Instructions on Reverse Side

ACTING DISTAIC' ENGINEER

APPROVED