Form 9-331 C (May 1963)

5 USGS 1 Hav. 1 File

SUBMIT IN TRIPLICATE*

UNITED STATES reverse side) DEPARTMENT OF THE INTERIOR

(Other instructions on

Form Budget	approved. No.	42-R1425
Buager	Bureau No.	42-R1425

		ED STATE		reverse si	de)	30-045-2	0940	
DEPARTMENT OF THE INTERIOR					5. LEASE DESIGNATION AND SERIAL NO.			
	GEOLO	GICAL SURV	'EY			14-20-603-2019		
APPLICATIO	N FOR PERMIT	O DRILL,	DEEPE	N, OR PLUG B	ACK	6. IF INDIAN, ALLOTTEE Navajo Tribe	OR TRIBE NAME	
1a. TYPE OF WORK						7. UNIT AGREEMENT N	A 3.6 to	
	RILL XX	DEEPEN		PLUG BA	CK []	A. UNII AUBLEMENI N.	AM D	
b. TYPE OF WELL	GAS T		SI	NGLE MULTIP	LE [8. FARM OR LEASE NAM	(P	
OTL GAS WELL WELL WELL OTHER SINGLE ZONE ZONE					Pet. Inc.			
	Man Came					9. WELL NO.		
Dugan Product 3. ADDRESS OF OPERATOR						3		
						10. FIELD AND POOL, O	R WILDCAT	
SOX 234, Para	nington, New Mex Report location clearly and	in accordance wi	ith any S	tate requirements.*)			_	
At surface	acport rocarron crearry and		,,	, , , , , , , , , , , , , , , , , , ,		11. SEC., T., R., M., OR BLK.		
	7931 f	s1 790' fe	el			AND SURVEY OR AR		
At proposed prod. ze	one		••			Fan 34 TOOU	p1 233	
14 DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR PO	ST OFFICE			Sec. 26, T28N 12. COUNTY OR PARISH	13 STATE	
	n Fruitland, M.					San Juan	ä. H.	
15. DISTANCE FROM PRO			16. NO	. OF ACRES IN LEASE		OF ACRES ASSIGNED		
PROPERTY OR LEASE LINE, FT.			2520		10 1	HIS WELL 160		
(Also to nearest drlg. unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION*			19. PROPOSED DEPTH 20.		20. кота	OTARY OR CABLE TOOLS		
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 5500		500 '	585'		Ro	Rotary		
21. ELEVATIONS (Show w	hether DF, RT, GR, etc.)		<u> </u>		· `	22. APPROX. DATE WO	RK WILL START*	
5606' Gr.						9/4/71		
23.	1	PROPOSED CASI	ING AND	CEMENTING PROGRA	AM	·		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT		OT SETTING DEPTH		QUANTITY OF CEMENT		
7 7/8"	5 1/2"	14#		30'	5 sx.			
4 3/4"	2 7/8"	6.5#		5851	20 sx.			
		1			1			

Drill well with air using slim hole techinque to test Pictured Cliffs formation.

If productive, run 2 7/8" tubing for casing through formation, selectively perforate, fracture, cleanout, run 1 1/4" tubing and complete well.

CON. COM IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give at Modustive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface and true vertical depths. Give blowout preventer program, if any. 24. Original signed by T. A. Dikyan Engineer 9/1/71 DATE (This space for Federal or State office use) APPROVAL DATE PERMIT NO. 2 1974 APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY: U. S. REOLOCICAL SURVEY Olas

*See Instructions On Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

U.S. GOVERNMENT PRINTING OFFICE: 1963-O-711-396

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACERAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section

Operator			Lease	7		Well No.	
Degan	Production C	Corporation	Pet	. Inc.		3	
Unit Letter	Section	Township	Range	County			
. 🦻	26	28 North	15 Wes	t San	Juan		
Actual Footage La	cation of Well:						
7 90	feet from the	South line and	790	feet from the	East	line	
Ground Level Elev.	: Producing Fo	ormation	Pool		De	edicated Avereage:	
5606 <u>_</u>	Pict	tured Cliffs	Wildcat			160	Acres
2. If more the interest and resident3. If more the interest and resident	nan one lease is de oyalty), on one lease of di	d to the subject well by a edicated to the well, ou fferent ownership is dea , force-pooling, etc?	tline each and id	lentify the owne	ership thereof	f (both as to v	•
() Yes () No If	answer is "yes," type of	consolidation		······································		•••••
		s and tract descriptions			d. (Use rever	rse side of this	form if
		the well until all interes non standard unit, elimi		•		•	forced-

CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Original signed by T. A. Dugan

Thomas A. Dugan Position Engineer Company Dugan Production Corp. Date 9/1/71 thereby certify that the well-location shown on this plat was plotted from field notes of actual surveys made by me for under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

Registered Professional Engineer and/or-Land Surveyor

E. V. Echohawk LS

