Meter Number:93378 DEPUTY OIL & GAS INSPECTORCATION Name: KRAUSE WN FEDERAL #2E Location:TN-28 RG-11 SC-28 UL-P

2 - Federal NMOCD Zone:OUTSIDE Hazard Ranking Score:00



### RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

 $10^{-9}$  to  $10^{-13}$  cm/sec  $10^{-12}$  to  $10^{-16}$  cm/sec  $10^{-12}$  to  $10^{-15}$  cm/sec Sandstone Shale Clav

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

# FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 93378 Location: Kravse WN Federal No. 2E  Operator #: 0286 Operator Name: Conoco P/L District: Angel Peak  Coordinates: Letter: P Section 28 Township: 28 Range: 11  Or Latitude Longitude Pit Type: Dehydrator Location Drip: Line Drip: Other: Site Assessment Date: 911494 Area: 01 Run: 63					
SITE ASSESSMENT	NMOCD Zone:  (From NMOCD  Maps)  Inside  Outside  Outside  Depth to Groundwater  Less Than 50 Feet (20 points)  Fee (3)  (1)  (2)  Indian  (1)  Fee (3)  (1)  (2)  Greater Than 100 Ft (0 points)  (3)					
	Wellhead Protection Area:  Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)					
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body					
	(Surface Water Body : Perennial Rivers,Major Wash,Streams,Creeks, Irrigation Canals,Ditches,Lakes,Ponds) Distance to Nearest Ephemeral Stream □ (1) < 100'(Navajo Pits Only) □ (2) > 100'					
	TOTAL HAZARD RANKING SCORE: POINTS					
REMARKS	Remarks: Redline Book-Outside, Vulnerable Zone Topo-Outside					
EM.	The state of the s					
8	NZ-HZV9					

## FIEL PIT REMEDIATION/CLOSULE FORM

GENERAL	Meter: 93378 Location: Krause WN FederAL No. 2E  Coordinates: Letter: P Section 28 Township: 28 Range: 11  Or Latitude Longitude  Date Started: 10-5-94 Run: 01 63
FIELD OBSERVATIONS	Sample Number(s): 12' Feet  Sample Depth: 12' Feet  Final PID Reading OIS PID Reading Depth 12' Feet  Yes No  Groundwater Encountered
CLOSURE	Remediation Method:  Excavation
REMARKS	Remarks: 4. Some markers. At 12' Soil Clearly  Signature of Specialist: L. L. Talla  (SP3181) 03/16/94




## FIELD SERVICES LABORATORY ANALYTICAL REPORT

## PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE I	DENTIFICAT	rion		
Field ID					
SAMPLE NUMBER:	KP 296	9463			
MTR CODE   SITE NAME:	93378			N/A	
SAMPLE DATE   TIME (Hrs):	10-5-9	4	1315		
SAMPLED BY:		N/A	Α		
ATE OF TPH EXT. ANAL.:	10-6-				
ATE OF BTEX EXT.   ANAL.:	AL.: NA		NI		
TYPE   DESCRIPTION:	VG		brown	Chan	
	RESULT	UNITS		TIERS	
PARAMETER			DF	QUALIFIERS  DF Q M(g)	
TPH (418.1)	31.3	MG/KG			2.15 28
HEADSPACE PID	18	PPM			
PERCENT SOLIDS	85.4	%			
		TPH is by EPA Metho	a 418.1		
rative:					
- Ilood					
= Dilution Factor Used					
F = Dilution Factor Osed					

Approved By: \_\_\_



Sample identification 946342

Initial mass of sample. g

Volume of sample after extraction, ml 28.000

retroleum hydrocarbons. ppm

si.sas - Net absorbance of hydrocarbons (2930 cm-1)

1.014

