6 - NEW MEXICO OIL CONSERVATION COMMISSION
1 - Southern Petroleum Sonto Fe, New Mexico

1 - L. G. Truby

Sonta Fe, New Mexico

Form C-101 Revised (12/1/55)

CONSERVATION COMMISSION TA FE, NEW MEXICO lemen: You are hereby notified that it is our intention to commence the Drilling of a well to be known as PACIFIC RETURNS PIPELINE CORPORATION (Company or Operator) San Juan 29-5 (Least) (Company or Operator) San Juan 29-5 (Company or Operator) San	CONSERVATION COMMISSION TA FE, NEW MEXICO Conservation Commission	of the	hanges in notice in Commissi	the proposed OUINTUPL	plan are consi ICATE. One	idered advisable, a co copy will be returned	ion Commission and appropriate of this notice showing following approval. See tach Form C- 128 in transcriptions.	such changes will be additional instruction	returned to the sense in Rules and Rem
CONSERVATION COMMISSION TA FE, NEW MEXICO lemen: You are hereby notified that it is our intention to commence the Drilling of a well to be known as PACIFIC MEXCENSES PIPELINE COMPANION (Company or Operator) San Juan 29-5 (Least) (Company or Operator) San Juan 29-5 (Least) (Company or Operator) South Line and 1115' feet from West Viac of Section 32 , T.29 Howth R 5 Heart , NMPM. VE LOCATION FROM SECTION LINE) If State Land the Oil and Gas Least is No. E-89-23-24 If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is Blanket L K J I Drilling Contractor Sage Brilling Company Rig S OIL CON. COM. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Easts Size of Casing Weight per Foot New or Second Enand Depth Sachs Comment 13-2/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200	CONSERVATION COMMISSION TA FE, NEW MEXICO Source Company or Operators	TIT MET				100		August 16, 1	957
TA FE, NEW MEXICO letters: You are hereby notified that it is our intention to commence the Drilling of a well to be known as PACIFIC MEXTENSES PITATURE CORPORATIONS (Company or Operator) San Juan 29-5 (Campany or Operator) Well No. 38-32 In M. The w. (Unit) The	TA FE, NEW MEXICO Common	CONE	rps:4Ti	,-				(Date)	
You are hereby notified that it is our intention to commence the PACIFIC HENTINES PIPELIES CORPORATION (Company or Operator) San Juan 29-5 (Lease) (Company or Operator) (Lease) (You are hereby notified that it is our intention to commence the Drilling of a well to be known as PACIFIC REPUBLIE CORPORATION (Company or Operator) San Juan 29-5				331014				
San Juan 29-5 (Company or Operators) San Juan 29-5 (Leaser) Well No. 38-32 Image: Company or Operators	San Juan 29-5 Well No. 38-32 in Man The words of the feet from the General South Ine and 1115 feet from the South Ine and 1115 feet from the West Pass Forth Pool Rio Arribe Company Rig South Pool Rio	tlemen:							
San Juan 29-5 Well No 38-32 in M The word	San Juan 29-5 Well No. 38-32 in M The well 860 feet from the South line and 1115 feet from West Pool, Rough Roug	You ar	e hereby	notified that	it is our intent				
West Suc of Section 32 T 29 Borth R 5 West Number No. 1115 feet from West Suc of Section 32 T 29 Borth R 5 West Number No. 115 State Land the Oil and Gas Lease is No. 12-289-23-24 If patented land the owner is. Address We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is. 11anket L K J I Drilling Contractor Saga Brilling Company Rig Sign O' to 5800 We intend to complete this well in the formation at an approximate depth of 5800 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacto Comment 13-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200	West Sine of Section 32 , T.29 North R. 5 Nest NMPM. VE LOCATION FROM SECTION LINE) Blanco Mess Verds Pool, Rio Arriba Co If State Land the Oil and Gas Lease is No. 1-269-23-24 If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Saga Brilling Company Rig O' to 577 in the status of plugging bond is Blanket We intend to complete this well in the Saga Verds O'ST 3 formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Doyth Sachs Comment 13-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200					(Company	or Operator)	- 	
West Suc of Section 32 T 29 Borth R 5 West Number No. 1115 feet from West Suc of Section 32 T 29 Borth R 5 West Number No. 115 State Land the Oil and Gas Lease is No. 12-289-23-24 If patented land the owner is. Address We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is. 11anket L K J I Drilling Contractor Saga Brilling Company Rig Sign O' to 5800 We intend to complete this well in the formation at an approximate depth of 5800 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacto Comment 13-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200	West Sine of Section 32 , T.29 North R. 5 Nest NMPM. VE LOCATION FROM SECTION LINE) Blanco Mess Verds Pool, Rio Arriba Co If State Land the Oil and Gas Lease is No. 1-269-23-24 If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Saga Brilling Company Rig O' to 577 in the status of plugging bond is Blanket We intend to complete this well in the Saga Verds O'ST 3 formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Doyth Sachs Comment 13-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200		San	Juan 29-	5		., Well No38-32	, inN	I The wel
West "ine of Section 32 , T 29 Horth R 5 Hest NMPM. VE LOCATION FROM SECTION LINE) Blanco Mess Verde Pool, Rio Arribe Co If State Land the Oil and Gas Lease is No. B-39-23-24 If patented land the owner is Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Sage Drilling Company Rig O' Lo 57 OIL CON COM We intend to complete this well in the Mass Verde O'ST 3 formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sachs Coment 13-3/4" 10-3/4" 32.75 Hew 200' 200 9-7/8" 7-5/8" 26.40 Hew 3630' 200	West "inc of Section 32 T 29 North R 5 Nest NMPM. VE LOCATION FROM SECTION LINE Blanco Mass Verds Pool, Rio Arriba Co If State Land the Oil and Gas Lease is No. R-689-23-24 If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary Rig 0' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Sage Brilling Company Rig 57 OIL CON. COM. We intend to complete this well in the Ness Verds O'ST 3 formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hale Size of Casing Weight per Fost New or Second Hand Doyth Sachs Comment 3-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200								
If State Land the Oil and Gas Lease is No. 1-289-23-24 If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is 1-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	If State Land the Oil and Gas Lease is No. 1-89-23-24 If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is. 11anket Drilling Contractor Sage Drilling Company Rig								
D C B A Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Sage Brilling Company Rig N O P We intend to complete this well in the formation at an approximate depth of 5800 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Eule Size of Casing Weight per Feet New or Second Hand Depth Sactus Coment 13-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200	D C B A Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Sage Brilling Company Rig N O P We intend to complete this well in the Nose Version formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Bole Size of Casing Weight per Foot New or Second Hand Depth Sacto Company 13-3/4" 10-3/4" 32.75 Hew 200' 200 200						•		
D C B A Address. We propose to drill well with drilling equipment as follows: Rotary Rig 0° to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Sage Brilling Company Rig N O P We intend to complete this well in the Heast Versis formation at an approximate depth of 5800° CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Bize of Hele Size of Casing Weight per Foot New or Second Hand Depth Sacks Coment 13-3/h" 10-3/h" 32.75 Hew 200° 200 9-7/8" 7-5/8" 26.40 Hew 3630° 200	D C B A Address. We propose to drill well with drilling equipment as follows: Rotary Rig O' to 5800 E F G H The status of plugging bond is. Blanket Drilling Contractor Sage Drilling Company Rig S OIL CON. COM. We intend to complete this well in the Sees Version DIST. 3 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Coment 3-3/4" 10-3/4" 32.75 Hew 200° 200 9-7/8" 7-5/8" 26.40 New 3630° 200								
We propose to drill well with drilling equipment as follows: Rotary Rig 0' to 5800 E F G H The status of plugging bond is. Blanks t Drilling Contractor Sage Brilling Company Rig 5 Oil CON COM We intend to complete this well in the Mass Verds Formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Holo Size of Casing Weight per Foot New or Second Hand Depth Sachs Comment 13-3/h" 10-3/h" 32.75 Hew 200' 200 9-7/8" 7-5/8" 26.40 Hew 3630' 200	We propose to drill well with drilling equipment as follows: Rotary Rig 0' to 5800 E F G H The status of plugging bond is Blanket Drilling Contractor Sage Brilling Company Rig 57 OIL CON. COM. We intend to complete this well in the Nega Veria CIST 3 formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Role Size of Casing Weight per Fost New or Second Hand Depth Sachs Coment 3-3/4" 10-3/4" 32.75 Hew 200' 200 9-7/8" 7-5/8" 26.40 Hew 3630' 200	i	;		If	patented land the ow	mer is		
The status of plugging bond is Blanket L K J I Drilling Contractor Sage Brilling Company Rig 57 Drilling Contractor Sage Brilling Company Rig 57 We intend to complete this well in the Nega Verd DIST 3 formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sactio Comment 13-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200	The status of plugging bond is Blanket L K J I Drilling Contractor Saga Brilling Company Rig Drilling Contractor Saga Brilling Company Rig Oil CON COM We intend to complete this well in the Naga Version DIST 3 formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Bole Size of Casing Weight per Foot New or Second Hand Depth Sachu Coment 3-3/4" 10-3/4" 32.75 New 200' 200 9-7/8" 7-5/8" 26.40 New 3630' 200	D	C	B ! 2					
The status of plugging bond is	The status of plugging bond is Blanks to Drilling Company Rig 5 2 57 57 57 57 57 57 57 57 57 57 57 57 57				W	e propose to drill well	with drilling equipment a	s follows: Rotary R	ig 0' to 5800'
Drilling Contractor Sage Drilling Company Rig 57 We intend to complete this well in the Mess Verds 0!S7 3 Formation at an approximate depth of 5800! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Doyth Sachs Communication 13-3/4" 10-3/4" 32.75 Hew 200! 200 9-7/8" 7-5/8" 26.40 Hew 3630! 200	Drilling Contractor Sage Brilling Company Rig 57 X	E	F	G	н				- A 12.70
We intend to complete this well in the Ness Verds O'ST 3 formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 13-3/4" 10-3/h" 32.75 How 200' 200 9-7/8" 7-5/8" 26.40 How 3630' 200	We intend to complete this well in the See Verde CIST 3 formation at an approximate depth of S800! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 3-3/h" 10-3/h" 32.75 Hew 200! 200 9-7/8" 7-5/8" 26.40 Hew 3630! 200				T	he status of plugging	bond is Blanket	1	HHA.
We intend to complete this well in the Ness Verds O'ST 3 formation at an approximate depth of 5800' CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 13-3/4" 10-3/h" 32.75 How 200' 200 9-7/8" 7-5/8" 26.40 How 3630' 200	We intend to complete this well in the See Verde CIST 3 formation at an approximate depth of S800! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 3-3/h" 10-3/h" 32.75 Hew 200! 200 9-7/8" 7-5/8" 26.40 Hew 3630! 200	_							LULIYED
We intend to complete this well in the	We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hote Size of Casing Weight per Foot New or Second Hand Depth Sachs Cement 3-3/4" 10-3/4" 32.75 Hew 200° 200 9-7/8" 7-5/8" 26.40 Hew 3630° 200	r	K	J	I D	rilling Contractor	ige Brilling Compa	my Hig gs	21 57 8
We intend to complete this well in the	We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hote Size of Casing Weight per Foot New or Second Hand Depth Sachs Cement 3-3/4" 10-3/4" 32.75 Hew 200° 200 9-7/8" 7-5/8" 26.40 Hew 3630° 200							\ OIL (CON On
formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Coment 13-3/4" 10-3/4" 32.75 How 200' 200 9-7/8" 7-5/8" 26.40 How 3630' 200	formation at an approximate depth of	_		0	D			iesa Venda	UST a
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Coment 13-3/4" 10-3/4" 32.75 Hew 200' 200 9-7/8" 7-5/8" 26.40 Hew 3630' 200	CASING PBOGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 3-3/4" 10-3/4" 32.75 Hew 200° 200 9-7/8" 7-5/8" 26.40 Hew 3630° 200		N					-0	and the state of t
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 13-3/4" 10-3/4" 32.75 Hew 200" 200 9-7/8" 7-5/8" 26.40 Hew 3630" 200	Size of Bale Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 13-3/4" 10-3/4" 32.75 Hew 200" 200 9-7/8" 7-5/8" 26.40 Hew 3630" 200		N		to		_		The property of the second
13-3/4" 10-3/4" 32.75 Hew 200' 200 9-7/8" 7-5/8" 26.40 Hew 3630' 200	13-3/4" 10-3/4" 32.75 Hew 200' 200 9-7/8" 7-5/8" 26.40 Hew 3630' 200		N		10	CASING 1	PROGRAM		
9-7/8" 7-5/8" 26.40 New 3630' 200	9-7/8" 7-5/8" 26.40 New 3630' 200	М		se the followi		•	_		
9-7/8" 7-5/8" 26.40 New 3630' 200	9-7/8" 7-5/8" 26.40 New 3630' 200	M We pr	opose to a		ng strings of C	asing and to cement t	hem as indicated:	Depth	Sacks Cement
		M We pr	opose to a	Size	ng strings of C	weight per Foot	hem as indicated: New or Second Hand		
		We pr	opose to a	Size o	ng strings of C	weight per Foot 32.75	New or Second Hand	2001	200
		We pr Size 13-3/ 9-7/	opose to a of Hole	Size 4	ng strings of Casting 3/14"	Weight per Foot 32.75 26.40	New or Second Hand New Wew	200' 3630'	200
	If changes in the above plans become advisable we will notify you immediately.	We pr Size 13-3/ 9-7/ 6-3/	opose to a set Hele	10-3 7-1 5-1	ng strings of C. of Casing 3/4" 5/8"	Weight per Foot 32.75 26.40 15.5	New or Second Hand New Hew Hew	200' 3630'	200
		M We pr	opose to a	Size	ng strings of C	weight per Foot	hem as indicated: New or Second Hand		
If changes in the above plans become advisable we will notify you immediately.		M We pr Size 13-3/9-7/6-3/	opose to a of Hole Line Bu Line Inges in the	1000 700 501	ng strings of C. of Casing 3/h,11 5/811	Weight per Foot 32.75 26.40 15.5 able we will notify yo	New or Second Hand Hew Hew Hew Hew Hew Hew	200' 3630' 5800'	200 200 150
ADDITIONAL INFORMATION Mesa Verde to be fractured thru perfs with approximately 150,000	ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000	We pr Size 13-3/ 9-7/ 6-3/ If cha	opose to a set Hole (h n) (h n) (h n)	Size of 10-2 7-2 5-1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ng strings of Casing 3/h " 5/8" /2" s become adviserion Mesa.	weight per Foot 32.75 26.40 15.5 able we will notify yo	New or Second Hand New or Second Hand New Hew Hew u immediately. hetured thru parfs	200' 3630' 5800'	200 200 150
ADDITIONAL INFORMATION Mesa Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing ane complete well.	mater. Clean out to total depth, set tubing and complete well.	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI Water	opose to a set Hele Late And Hele Late And Hele And	Size of 10-2 7-1 5-1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ng strings of Coording 3/4" 5/8" /2" s become advission Mess total dep	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing	New or Second Hand Hew Hew Hew u immediately. and complete well.	200' 3630' 5800'	200 200 150
ADDITIONAL INFORMATION Mesa Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing and complete well. The W/2 of Section 32, containing 320 seres, is dedicated to this well.	mter. Clean out to total depth, set tubing and complete well. The W/2 of Section 32, containing 320 scres, is dedicated to this well.	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI Water The W	opose to the land of Hele (hand) And the land of the	5-1, in above plans in out to section 3	ng strings of Coording 3/4" 5/8" /2" s become advise FION Mesa total dep 2, contain	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be fro th, set tubing ing 320 seres,	New or Second Hand Hew Hew Hew u immediately. actured thru performs complete well. is dedicated to	200' 3630' 5800'	200 200 150
ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing ane emplete well. The W/2 of Section 32, containing 320 acres, is dedicated to this well. 75 Pacific Northwest 25 Southern Petroleum Employation	mter. Clean out to total depth, set tubing and complete well. The W/2 of Section 32, containing 320 seres, is dedicated to this well. The Pacific Northwest 25% Southern Petroleum Exploration	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI Water The W	opose to the land of Hele (hand) And the land of the	5-1, se above plans INFORMAT an out to Section 3: Korthwes	ng strings of Coording 3/4" 5/8" /2" s become advise FION Mesa total dep 2, contain t 25%	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing ing 320 acres, Southern Petrol	New or Second Hand Hew Hew Hew u immediately. actured thru performs complete well. is dedicated to	200' 3630' 5800'	200 200 150
ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing ane emplete well. The W/2 of Section 32, containing 320 acres, is dedicated to this well. 75 Pacific Northwest 25 Southern Petroleum Employation	mter. Clean out to total depth, set tubing and complete well. The W/2 of Section 32, containing 320 seres, is dedicated to this well. The Pacific Northwest 25% Southern Petroleum Exploration	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI water The W 75% F	opose to a set Hote (4 m (8 m (4 m Inges in the TIONAL (2 of inserting the Color of the Col	5-1, se above plans INFORMAT an out to Section 3: Korthwes	ng strings of Coording 3/4" 5/8" /2" s become advise FION Mesa total dep 2, contain t 25%	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing ing 320 acres, Southern Petrol	New or Second Hand Hew Hew Hew u immediately. actured thru perfunctured thru perfunctured thru perfunctured to its dedicated to its dedic	200' 3630' 5800'	200 200 150
ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing and complete well. The W/2 of Section 32, containing 320 seres, is dedicated to this well. 75% Pacific Northwest 25% Southern Petroleum Employation	The W/2 of Section 32, containing 320 seres, is dedicated to this vell. The W/2 of Section 32, containing 320 seres, is dedicated to this vell. The Pacific Northwest 25% Southern Petroleum Exploration Sincerely yours, pacific Northwest 25% Southern Petroleum Pacific Northwest Pa	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI Water The W 75% P	opose to the Hote (ham)	5-1, se above plans INFORMAT an out to Section 3: Korthwes	ng strings of Coording 3/4" 5/8" /2" s become advise FION Mesa total dep 2, contain t 25%	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing ing 320 acres, Southern Petrol	New or Second Hand New or Second Hand New New New Hew Hew Listered thru performs complete well. is dedicated to the leum Exploration Sincerely yours,	200' 3630' 5800' with approximation well.	200 200 150 ntely 150,000
ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing and emplete well. The W/2 of Section 32, containing 320 acres, is dedicated to this well. 7% Pacific Northwest 25% Southern Petroleum Employation Sincerely yours, PACIFIC HONTEREST PIPELINE CONTRACTOR	The W/2 of Section 32, containing 320 seres, is dedicated to this well. 75 Pacific Northwest 25 Southern Petroleum Exploration Sincerely yours, PACIFIC NORTHWEST PRESENTED	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI Water The W 75% P	opose to the Hote (ham)	5-1, se above plans INFORMAT an out to Section 3: Korthwes	ng strings of Coording 3/4" 5/8" /2" s become advise FION Mesa total dep 2, contain t 25%	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing ing 320 acres, Southern Petrol	New or Second Hand Hew Hew Hew u immediately. netured thru perfunction dedicated to income the second Hand Sincerely yours, PACIFIC NORTH	200' 3630' 5800' with approximation with approximation with approximation with approximation with a second company of Operator of Company of Operator with a second company of	200 200 150 ntely 150,000
ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000 water. Clean out to total depth, set tubing and emplete well. The W/2 of Section 32, containing 320 seres, is dedicated to this well. 75% Pacific Northwest 25% Southern Petroleum Emploration Sincerely yours, PACIFIC NORTHWAST PIPELINE COMPANYION (Company or Operator) By Original signed by T. A. Dugan	The W/2 of Section 32, containing 320 seres, is dedicated to this well. [75] Pacific Northwest 255 Southern Petroleum Emploration Sincerely yours, PACIFIC NORTHWEST PIPELINE COMPONITION [Company or Operator) By Original signed by T. A. Dugan	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI water The W 75% P	opose to the Hote (ham)	5-1, se above plans INFORMAT an out to Section 3: Korthwes	ng strings of Coording 3/4" 5/8" /2" s become advise FION Mesa total dep 2, contain t 25%	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing ing 320 acres, Southern Petrol	New or Second Hand Hew Hew Hew Hew u immediately. netured thru perfianc complete well. is dedicated to the leum Emploration Sincerely yours, PACIFIC NORTH	200' 3630' 5800' with approximation with approximation with approximation with approximation with a proximation with a proxima	200 200 150 ntely 150,000
ADDITIONAL INFORMATION Ness Verde to be fractured thru perfs with approximately 150,000 vater. Clean out to total depth, set tubing and complete well. The W/2 of Section 32, containing 320 seres, is dedicated to this well. 75% Pacific Northwest 25% Southern Petroleum Exploration Sincerely yours, PACIFIC NORTHWEST PIPELINE COMPONATION (Company or Operator)	Pacific Northwest 25% Southern Petroleum Exploration Sincerely yours, PACIFIC NORTHWEST PRESENT PRES	We pr Size 13-3/ 9-7/ 6-3/ If cha ADDI Water The W 75% P	opose to a set Hote the t	Size of 10-3 7-1 5-1 in above plans INFORMAT out to Section 3: Northwest	ng strings of Company	weight per Foot 32.75 26.40 15.5 able we will notify yo Verde to be freth, set tubing ing 320 seres, Southern Petro.	New or Second Hand New or Second Hand New New New New New New New Ne	200' 3630' 5800' with approximations regard	200 200 150 ately 150,000

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.		_		I	Date	August 16, 1	957
Operator Pacific	Northwest Pipeli	ne Corporatio	n Lease	San Juan			
Well No. 38-32	Unit Letter 📕	Section	32			orth Range_5	
Located 860		South Line,	1115	Feet Fr		West 3≥0	Line
County Rio Arri		evation <u>6</u> Ness Verde		Dedicated Acr Pool Blanc			Acres
Name of Producing 1. Is the Opera	ator the only owne					e plat below?	
Yes	-						
2. If the answe	er to question one	is "no," have	the inter	ests of all th	ne own	ers been cons	olidated
by communit	ization agreement	or otherwise	Yes	No	If ans	wer is "yes,"	
	nsolidation R er to question two				r resi	nective inter	ests helow:
3. If the answe	er to duezerou two	15 110, 1150	all the or	mors and the	105	pod CIVO IMCOI	CBCB BOXOW •
	0		_	Lan	a Desc	ription	
	<u>Owner</u>			Ban	<u>u Desc</u>	TIPUTON	
			_				
						/ KUTIV	FA
						Aucos	<u></u>
						AUG 2] 195	57
				•		OIL CON. CO	M4 /
Section. B						DIST. 3	····
SOUTHERN	PACIFIC		İ	l	ms. ·		An Abad Aba
PRINCLEUM	Horthwest		i			s is to cortionation in S	•
			l			ve is true an	
			ļ			he best of my l	-
	·		!		and	belief.	
	STATE OF NEW M	XXXC0	1		DAG	TETA VARANTANIA	
	PACIFIC				PAC	IFIC NORTHWE	or) CORP.
	NORTHWEST		Ì			` -	•
			1		Orig	inal signed by	T. A. Dugan
			1			(Represent	ative)
STAFF OF MIN	STATE OF NEW		1		405	W. Bdwy, Fr	umington. N.
MENICO	MEXICO		ļ			Addres	
	3	2					
PACIFIC	PACIFIC		!	-		s is to certif	-
HORTEMEST	NORTHWEST					l location sho	
pipe line					-	t in Section B m field notes	-
1.			1	ľ		veys made by	
E-289-23-2	cipe d		į		m y	supervision a	nd that the
L_`						e is true and	
, ``]	Ĩ				best of my kn	owledge and
18	1 1	1	!	1		e Surveyed Aug	mat 1. 1957
7 11 33				-	~ ·		
مراز المراز المر					6 1	V. 601	Low
AND ON WHAT	700		1			est V. Echoha	
MENTE OF MAN			<u> </u>		Keg	istered Land	surveyor.
ساسب بالمورازيين					Car	tificate No.	1545
0 330 660 990 17	320 1050 1980 2310 Z	640 Z000	1500 1000	900 0	001		

OIL CONSERVATION COMMISSION AZTEC DISTRICT OFFICE No. Copies Received							
DISTR	BUTION						
	NO.						
Operator	/						
Santa Fe	/						
Proration Office							
State Land Office	1						
U. S. G. S.	3						
Transporter							
File	/	V					