

PROJECT GASBUGGY

Overview

This was the site of the first U.S. underground nuclear experiment for the stimulation of low productivity gas resources. On December 10, 1967 a 29 kiloton nuclear explosive was detonated at a depth of 4222 feet.

The GASBUGGY shot was part of the overall Operation PLOWSHARE (Atoms for Peace) program.

What You'll See

A plaque marks ground zero. It reads as follows:

PROJECT GASBUGGY

NUCLEAR EXPLOSIVE

USEPA, Env. Monit,


Systems

Lubs

Office of RID

7,02 - 798-2100

702 - 798-23741



EMPLACEMENT/REENTRY WELL (GB-ER)

SITE OF THE FIRST UNITED STATES UNDERGROUND NUCLEAR EXPERIMENT FOR THE STIMULATION OF LOW-PRODUCTIVITY GAS RESERVOIRS. A 29 KILOTON NUCLEAR EXPLOSIVE WAS DETONATED AT A DEPTH OF 4227 FEET BELOW THIS SURFACE LOCATION ON DECEMBER 10, 1967.

NO EXCAVATION, DRILLING, AND/OR REMOVAL OF MATERIALS TO A TRUE VERTICAL DEPTH OF 1500 FEET IS PERMITTED WITHIN A RADIUS OF 100 FEET OF THIS SURFACE LOCATION. NOR ANY SIMILAR EXCAVATION, DRILLING, AND/OR REMOVAL OF SUBSURFACE MATERIALS BETWEEN THE TRUE VERTICAL DEPTH OF 1500 FEET TO 4500 FEET IS PERMITTED WITHIN A 600 FOOT RADIUS OF T 29 N. R 4 W. NEW MEXICO PRINCIPAL MERIDIAN, RIO ARRIBA COUNTY, NEW MEXICO WITHOUT U.S. GOVERNMENT PERMISSION.

UNITED STATES DEPARTMENT OF ENERGY NOVEMBER 1978.

NEW MEXICO OIL CONSERVATION COMMISSION Astoc, New Mexico

BRADENHEAD TEST REPORT (Submit 3 copies to above address).

٠, ٠.

noifise9.	
Harmers & John 18	
)ock
	All
· rour /	- Yee
Remarks: splant 5 # Alm & O	100
	Bradenhead flowed water check description be
Total (
Cos & Wotor	.nlM
*09	·ulM
8 hh Ato M	-niM
Down to Hothing	06 T 2 J nIM
**Bing	Min. 45 7 75
Steady Flow	86. 1 20 ·niM
sbewolf bookinebor8	deing or Tubing Pressure, Dwt.
15 MINUTES.	EN BRADENHEAD TO ATMOSPHERE FOR
Cosing 25 Brodonhood	gniduT twd (gniwol7 10 ni-tud2)
4.22 Location U 8005 Sec. 10 Twp. 23 A Rge. 9.	ON IIOM TO TO SEE MON
	10 101010 Q FP - H1- 2 180T 10 0

A second plaque reads:

PARTICIPANTS U.S. ATOMIC ENERGY COMMISSION U.S. DEPT. OF THE INTERIOR (BUREAU OF MINES) EL PASO NATURAL GAS COMPANY

Public Tours Dates and Times

The plaque can be seen at anytime, no tours are offered.

How to Get There

From State Highway 64 go south on F.S. 357 for seven and a quarter miles. There will be a fork in the road, and go right, proceeding on F.S. 357. Make sure that you stay on this road, and enter the Carson National Forest. Go another six tenths of a mile to the plaque.

If you have access to a portable GPS system, the location is 36.678N, 107.208W.

Related Links

- Center for Land Use Interpretation, Gasbuggy Test Site
- Carson National Forest

Driving directions courtesy of the Center for Land Use Interpretation. Photograph € 1997 The Bureau of Atomic Tourism.

NEW MEXICO OIL CONSERVATION COMMISSION ASSISTANCE AND ASSISTANCE A

BRADENHEAD TEST REPORT (Submit 3 copies to above address)

a a defilit	
A reserved	
A Xoron 2 vomox 18	
	Block
•	
	yullus
	Allos
Remarks: OIL COINS DIVE	
/	Clear
(2)	if Bradenhead flowed water check description b
WEARINEW /	
Cas & Woter	30 Win-
•/5	SS Min.
AnimoN	
Down to Mothing	09 I SO IN SI
segruč	Ç.
Steady Flow	09 7 20 .nim &
sbewoff boodnebor8	Casing or Tubing Pressure, Dwt.
S 15 MINUTES.	OPEN BRADENHEAD TO ATMOSPHERE FO
9 65 Gasing 55 Brodenhead Q VAC	niduT twd (gniwolf 10 ni-turiz) esuazer9
2 Location U8005 Sec. 10 Twp. 23-N Rge. 9- W	Lease Mame 700 Def embl esped
. ^	TP-41-2 isoT to etaO

Gasbuggy Nuclear Test Site

The Gasbuggy Nuclear Test Site is the location of a 1967 underground nuclear explosion, conducted to test the viability of using a nuclear device to aid in natural gas extraction. It was part of the Plowshare Program, the program to develop peaceful uses of nuclear weapons, and was the first use of a nuclear explosion for industrial purposes.

The test was overseen by the San Francisco Operations Office of the Atomic Energy Commission, and was conducted by the Lawrence Radiation Lab (later to become the Lawrence Livermore National Lab) in conjunction with the El Paso Natural Gas Company. Called "gas stimulation", the technique has been used employing conventional explosives, and it was hoped that a larger nuclear explosion would be capable of opening up "tight" gas deposits which are not otherwise economically viable. The test called for a 29 kiloton nuclear device to be placed at the bottom of a 4,240 foot deep shaft drilled in a "tight" shale formation known to contain natural gas.

To a large degree the experiment went as planned: the underground cavity produced by the explosion, 80 feet wide and 335 feet high, filled with natural gas from the fractured surrounding rock. However the gas was too radioactive to be commercially distributed by the public utilities.

The site, in Carson National Forest, is open to public access. It consists of a clearing with a small monument, which has a plaque containing a brief description of the event.

Go to the Land Use Database Page



Go to the CLUI Home Page

Click <u>here</u> to leave your comments. This site i s tended by Rex Ravenelle <u>(rex@zone.org)</u>.

NEW MEXICO OIL CONSERVATION COMMISSION

BRADENHEAD TEST REPORT (Submit 3 copies to above address)

Agreement Agreement	
By Letus L. Lames	••
	eck
	10310
	Alle
	ų**
Remarks:	. /
below: Benerks: Benerks:	Bradenhead flowed water check description
Woter & L. Mill. 1 & 1967	
COO & Worler	· niM
*••9	· uiM
Hething V	iniM
Down to Hothing	OC T SC
#eBing	OC T 25
Sleady House	OCT 27 IN
100401400015	Casing or Tubing Pressure, Dwt.
Brodenberd Flowed:	EN BRADENHEAD TO ATMOSPHERE PO
	olduT twa (gniwol7 10 nl-tuniz) esusse
ng 75 Graing 38 Bredonhead	Idua de la desta de la constante de la constan



Project Gnome-Coach/Project Gasbuggy, New Mexico

The Project Gnome-Coach site and the Project Gasbuggy site are offsite testing locations previously used to conduct underground explosive nuclear tests and experiments from 1961 through 1973. The sites are currently inactive. Before any of the sites can be remediated, the Department will conduct an assessment to determine the extent of contamination. The assessment is scheduled to begin in 1994. Ground-water monitoring is conducted annually at both sites.



About This Document

Posted 09/30/1994 (mw)

NEW MEXICO OIL CONSERVATION COMMISSION ACTOR NOW MOXICO

BRADENHEAD TEST REPORT (Submit 3 copies to above address)

sagetiW		
moltised.		
Enwy J ymoz 18	4.	
		lock
•		
Remarks		104
ह भूजाव	flowed water check description below:	Bredneba18
DE ROP 100		
Cos & Woter 11/ JUN 7 8 1937		· ulM
PIANIEの国U ANIE		· uiM
109	<u> </u>	
Nothing A		-niM
BoliftoN of nwood	OLI I Q	<u>el</u>
segrue	QL1 1 0.	<u>ei</u> .niM.
Well ybools	OCT 1 S	PI -niM
Bredenhead Floweds	Jang Pressure, Dwh.	T 16 gnlas
	WHEAD TO ATMOSPHERE FOR 15 M	SEN BRADE
	P) SniduT twG (gniwol7 10 ni-1	
Location U 8005 Sec. 3 Twp 23-N Rge.	E ON 110M C PZ	emp/ espe
Success Succession Suc	101010 Q0 79-41-3	_tseT to etc