Denny & Fourt

DEC 3 0 1997

Meter Number:71403 ocațion Name:SAN JUAN 29-5 #14

Location:TN-29 RG-05 SC-27 UL-G

4 - Fee

NMOCD Zone:OUTSIDE

Hazard Ranking Score:00

PECETTED APR 1 4 1967

Appreved

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10⁻⁹ to 10⁻¹³ cm/sec Shale 10⁻¹² to 10⁻¹⁶ cm/sec Clay 10⁻¹² to 10⁻¹⁵ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 71403 Location: SAN JUAN 29-5 #14 Operator #: Operator Name: Phillips P/L District: BloomFiewD Coordinates: Letter: 6 Section 27 Township: 29 Range: 5 Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 2.24.95 Area: 10 Run: 71					
	NMOCD Zone: Land Type: BLM (1) (From NMOCD State (2)					
	Maps) Inside \square (1) Fee \square (3) Outside \square (2) Indian \square					
	Depth to Groundwater Less Than 50 Feet (20 points) ☐ (1) 50 Ft to 99 Ft (10 points) ☐ (2) Greater Than 100 Ft (0 points) ☐ (3)					
SESSMENT	Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)					
SITE ASSI	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body					
	(Surface Water Body : Perennial Rivers,Major Wash,Streams,Creeks, Irriaation Canals,Ditches,Lakes,Ponds)					
	Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)					
	TOTAL HAZARD RANKING SCORE:OPOINTS					
 	Remarks: REDLINE : TOPO SHOW LOCATION OUTSIDE V.Z. DNLY PIT					
REMARI	ON LOCATION. BELONGS TO EPNG, WILL CLOSE PIT					
ZE.	DIISH IN					

FIEL PIT REMEDIATION/CLOST /E FORM

GENERAL	Meter: 7/403 Location: SAN JUAN 25-5 4/4 Coordinates: Letter: 6 Section 27 Township: 25 Range: 5 Or Latitude Longitude Date Started: 7-25-55 Run: 10 7/
FIELD OBSERVATIONS	Sample Number(s): MK 455 Sample Depth: 12 Feet Final PID Reading 225 PID Reading Depth 12 Feet Yes No Groundwater Encountered
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks: Arrived Took Fence down Dug Stafk Hole Soil Gray Black Strong Hyor Carbon odor Signature of Specialist: Morgan Killian



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

Field I	D		Lab ID		
MK 450		947072			
MTR CODE SITE NAME: 7/4 03 AMPLE DATE TIME (Hrs): 07-25-95			N/A /1:45		
ATE OF TPH EXT. ANAL.: 7-26-95		7-26-95			
		P	2 1	F 0/2	
V6		Frown	Sand	o chay	
R	RESULTS				
RFSUI T	UNITS	QUALIFIERS			
1120021		DF	Q	M(g)	V(ml)
106 107B	MG/KG			2.33	28
225	PPM				
65.0	%				
	TPH is by EPA Metho	d 418.1			
					
	MK 450 714 03 07-25-95 7-26- V6 RESULT +66 107 225 225 65.0	MK 450 7/4 03 07-25-95 NATION OF THE STATE	MK 450 9470 714 03 07-25-95 11:45 N/A 7-26-95 7-2 V6 Prown RESULTS RESULT UNITS DF 125 MG/KG 225 PPM	MK 450 7/4 03 N/A 07-25-95 N/A 7-26-95 N/A 7-26-95 N/A RESULTS RESULTS RESULT UNITS OF QUALIF DF Q 125 PPM 45.0 %	MK 450 7/4 03 N/A 07-25-95 N/A 7-26-95 N/A 7-26-95 N/A RESULTS RESULTS RESULT UNITS QUALIFIERS DF Q M(g) A-25 PPM C5.0 %

95/07/26 15:22

Sample identification ?47072

Initial mass of sample. g

Volume of sample after extraction, ml

Petroleum hydrocarbons, ppm :06.874

Net absorbance of hydrocarbons (2930 cm-1)

0.025

