Budget Bureau No. 42-R356.4. Approval expires 12-31-60.
Land Office Man 79
Loane No. 1814-031-88
Unit 14-06-001-437

## DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	THE PROPERTY OF ACIDITIES	
NOTICE OF INTENTION TO CIBERCE PROPERTY.	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		
NOTICE OF INTENTION TO ABANDON WELL		
(INDICATE ABOVE BY CHECK	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
/	April 10th,	, 19
(1/4 Sec. and Sec. No.) 23 North	from. S line and 990 ft. from W line of se	
(Field) (C	County or Subdivision)  (State or Territory)	
	ETAILS OF WORK  how sizes, weights, and lengths of proposed casings; indicate mudding and all other important proposed work)	; jobs, c
Propose to drill to 200' and solutions and selective sands; a ling points, a ling	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/h anning, coment to surface. Sequilar 85 gel and 50 an neat. Set 5-	st 7. 1/2"
Propose to drill to 200° and seriousing 6 3950°, semant w/200 and regular	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4" casing, cament to surface. 3 regular 35 gel and 50 sn meet. Set 5-	nt 7. 1/2"
Propose to drill to 200° and set casing 6 3950°, semant w/150 ax 6 6075°, semant w/200 ax regular mater. Clean out to total depth	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4" anging, cament to surface. So regular 85 gel and 50 an neat. Set 5-2  perference using approximately 150,0  t, set taking and complete well.	in The
Propose to drill to 200° and set casing 6 3950°, semant w/150 ax 6 6075°, semant w/200 ax regular mater. Clean out to total depth	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4" anging, coment to surface. So regular 85 gel and 50 am neat. Set 5-  perfections using approximately 150,0  Lest taking and complete well.  Corporation  ng 320 acres, is dedicated to this well.	Vel:
Propose to drill to 200° and sort casing 6 3990°, semant w/150 ax 6 6075°, coment w/200 ax regular water. Clean out to total depth 1806 Pacific Northwest Pipeline The W/2 of Section 20, containing	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4" anging, coment to surface. So regular 85 gel and 50 am neat. Set 5-  perfections using approximately 150,0  Lest taking and complete well.  Corporation  ng 320 acres, is dedicated to this well.	in The
Propose to drill to 200° and sort casing 6 3950°, sement w/150 ax 6 6075°, coment w/200 ax regular water. Clean out to total depth 1005 Pacific Earthwest Pipeline  The W/2 of Section 20, containi	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4" anging, cument to surface. So regular 85 gel and 50 an neat. Set 5-  perfections using approximately 150,0  Lest taking and complete well.  Corporation  ng 320 acres, is dedicated to this well.	Vel:
Propose to drill to 200' and soling points, a propose to drill to 200' and soling coming # 3950', equant w/150 ax # 6075', coment w/200 ax regular water. Clean out to total depti 1605 Pacific Northwest Pipeline  The W/2 of Section 20, containi  lunderstand that this plan of work must receive app.  Company MASIPIC MONTHERS FIRE	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4" anging, coment to surface. So regular 85 gel and 50 an neat. Set 5-  perfections using approximately 150,0  Lest taking and complete well.  Corporation  ng 320 acres, is dedicated to this well  coval in writing by the Geological Survey before operations may be of	Vel:
Propose to drill to 200' and sell to 200', and sell to 200'.  The W/2 of Section 20, containing the 200's appropriate that this plan of work must receive appropriate that this plan of work must receive appropriate that the plan of the	how sizes, weights, and lengths of proposed casings; indicate mudding all other important proposed work)  10-3/4 casing, cament to surface. So regular of gel and 50 am neat. Set 5-  perference using approximately 150,0  cet tuning and complete well.  Corporation  ng 320 acres, is dedicated to this well coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations may be of the coval in writing by the Geological Survey before operations and the coval in the c	PRI COM

in the second

 $oldsymbol{\omega}_{i}$  which is the second of  $oldsymbol{\omega}_{i}$  and  $oldsymbol{\omega}_{i}$  and  $oldsymbol{\omega}_{i}$  and  $oldsymbol{\omega}_{i}$  and  $oldsymbol{\omega}_{i}$  and  $oldsymbol{\omega}_{i}$  and  $oldsymbol{\omega}_{i}$ 

And the second of the second o

Well Location and Acronge Delication Plan

Section A.

Date MARCH 28, 1958

Operator	PACIFIC	NORTHWEST	PIPELINE CO	DRPORATION	Lease SAN	JUAN 29	-5 UNIT		NM C	3188
Worth Nov.	28-20	Unit Letter	<b>M</b> Secti	on 20		ownship		Ransee	5-W	ZMPA
Located	<b>99</b> 0	Feet Fr	om SOUTH	Line,	<b>99</b> 0		t From	WES		Line
County	RIO ARI	RIBA	G. L. Elevation	6730	1:	)o Hoate E.		320	•	Asses
Name of	Producing 1	Cormation	MESA VI	RDE	1	•	BLANC	O MESA '	VERTE	<b>L</b> 17 .5

- 1. Is the Operator the only owner in the delicated acreage outlined on the flat below? Yes X . No
- 2. If the answer to question one is "no", have the interests of all the owners over long-list ded by communitization agreement or otherwise? Yes No . If downer is "ye.", Type of Consentation.

3. If the answer to question two is "no", list all the owners and their respective interests today:

Owner Land Description


Section B.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

George N Persin

Address

Pacific Northwest Pipeline Cosp. 418½ W. Broadway Farmington, New Mexico



Scale 4 meh s e par t mile

This is to certify that the above plot was prepared from field notes of matrix surveys made by me or under my supercission, activat the same are too and correct to the rest of my knowledge and bedief.

ny knownenine and bester.

1/are Sirveyed AUGUST 24, 1955

Roughton 1 Professional Education and or Land Survey of



Farmington, New Mexico