

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

SF-080377

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

San Juan 29-6 Unit

8. Well Name and No.

S.J. 29-6 Unit #78

9. API Well No.

30-039-07578

10. Field and Pool, or Exploratory Area

Basin Dakota

11. County or Parish, State

Rio Arriba, NM

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No.

5525 Hwy. 64, NBU 3004, Farmington, NM 84701 505-599-3454

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit L, 1980' FSL & 1100' FWL
Section 22, T-29-N, R-6-W

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Pit Closure
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The pit associated with the subject well's separator and dehydrator has been closed and replaced with a double bottom steel tank. Details of the closure are attached.

DEPUTY OIL & GAS INSPECTOR

OCT 31 1995

RECEIVED
MAY - 4 1995
OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Environmental Engineer

Date 2/16/95

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date APR 27 1995

DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

NMOC

District I

P.O. Box 1960, Hobbs, NM

District II

P.O. Drawer DD, Artesia, NM 88211

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICEPIT REMEDIATION AND CLOSURE REPORTOperator: Phillips Petroleum Company Telephone: 505-599-3454Address: 5525 Hwy. 64, NBU 3004, Farmington, NM 87401Facility Or: San Juan 29-6 Unit #78

Well Name

Location: Unit or Qtr/Qtr Sec NW Sec 22 T 29N R 6W County Rio ArribaPit Type: Separator X Dehydrator X OtherLand Type: BLM X State Fee OtherPit Location: Pit dimensions: Length 10', width 20', depth 4'
(Attach diagram)Reference: wellhead X otherFootage from reference: 70Direction from reference: Degrees East North
X West South XDepth to Ground Water: 240
(vertical distance from
contaminants to seasonal
highwater elevation of
ground water)

<u> </u>	Less than 50 feet	(20 points)	
<u> </u>	50 ft to 99 feet	(10 points)	
<u>X</u>	Greater than 100 feet	(0 points)	<u>0</u>

Wellhead Protection Area:
(less than 200 feet from a private
domestic water source, or: less than
1000 feet from all other water sources).

<u> </u>	Yes	(20 points)	
<u>X</u>	No	(0 points)	<u>0</u>

Distance to Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches.)

<u> </u>	Less than 200 feet	(20 points)	
<u> </u>	200 feet to 1000 feet	(10 points)	
<u>X</u>	Greater than 1000 feet	(0 points)	<u>0</u>

PITCFRM.WK3

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: N/A Dated Completed: _____

Excavation _____ Approx. cubic yards _____

Landfarmed _____ Insitu Bioremediation _____

Other _____

Remediation Method: Onsite _____ Offsite _____
(Check all appropriate sections)

General Description of Remedial Action: N/A

Initial assessment showed soils to be clean at the surface and at 3'
below pit bottom.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit: Sample location deepest part of pit. Sampled with a backhoe.

Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample depth 3' below pit bottom

Sample date 8/31/94 Sample time _____

Sample Results

Benzene (ppm) _____

Total BTEX (PPM) _____

Field Headspace (ppm) 0

TPH 14

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE 2/16/95 PRINTED NAME Ed Hasely

SIGNATURE Ed Hasely and TITLE Environmental Engineer

PHILLIPS PETROLEUM PIT ASSESSMENT SUMMARY
REVISED DATE SEPT 29, 1994 CJC

1994

ENVIROTECH, INC.

PIT NO	WELL NAME	PIT TYPE	RANK SCORE	CLOSURE STANDARD TPH (PPM)	DATE	FACILITY/LOCATION	SOIL TYPE	SAMPLE NO.	Organic Vapor Matter (PPM)	Total Recoverable Per. Hydro. (PPM)	EPA METHOD 8020 (PPM)					TOTAL BTEX	STATUS
											Benzene	Toluene	Ethyl Benzene	Xylene	BTX		
PA220	SAN JUAN 32-7 #47	SEP	10	1000	07/13/94	NO	CLAY/SILT	11E@ 3.0'	666	142							CLOSE
								11E@ 6.0'	664	142							
								11W@ 6.0'	661	248							
								11S@ 6.0'	695	64	NC	97	ND	260	357		
								11@ 14.0'	677	242							
PA226	SAN JUAN 30-5 #73 DK	SEP	0	5000	08/17/94	NO	SHALE	11@ 7.0'	176	260	43	1130	56	697	1626	CLOSE	
								11@ 12.0'	298								
PA227	SAN JUAN 30-5 #61 MV	SEP	10	1000	08/18/94	NO	CLAY	11@ 4.5'	15	36						CLOSE	
								11@ 16.0'	480	66	32	66	ND	51	178	CLOSE	
PA227A	SAN JUAN 29-8 #107	SEP	10	1000	08/22/94	NO	CLAY	12@ 4.5'	48	168						CLOSE	
								12@ 7.0'	345	74	ND	ND	ND	ND	ND	CLOSE	
27B	SAN JUAN 29-8 #107	SEP	10	100	09/07/93	NO	CLAY	11@ 5.5'	547	42715							REMEDIAL TO 5.5'
								13@ 3.0'	5.9	ND							BEDROCK
PA228	SAN JUAN 29-5 #91	SEP			09/22/94	NO	SAND	11@ 5.5'	158	36	48	183	84	585	880	CLOSE	
								11@ 6.0'	157	36							CLOSE
PA229	SAN JUAN 29-5 #80	SEP	0	5000	09/22/94	NO	SANDY CLAY	11@ 3.5'	157	36							CLOSE
								11@ 6.0'	65	34							CLOSE
PA230	SAN JUAN 29-8 NP #86	SEP	10	1000	09/23/94	NO	SILT CLAY	11@ 6.0'	190	319	33	339	121	1440	1933	CLOSE	
PA231	SAN JUAN 29-5 #103 PC	SEP	0	5000	09/23/94	NO	SILT CLAY	11@ 4.0'	644	4720	34	76	19	240	369	CLOSE	
								11@ 7.0'	80	24							CLOSE
PA232	SAN JUAN 29-8 #114	SEP	0	5000	09/23/94	NO	SILT CLAY	11@ 4.5'	16	22							CLOSE
								11@ 8.0'	0	ND							CLOSE
PA233	SAN JUAN 29-5 #71	SEP	10	1000	09/29/94	NO	CLAY/SHALE	11@ 5.5'	0	ND							CLOSE
								11@ 7.0'	0	ND							CLOSE
PA234	SAN JUAN 30-5 #89	SEP	0	5000	09/29/94	NO	CLAY/SHALE	11@ 4.5'	0	ND							CLOSE
								11@ 7.0'	0	ND							CLOSE
PA235	SAN JUAN 30-5 #100 DK	SEP	0	5000	09/29/94	NO	SANDY SHALE	11@ 5.5'	0	ND							CLOSE
								11@ 6.0'	266	359	64	29	91	299	603	CLOSE	
PA236	SAN JUAN 29-5 #99	SEP	10	1000	09/29/94	NO	SAND/CLAY	11@ 6.0'	398	3360							REMEDIAL TO 6.0'
								11@ 11.0'	425	290	64	36			90		
37	SAN JUAN 29-5 #75	SEP	10	1000	09/30/94	NO	SANDY CLAY	11@ 6.0'	147	20	62	31		78	161	CLOSE	
								11@ 11.0'	466	7590							REMEDIAL TO 14.0'
PA238	SAN JUAN 29-5 #70	SEP	10	1000	09/30/94	NO	CLAY	11@ 6.0'	302	8960							REMEDIAL TO 14.0'
								11@ 11.0'	218	1360							BEDROCK
PA239	SAN JUAN 29-5 #67	SEP	10	1000	09/30/94	NO	CLAY/SAND	11@ 14.0'	166	6740	69	93	540	405	1127	REMEDIAL TO 4.0'	
								11@ 0.5'	140	36							
PA240	SAN JUAN 29-5 #104 PC	SEP	10	1000	09/31/94	NO	CLAY	11@ 4.0'	2	ND							CLOSE
								11@ 7.0'	2	12							CLOSE
PA241	SAN JUAN 29-5 #61	SEP	0	5000	09/31/94	NO	CLAY	11@ 7.0'	470	5940							REMEDIAL TO 11.0'
								11@ 11.0'	84	22							BEDROCK
PA242	SAN JUAN 29-5 #59	SEP	10	1000	09/31/94	NO	CLAY/SAND	11@ 4.5'	0	18							CLOSE
								11@ 7.0'	0	14							CLOSE
PA243	SAN JUAN 29-5 #78	SEP	0	5000	09/31/94	NO	CLAY	11@ 7.0'	0	14							CLOSE

— — — — —

FIELD REPORT SITE ASSESSMENT

93162

Page 1 of 1

== AN APPRAISAL

Phillips Petroleum

ENTRETECH, INC.

[illegible]

REF ID: A66914

DATE FILED 9/1/94

DATE: 10/10/10 TIME: 10:10 AM BY: [Signature]

[illegible]

1991

100-441145-100

WELL San Juan 29-6 OF N^o 78

SEC 22 TWP 29N RNS 6W PM NM CENTER. Arrivals NM PIT separator

Range

70 SW
0'-3' clay, red, tan, brown, dry, no odor, soft

FIELD NO. 100-100-100						
SAMPLE NO.	DATE	TIME	TEMP.	WIND	REL.	WIND
11@7'	708	10	20	2	7	14.0
11@4.5'	709	10	20	2	9	18.0

240'
none
71000'
0
< 5,000 ppm

SAMPLE INVENTORY


[illegible]

SCALE

0

20 FEET

SITE DIAGRAM



TH= 1
0 50 50 50

1-

2 -

3-Pit

BTM

$-Cl_2$ $0.6/18.0$

3 - 3

6


7-Cl₄- -0.0/14D

TH#	SO#	SG#	TL#
1	1	1	1

TH= 30. 30. 30

TH#: _____
 SOIL SMP. QMM
 TYPE: TYPE TPL

Sex: ♀ = female, ♂ = male; Age: A = young, J = juvenile, A = adult; Egg: E = egg, L = larva, P = pupa, A = adult; Feeding: P = Poorly, W = Well



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	T-1 @ 7'	Date Analyzed:	9-01-94
Project Location:	San Juan 29-6 #78	Date Reported:	9-26-94
Laboratory Number:	GAC0708	Sample Matrix:	Soil

Parameter -----	Result, mg/kg -----	Detection Limit, mg/kg -----
Total Recoverable Petroleum Hydrocarbons	14	10

ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg -----	Duplicate TPH mg/kg -----	% *Diff. -----
	14	13	7

*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA243


Analyst


Review